

File No.23011/45/2006-CPD
Government of India
Ministry of Coal

<<>>

New Delhi, dated September 13, 2006

OFFICE MEMORANDUM

Subject: Minutes of Standing Linkage Committee (Long-Term) on
Sponge Iron Units held on 12.05.2006

The undersigned is directed to forward herewith the Minutes of the meeting of the Standing Linkage Committee (Long-Term) on Sponge Iron Plants held on 12.5.2006 at 3.00 pm at New Delhi for information and necessary action.

G. Srinivasan

(G.Srinivasan)

Under Secretary to the Govt. of India.

Tele: 23384285

- | | | |
|----|-------------------------------------------------------------------------------------------------------------------------|----------|
| 1. | Special Secretary, Ministry of Coal | Chairman |
| 2. | Planning Commission, Yojana Bhawan, New Delhi. (Attn: Shri Satya Murti, Joint Advisor Coal) | Member |
| 3. | Joint Secretary (LA), Ministry of Coal | Member |
| 4. | Joint Secretary, Ministry of Steel, Udyog Bhawan, New Delhi. (Attn Shri K.A.S. Deo, Joint Secretary) | Member |
| 5. | Executive Director, Traffic Transport(Steel) Ministry of Railways(Attn: Shri Mukul Saran Mathur, Director(TT), Steel). | Member |
| 6. | Chairman, Coal India Limited | Member |
| 7. | CMDs of BCCL, CCL, ECL, SECL, MCL,NCL, WCL & GM, NEC | Members |
| 8. | Chairman/Managing Director, Singareni Collieries Company Limited, Hyderabad. A.P. | Member |

Copy for information :

- 1) PS to Minister of Coal/OSD to Minister of Coal
- 2) PS to MOS(Coal)
- 3) Sr. PPS to Secretary(Coal), Ministry of Coal.
- 4) Director (CPD), Ministry of Coal.
- 5) Director(Marketing), CIL, 15-Park Street, Kolkata.
- 6) Chief General Manager(CP), CIL, 10-Netaji Subhas Rd., Kolkata.
- 7) Shri Krishan Kumar, CGM, CIL, Scope Complex, Lodi Road, New Delhi.

G. Srinivasan

(G.Srinivasan)

Under Secretary to the Govt. of India.

✓ Copy also to: NIC, Minister of Coal for placing on the Website of Ministry of i.e. coal.nic.in.

G. Srinivasan

(G.Srinivasan)

Under Secretary to the Govt. of India.

MINISTRY OF COAL
CPD SECTION

MINUTES OF THE MEETING OF THE STANDING LINKAGE COMMITTEE (LONG-TERM) ON SPONGE IRON
UNITS HELD ON 12TH MAY, 2006

A list of participants is annexed (Annexure-I).

2. **Joint Secretary(LA)**, Ministry of Coal, initiated the discussions by welcoming all participants. He thanked the Chairman, SLC (LT) for sparing his valuable time for chairing the meeting, inspite of his pre-occupation. He noted that the work relating to SLC (LT) for Sponge Iron Units was handled in Ministry of Steel and this work was transferred to Ministry of Coal in June 2005. Thereafter, SLC (LT) was constituted in Ministry of Coal. The first meeting of this committee was held in October 2005, which ratified/approved 25 cases, where Secretary (Steel) as Chairman of the then SLC (LT) had already granted in-principle approval. The present meeting has been convened to consider 161 applications of sponge iron units, which have already been technically scrutinized and recommended by Ministry of Steel. The physical inspection of these units have also been carried out by the coal companies to verify as to whether the plants for which coal linkage has been sought are existing and operational or not.

3. **Additional Secretary (Coal)**, Chairman SLC (LT), welcomed all the participants. He informed the meeting that as per decision taken by the SLC(LT) in its meeting held on 26.10.2005, 60% satisfaction level would be provided while approving long term linkages. He further indicated that in respect of those units which are already in existence and have applied for enhancement of linkage for their fresh kiln, the requirement of the unit for existing and expanded capacity taken together would be met at 60% satisfaction level. He noted that a decision had been taken to rationalise existing cross - linkages of Sponge Iron Units, based on their location. Coal India Ltd. has carried out an exercise in this regard and issued notices to 42 units, who have been granted cross linkages in the past. These units were requested to convey their willingness or otherwise to get their linkage transferred, based on 60% satisfaction level. Coal India Limited has been requested to inform the Committee of response of these units to the proposal.

4. He posed the issue of granting Tapering Linkage for those sponge iron units, which are already in production and have already been allotted coal blocks, but mining of which is yet to commence. He informed the SLC(LT) of the views of Ministry of Coal that it was only fair to give such linkages to the applicants who have been allocated captive coal blocks. Linkage are to

be given as required as per norms and deductions to be made as per the coal production reported to the Coal Controller and in any case linkage are to be discontinued from the time by when the allocatee of captive coal block is required to fully develop the coal block as indicated in the letter of such allocation.

5. **Chairman SLC (LT)** also informed that earlier Ministry of Steel conducted technical examination of the applications of sponge iron units and coal availability was confirmed by Ministry of Coal. Subsequent to transfer of SLC (LT) to Ministry of Coal, Ministry of Steel have now taken a view that technical scrutiny should be done by Ministry of Coal and in case of any specific doubt, the matter could be referred to Ministry of Steel. As regards physical inspection of units, Ministry of Steel took a view that due to closure of the office of Development Commissioner, it may not be possible for them to carry out physical inspections. He informed that the matter regarding the agency who would carry out technical scrutiny/physical inspection would be taken up separately with Ministry of Steel and the matter would be sorted out between the two Ministries. Meanwhile, Coal India Ltd. was advised to carryout physical inspection of 161 sponge iron units, whose cases have been technically scrutinized and recommended by Ministry of Steel. He informed to the Committee of the suggestion of Secretary, Ministry of Steel that linkages need to be considered only in cases where it is found, through inspections by CIL, that units are commissioned. He also conveyed the views of Ministry of Steel that within this category of running units, a higher priority may be accorded to units which have not been granted any linkage i.e. units which have been granted linkages earlier and have now requested for new linkages for meeting the requirement of enhanced capacity, could be given a lower priority.

6. **Chairman SLC (LT)** also requested Joint Secretary (Coal), who was invited as special invitee to indicate the status of allotment of coal blocks to the applicants, as the committee proceeds with the agenda items.

7. **Chairman , CIL** informed that he agreed with the suggestions made by Chairman SLC (LT) and CIL would be able to meet the coal requirements of these cases, based on revised coal availability position worked out by them. He informed the committee that as advised by Ministry of Coal, CIL had carried out physical inspection of Sponge Iron Units, with much difficulty and requested that in future, CIL may be spared of this work, as they do not have the requisite infrastructure for carrying out physical inspections of Sponge Iron Units. He also said that the staff of CIL were not all equipped to technically examine applications for linkage of Sponge Iron Units.

8. **Director (Marketing), CIL**, also agreed with the views of Chairman, CIL as well as Chairman, SLC (LT). He informed that out of 42 units to whom notices were issued for rationalization of cross linkages, eight have given unconditional confirmation for shifting of their linkage. He also informed the Committee that CIL has adequate coal to provide to the new applicants of sponge iron units (which are being considered by the Committee) provided 60% satisfaction level is maintained. He

endorsed the contention of CMD, CIL that CIL was totally unequipped to handle technical scrutiny of sponge iron applications. Even physical inspections were done with great difficulty

9. **The representative of Ministry of Steel** indicated that there are minor discrepancies in some cases relating to quantity, name, addresses of applicants and he would guide the committee about these discrepancies, as the committee proceeds with the agenda items.

10. **The Representative of Ministry of Railways** informed the committee that while they may have no objection in general for proposed linkages from movement point of view, they would examine the movement of each case at length and would furnish their views to the Ministry of Coal shortly.

11. The committee after deliberations, decided that the following criteria may be adopted for considering these applications, for grant of coal linkage:-

- (a) In respect of those sponge iron units, who have applied for fresh linkages and have been physically inspected and found commissioned, 60% satisfaction level would be considered.
- (b) In respect of the existing, sponge iron units, who have applied for enhancement of linkages as a result of setting up of fresh kilns, coal linkage would be considered only for those kilns which have already been commissioned. For the commissioned existing and expanded capacity of the unit taken together, linkage would be considered at 60% satisfaction level. To clarify, the quantity over and above the existing linkage to achieve over all 60% satisfaction level would be provided. However, if the quantity worked out on the basis of overall 60% satisfaction level is less than the existing linkage quantity, no additional quantity of coal would be considered.
- (c) In respect of those sponge iron units, who have applied for fresh linkage, which are in operation and have also been allotted coal blocks, they will be considered for Tapering Linkage. The yearly quantity of coal to be approved for such units will be worked out by CIL in consultation with Ministry of Coal/Coal Controller, keeping in view the mining plan and the conditions in the allocation letter for the coal block. The coal supplies will be made for a maximum period of three years or till the units develop their coal blocks to meet their coal requirement, whichever is earlier. This was felt necessary to ensure timely development of captive blocks. The details of quantity worked out for grant of Tapering Linkage would be intimated to the Sub-group, before actual release of coal is made by CIL and this would also be placed before the next meeting of SLC (LT) for ratification.

- (d) In respect of those sponge iron units, who have been physically inspected and found non-existing, their applications would be rejected.
- (e) While considering fresh linkages for the sponge iron units, as far as possible, cross linkages would be avoided.
12. Keeping in view the above criteria, the Committee considered the applications of sponge iron units and made unit-wise recommendations. A statement showing the recommendations of SLC (LT) is at Annexure-II.
13. The Committee also approved the rationalization of eight existing cross linkages, details of which are at **Annexure-III**.
14. SLC(LT) directed that in respect of the units which have been granted yearly tapering linkage in this meeting, the yearly tapering linkage should be worked out by CIL on the basis of the criterion laid down in para 11(c) above. The Sub-group should be informed of the yearly tapering linkage of the units by CIL within 30 days.
15. SLC(LT) was informed that a number of existing sponge iron units having coal linkages have also been allocated coal blocks. SLC(LT) felt that these existing units holding coal blocks should also be brought within the discipline of tapering linkage. The matter needs to be appropriately taken up with Ministry of Coal.
16. SLC(LT) also directed that physical verification of units who have been recommended for grant of linkage, should be done before actual release of coal.

Note:

- i) **The minutes of the meeting is subject to approval of the competent authority.**
- ii) **The coal quantity indicated against the name of the company is tentative and is subject to review.**

ANNEXURE-I

LIST OF OFFICERS/EXECUTIVES PARTICIPATED IN THE STANDING
LINKAGE COMMITTEE(LONG TERM) MEETING FOR SPONGE IRON
UNITS HELD ON 12TH MAY, 2006.

MINISTRY OF COAL

1. Sh. Pradeep Kumar, Addl. Secretary(Coal) - Chairman
2. Sh. Rajiv Sharma, Joint Secretary(LA)
3. Sh. K.S. Kropcha, Joint Secretary(Coal)
4. Sh. A.K. Jyotishi, Director(CPD)
5. Sh. G. Srinivasan, Under Secretary(CPD)
6. Sh. Chander Shekhar, Section Officer(CPD)

MINISTRY OF STEEL

7. Sh. D. Kashiva, Joint Industrial Adviser
8. Sh. P.K. Singh, Deputy Secretary

MINISTRY OF RAILWAYS

9. Sh. T.K. Ramakrishnan

COAL INDIA LIMITED

10. Sh. Shashi Kumar, Chairman, CIL
11. Sh. K. Ranganath, Director (Marketing)
12. Sh. D. Chakravarti, CMD, ECL
13. Sh. M.K. Thaper, CMD, SECL
14. Sh. P.S. Bhattacharyya, CMD, BCCL
15. Sh. S. Bhattacharya, Director,(Finance), WCL
16. Sh. I. K. Singh, CGM (S&M), CIL
17. Sh. D.K. Roy, CGM,(CP)
18. Sh. A.P. Singh, GM(CCL)
19. Sh. M. M. Singh, CCL
20. Sh. P. Darbari, GM(S&M), NCL
21. Sh. R.N. Roy, NCL
22. Sh.T. B. Mitra, GM(CP), MCL
23. Sh. H.K. Vaidya, GM(S&M), CIL
24. Sh. Vijay Kachroo, GM, SECL
25. Sh. P.K. Lala, Deputy CGM(IPC), ECL
26. Sh. A.K. Sinha, GM(S&M), SECL
27. Sh. S.K. Jaganahil, GM(P&A)

COAL INDIA LIMITED, NEW DELHI

28. Sh. K. Kumar, CGM
29. Sh. Sanjay Chawla, SM

SCCL, HYDERABAD

30. Sh. J.V. Dattatreyyulu, Director, (P&P)
31. Sh. N.V.K. Srinivas,DGM

G. Srinivas

ANNEXURE -II

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
1.	Ma Chimnisiokaia Steel & Power Limited , (formerly Maa Chimnisiokaia Sponge Iron) Vill. Madandhi, P.O. Bartoria, Dist. Purulia (W.B.)	18/10, Dover Lane, Kolkata - 700029	60000 (2x30000)	72000	ECL	43200	ECL	F
CMD ECL informed that 2 Kilns were commissioned. Hence, linkage for 2 Kilns approved. Coal quantity has been worked out based on quantity recommended by Ministry of Steel. Further, as the company is having Coal Block, it will be Tapering linkage.								
2.	Vision Sponge Iron Pvt. Limited , Rakta P.O Madhukunda, PS Santuri Distt. Purulia.	Anand Lok 227 AGC Bose Road, Kolkata.	30000 (1 st Kiln)	45000	ECL	27000	ECL	D/E
ECL Representative informed that kiln has been commissioned and hence linkage approved. Coal quantity has been worked out based on quantity recommended by Ministry of Steel. Further, as the company is having Coal Block, it will be Tapering linkage								
3.	Ma Chimnisiokaia Sponge Iron Limited , (formerly Maa Chimnisiokaia Sponge Iron) Vill. Binjhar, P.O. Marar, Ramgarh, Dist. Hazaribagh (Jharkhand)	18/10, Dover Lane, Kolkata - 700029	14319 Addl. (Kiln No. 5)	18615	ECL	3489	CCL	E
CCL Representative informed that Kiln 5 has been commissioned. Addl. quantity considered after rationalizing existing LT linkages. Further, as the company is having Coal Block, it will be Tapering linkage.								
4.	Jharkhand Ispat Pvt. Limited Vill. Hesla, Hazaribagh, Jharkhand.	P.N. Bank, Main Road, Ramgarh Cantt. Hazaribagh. Jharkhand.	30000 (1 st Kiln)	48000	CCL/ SECL	28800	CCL	E

CCL Representative informed that the unit has been commissioned. Hence, linkage approved. Further, as the company is having Coal Block, it will be Tapering linkage.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
5.	Jharkhand Ispat Pvt. Limited Vill. Hesla, Hazaribagh, Jharkhand.	Near P.N. Bank, Main Road, Ramgarh Cantt. Hazaribagh. Jharkhand.	30000 (2 nd Kiln)	48000	CCL/ SECL	0	N/A	N/A

CCL Representative informed that Kiln 2 has not been commissioned. Hence, case deferred.

6.	Bilaspurka Sponge Iron India Pvt. Limited. at Gundla Plotla Pally, Balanagar, Distt. Mahaboobnagar, A.P.	21-2-11 Pathergatti, Hyderabad.	30000 (1 st Kiln)	48000	SCCL	28800	SCCL	D/E
----	----------------------------------------------------------------------------------------------------------	---------------------------------	------------------------------	-------	------	-------	------	-----

SCCL informed the Committee that this unit is already getting coal based on recommendation of Deptt. of Industries, Govt. of Andhra Pradesh and has applied for regularization of existing linkage. Committee agreed.

7.	Grewal Associates (P) Ltd. Matkambada, Distt. Keonjhar, Orissa.	PB No. 44, Barbil, 758035, Distt. Keonjhar, Orissa	60000 (2X30000) 3 rd Kiln	91000	SECL 48,000 CCL 43000	0	N/A	N/A
----	-----------------------------------------------------------------	----------------------------------------------------	--------------------------------------	-------	--------------------------	---	-----	-----

MCL Representative informed that Kiln 3 has been commissioned. However, no addl. Quantity approved, after rationalization of existing linkages.

8.	Sunder Steels Limited, Survey No. 229-230 Bangalore Highway, Ganaphad Hyderabad.	I-7-228/44, United Builders Paradise Circle, S.D. Road, Securedra-bad -500 003 A.P.	30000 (2 nd Kiln)	38400	SCCL	28800	SCCL	E/F
----	----------------------------------------------------------------------------------	-------------------------------------------------------------------------------------	------------------------------	-------	------	-------	------	-----

SCCL agreed to provide coal to this unit, which has already been commissioned. Hence linkage approved. 1st Kiln is already getting coal quantity of less than 60% satisfaction level.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
9.	Kunj Iron Products Limited Merha Road, Chirkunda, Distt. Dhanbad.	Haryana Nivas, 1 st Floor, 40-B, Viveka Nand Road, Kolkata.	21000	33600	MCL	N/A	N/A	N/A

MCL Representative informed that this plant is not existing. Hence, case rejected.

10.	Gupta Metallic & Power Limited . at Vill. Chunala, The. Rajura, Distt. Chandrapur.	Gupta Bhawan, Seth M.P. Gupta Marg, Temple Bazar Sita Buldi Nagpur.	30000 (1 st Kiln)	47500	WCL	28500	SECL/Korba /Raigarh	D/E
-----	------------------------------------------------------------------------------------	---------------------------------------------------------------------	------------------------------	-------	-----	-------	---------------------	-----

CMD, SECL informed that the unit has been commissioned. Hence, linkage approved. Further , as the company is having Coal Block, it will be Tapering linkage.

11.	M.B. Ispat Corporation Ltd, Plot No. 1861, PO-Brojora, Distt. Bankura, West Bengal.	Shanti Niwas, P.O. Jamuria Ht. Distt. Burdwan, West Bengal	30000 (2 nd Kiln)	48000	CCL/ MCL	28800	ECL	F
-----	-------------------------------------------------------------------------------------	------------------------------------------------------------	------------------------------	-------	----------	-------	-----	---

CMD, ECL informed that Kiln 2 has been commissioned and hence addl. quantity approved, after rationalization of existing linkages. Further , as the company is having Coal Block, it will be Tapering linkage.

12.	M/s. Bhushan ltd, Tehsil - Rengali, Dist. Sambalpur, ORISSA	F' Block, 1st Floor, International Trade Tower, Nehru Place, New Delhi - 19.	600000 (4x150000)	996000	MCL	288000	MCL	F
-----	-------------------------------------------------------------	------------------------------------------------------------------------------	-------------------	--------	-----	--------	-----	---

MCL Representative informed that 2 Kilns have been commissioned and two are under installation. Therefore, linkage approved for Kiln No.1 and 2. Further , as the company is having Coal Block, it will be Tapering linkage.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
13.	M/s. Electro steel Casting Ltd, Haldia, Distt- Purba WB)	30-B.T. Road, Khardah, PO- Sukchar, 24, parganas(N), - 115	60000 (2 X30000)	96000	MCL	28800	ECL	D/E

CMD, ECL informed that only one Kiln has been commissioned. Therefore, linkage approved for 1 Kiln. Further, as the company is having Coal Block, it will be Tapering linkage.

14.	M/s. Crackers India(Alloys) Pvt. Ltd, Gobardha, Distt. Keonjhar, Orissa..	Station Road, Barbil, Keonjhar (Orissa)	30000 (1 st Kiln)	48000	MCL	28800	MCL	F
-----	---------------------------------------------------------------------------	-----------------------------------------	---------------------------------	-------	-----	-------	-----	---

MCL Representative informed that the unit has been commissioned. Therefore, linkage approved for 1 Kiln

15.	M/s. Vedvyas Ispat Ltd, At Gobira Near Kuarmunda in Sundergarh, Orissa	Panposh Road, Rourkela-01, Orissa	30000 (1 st Kiln)	48000	MCL	28800	MCL	F
-----	------------------------------------------------------------------------	-----------------------------------	---------------------------------	-------	-----	-------	-----	---

MCL Representative informed that the unit has been commissioned. Therefore, linkage approved for 1 Kiln

16.	M/s. Agrasen Sponge Pvt. Ltd, Mamdoalidar, Rajgangpur, in the State of Orissa.	Oscar House, Main Road, Rourkela	30000 (1 st Kiln)	48000	MCL	28800	MCL	F
-----	--------------------------------------------------------------------------------	----------------------------------	---------------------------------	-------	-----	-------	-----	---

MCL Representative informed that both Kilns of 15,000 TPD have been commissioned. Therefore, linkage approved.

17.	M/s. Bishwanath Ferro Alloys Ltd, Mathadih, P.O. Burhiadih, Giridih, Jharkhand	Jabakusum House, 2nd Floor, 34, Chittaranjan Avenue, Kolkata - 700012	30000 (Expansion)	37500	MCL	7500	CCL	E
-----	--------------------------------------------------------------------------------	-----------------------------------------------------------------------	----------------------	-------	-----	------	-----	---

CCL Representative informed that addl. Kiln has been commissioned. Hence, linkage approved, based on quantity sought by the applicant and after rationalization of existing linkage.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
18.	M/s.Mahendra sponge & Power (P) Ltd, Vill-Siltara Growth Centre, Phase-II,Raipur, (CS)	Vill-Siltara Growth Centre, Phase-II,Raipur, (CS)	30000 (3 rd Kiln)	48000	SECL	0	N/A	N/A
CMD, SECL informed that Kiln 3 has not been commissioned. Hence, case deferred.								
19.	S.A. Iron & Alloys Pvt. Ltd. Vill- Jiwanathpur, Distt-Chandauli, UP	37, Jawahar Nagar Extention, Bhelupur, Varanasi,UP	15000 Addl. Capacity (2 nd Kiln)	24000	SECL	14400	CCL	E
CCL Representative informed that the addl. capacity has been commissioned. Hence, linkage approved. Since Railways did not agree for movement from SECL, the committee agreed for linkage from CCL.								
20.	Hothur Steel, S.No. 288 & 289, Halkundi Village Banglore Road Ballery, Karnataka.	Hothur Arcade, RTO Road, Contonment, Bellary, Karnataka.	30000 (1 st Kiln)	48000	SCCL/WCL	28800	MCL	F
WCL Representative informed that the Unit has been commissioned. Hence, linkage approved, which will be subject to re-confirmation of movement by Railways.								
21.	M/s. Seleno Steels ltd, Vill. Taraimal, Distt-Raigarh,CG.	Naya Ganj, Raigarh(CG)	15000 2 nd Klin	24000	SECL	4800	SECL/Korba /Raigarh	E/F
CMD, SECL informed that Kiln 2 has been commissioned. Hence, linkage approved for 2 nd Kiln. Quantity worked out after rationalization of existing linkage.								
22.	M/s. Raipur sponge & power ltd, Chaurana ,Sigma, Raipur	6- Prem Kunj, Civil line Raipur.	30000 (1 st Kiln)	48000	SECL	0	N/A	N/A
CMD, SECL informed that the unit has not been commissioned. Hence, case deferred.								

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
23.	M/s. Aryavrata Trading Pvt. Ltd, Vill-Lohamellya, PO-Mohanpur, Jhargram, Distt-Paschim Medinipur, WB	Ghoradhara (Near Police Station), PO-Jhargram, Pin-7215	15000 (2 nd kiln)	24000	MCL	6720	ECL	D/E

CMD, ECL informed that Kiln 2 has been commissioned. Hence, linkage approved for 2nd Kiln. Quantity worked out after rationalization of existing linkage.

24.	M/s. Agrawal Sponge Pvt Ltd, Raipur, CG Vill-Siltara, Raipur, (CS)	Govind Kunj, Near Krishna Talkies, Samta colony,	30000 (3 rd Kiln)	48000	SECL	9600	SECL/Korba /Raigarh	E/F
-----	--------------------------------------------------------------------	--------------------------------------------------	------------------------------	-------	------	------	---------------------	-----

CMD, SECL informed that Kiln 3 has been commissioned. Hence, approved for linkage. Quantity worked out after rationalization of existing linkages.

25.	M/s. Ispat Damodar Ltd, Mouza-Babagram, PS-Neturia, distt-Purulia, WB	37, Shakespeare Sarani, Kolkata	60000 (2x30000)	96000	MCL	0	N/A	N/A
-----	-----------------------------------------------------------------------	---------------------------------	-----------------	-------	-----	---	-----	-----

MCL Representative informed that both Kilns are yet to be commissioned. Hence, case deferred.

26.	M/s. Govinda Impex pvt. Ltd, Barjora Hatasuria Bankura, WB	2 Maharshi Devendra road, Kolkata-07	30000 (1 st Kiln)	48000	MCL	28800	ECL	D/E
-----	------------------------------------------------------------	--------------------------------------	------------------------------	-------	-----	-------	-----	-----

CMD, ECL informed that the unit has been commissioned. Hence, linkage approved.

27.	M/s. Haldia Steels Ltd, Angadpur, Raturia Industrial Area, Durgapur, Burdwan, WB	37, Shakespeare Sarani, Kolkata-17 (unit 3 rd and 4 th)	60000 (3 rd & 4 th Unit)	96000	MCL	9600	ECL	D/E
-----	----------------------------------------------------------------------------------	--------------------------------------------------------------------------------	------------------------------------------------	-------	-----	------	-----	-----

CMD, ECL informed that one Kiln (Kiln No.3) has been commissioned and hence linkage approved for 3rd Kiln. Quantity worked out after rationalization of existing linkages. Further, as the company is having Coal Block, it will be Tapering linkage.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
28.	M/s. Shakun sponge iron Pvt. Ltd. Hardikla, Silpahari Industrial Area, Bilaspur	5, Basheer Ahmed Complex, Link Road, Bilaspur.	15000 (1 st Kiln)	24000	SECL	14400	SECL/Korba /Raigarh	E/F

CMD, SECL informed that unit has been commissioned. Hence, linkage approved.

29.	M/s. P.D. Industries Pvt. Ltd, Vill- Siltara, block-Dharsiwa, Raipur, (CS)	2nd floor, Dhillon Complex, Jawahar Nagar, Raipur, (CS)	30000 Addl.	48000	SECL	0	N/A	N/A
-----	----------------------------------------------------------------------------	---------------------------------------------------------	-------------	-------	------	---	-----	-----

CMD, SECL informed that addl. Kiln yet to be commissioned. Hence, case deferred.

30.	M/s. Shri Bajrang Power and Ispat Ltd, Vill. Borjhara, distt- Raipur Chhattisgarh.	522//C,URLA Industrial Complex, Raipur-493221(CG)	105000 (2 nd Kiln)	120000	SECL	100800	SECL/Korba /Raigarh	E/F
-----	------------------------------------------------------------------------------------	---------------------------------------------------	-------------------------------	--------	------	--------	---------------------	-----

CMD, SECL informed that 2nd Kiln is also commissioned. Hence, linkage approved. Hence, addl. quantity worked out after rationalization of existing linkage. Further, as the company is having Coal Block, it will be Tapering linkage.

31.	M/S. Jai Balaji Jyoti Steels Ltd. (Formerly M/s. Jyoti Iron and Steel) Tainser, Distt- Sundergarh, Orissa	A-6, Commercial Estate, Civil Township, Rourkela-769004, Orissa	30000 (1 st Kiln)	48000	MCL	28800	MCL	F
-----	-----------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------	------------------------------	-------	-----	-------	-----	---

MCL Representative informed that the unit is commissioned. Hence, linkage approved.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
32.	M/s. Adhunik Metaliks Ltd (Formerly Neepaz Metalikh) Chadri, Hariharpur, Dist. Sundargarh (ORISSA)	14, N.S. Road, 2nd Floor, Kolkata	30000 (4 th Kiln)	48000	MCL	0	N/A	N/A
MCL Representative informed that 4 th Kiln has not been commissioned. Hence, case deferred. Further, the Committee noted that the company has been allotted coal block.								
33.	M/s. Shree Shyam Sponge & Power Ltd, Bachhera Sigma, P.O.-Damakhera, Distt. Raipur (CG)	7, Premkunj, Civil Lines Raipur-492001 (C.G)	15000 (1 st Kiln)	24000	SECL	14400	SECL/Korba/Raigarh	E/F
CMD, SECL informed that the unit has been commissioned. Hence, linkage approved.								
34.	M/s. Bajrang Ispat Pvt. Ltd, Village Naikinbahal, Backside Karim Bux Talab, Koir Munda, Rourkela, Orissa.	Plot No. NN-8, First Floor, Civil Township Near Maa Tarni Mandir Rourkela, Orissa.	30000 (2X 15000)	48000	MCL	28800	MCL	F
MCL Representative informed that the unit has been commissioned. Hence, linkage approved. Further, as the company is having Coal Block, it will be Tapering linkage.								
35.	M.B. Ispat Corporation Ltd, Plot No. 1861, PO-Brojora, Distt. Bankura, West Bengal.	Shanti Niwas, P.O. Jamuria Ht. Distt. Burdwan, West Bengal	30000 Addl.	48000	MCL	28800	ECL	D/E
CMD, ECL informed that addl. Kiln has been commissioned. Hence, linkage approved. Further, as the company is having Coal Block, it will be Tapering linkage.								
36.	M/s. Ghankun steels Pvt. Ltd, Vill- Sondra, Distt- Raipur, (CG)	D-63, Sector-4, Devendra Nagar, Raipur, (CH)	30000 3 rd & 4 th Kiln	48000	SECL	0	N/A	N/A
CMD, SECL informed that 3 rd and 4 th Kiln of 15000 TPA have not been commissioned. Hence, case deferred.								

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
37.	M/s. Bindal sponge ltd, Talcher Distt- Angul, Orissa	NP-15-1B, Maurya Enclave, Pitampura, Delhi-88	97500 (1 st Kiln)	117000	MCL	70200	MCL	F

Ministry of Steel informed that the capacity should be 97,500 and the quantity requested by the applicant as 1.17 lakh tones. MCL Representative informed that the unit is commissioned. Hence, linkage approved taking into account 60% of the quantity applied for .

38.	M/S. Divya Jyoti Sponge Iron (P) Ltd., Vill. Nandanpur P.O & P.S. Mejia Distt Bankura, WB.	46-A Rafi Ahmed Kidwai Road 5th floor Kolkata 700016	Enhancement	8000 Addl.	MCL	4800	ECL	D/E
-----	--------------------------------------------------------------------------------------------	------------------------------------------------------	-------------	------------	-----	------	-----	-----

CMD, ECL informed that the unit of 30,000 TPA has been commissioned. The committee considered this addl. capacity requirement alongwith the original application listed at S.No.1 (Old case) and approved a total linkage of 28,800 (24000 + 4800) for this unit.

39.	M/s. Sumi Vyapar Pvt. Ltd, Ara-Sarubera Road, Vill-Kuju, PS Mandu, District Hazaribag, Jharkhand	Near Bihari durga Asthan, Malviya Marg, Boddom Bazar, Hazzaribag-01 Jharkhand.	30000 (1 st Unit)	42000	MCL	25200	CCL	E
-----	--------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------	------------------------------	-------	-----	-------	-----	---

CCL Representative informed that the unit has been commissioned. Hence, linkage approved. Quantity approved taking into account MOS recommendation.

40.	M/s. Metropolitan Commercial Pvt. Ltd. Vill-Bhunina, Simga, Distt-Raipur, (CS)	2, Hare Street, NICCO HOUSE (6th floor), Calcutta-01	60000 (2x30000)	96000	SECL	0	N/A	N/A
-----	--------------------------------------------------------------------------------	------------------------------------------------------	-----------------	-------	------	---	-----	-----

CMD, SECL informed that both the Kilns are yet to be commissioned. Hence, case deferred.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
41.	M/s. S.K. Sarawagi & Co. Pvt. Ltd, Plot No. 38-41, and 48-50 Village Sankara Phase-II, Siltara Industrial Area, Raipur	A-31, Ashoka Millennium, Ring Road, No. 1, New Rajinder Nagar, New Delhi.	60000 (2x30000)	96000	SECL	57,600	SECL/Korba/Raigarh	E/F
CMD, SECL informed that both Kilns have been commissioned and hence linkage approved for both Kilns.								
42.	M/s. HEG, MP Mandideep, Industrial Growth Centre Borai, , Durg, Chhattistgarh.	Madideep Near Bhopal, Distt. Raissen, M.P.	40000 + 10000 Enhancement of capacity of 1 st and 2 nd Klin.	80000	SECL	0	N/A	N/A
CMD, SECL informed that enhanced capacities have been commissioned. However, no addl. quantity approved, after rationalization of existing linkages.								
43.	M/S. Jai Balaji Sponge Ltd Mangalpur Industrial complex, , Budrwan, WB	5, Bentinck Street, 1st floor, Kolkata-01	45000 (Kiln 5,6&7)	72000	MCL	4800	ECL	D/E
CMD, ECL informed that all Kilns have been commissioned. Addl. quantity worked out after rationalization of existing linkages. . Further as the company is having Coal Block, it will be Tapering linkage.								
44.	M/s. Mangalam Ispat Pvt. Ltd At Kuarmunda, Near Rourkela, Orissa.	D-5 Civil Town Ship near Life line Hospital, Rourkela, Orissa.	30000 (1 st Kiln)	48000	MCL	28800	MCL	F

MCL Representative informed that the unit has been commissioned and hence, linkage approved.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
45.	M/s. Maa Shakambari steel Pvt. Ltd Vill. Sambalpur, Hamirpur, Road, Distt. Raigarh.	P.T Chiranjiv Das Nagar, Pahad Mandir Road, Raigarh	60000 (2x30000)	96000	SECL	28800	SECL/Korba /Raigarh	E/F
CMD, SECL informed that only one unit has been commissioned. Hence, linkage approved for one Kiln.								
46.	M/s. Devi Iron & power Pvt. Ltd, Village. Tada, Block, Dharsiva, Distt. Raipur, Chhattisgarh.	202, Steel Chambers, Wardhman Nagar, Nagpur	60000 (2x30000)	96000	SECL	28800	SECL/Korba /Raigarh	E/F
CMD, SECL informed that only one unit has been commissioned. Hence, linkage approved for one Kiln								
47.	M/s. Adhunik Alloys & power Ltd. Vill-Kandra Disstt-Saraikela , Jharkhand *	2, Inner Circle Road, Shanti Towers, bistupur, Jamshedpur-01.	105000 (1 st Kiln)	168000	MCL	100800	CCL	E
Dir (Tech.), CCL informed that Kiln of 350 TPD commissioned. Hence, linkage approved. Further as the company is having Coal Block, it will be Tapering linkage								
48.	Smridhi Sponge Pvt. Ltd. Sini, distt-Saraikela, Jharkhand	426/427, 4th floor, Ashiana Trade Centre, Adityapur, Jamshedpur, jharkhand-13	30000 (1 st Kiln)	42000	CCL	25200	CCL	E
Dir (Tech.), CCL informed that unit has been commissioned. Hence, linkage approved. Quantity approved on the basis of MOS recommendation.								
49.	M/s. Maheshwari Ispat pvt. Ltd,Vill Rampei P.O. Khuntuni P.S. girudi Jhatia Disit Cuttack Orissa.	P-5 Kalakar Street Ground Floor Kolkata 700007	30000 (1 st Kiln)	48800	MCL	28800	MCL	F
MCL Representative informed that Kiln has been commissioned. Hence, approved for linkage.								

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
50.	M/s. Adhunik Metaliks Ltd (Formerly Neepez Metalikh) Chadri, Hariharpur, Dist. Sundargarh (ORISSA)	14, N.S. Road, 2dn floor, Kolkata	30000 5 th Kiln	48000	MCL	0	N/A	N/A
MCL Representative informed that 5 th Kiln not yet commissioned. Hence, case deferred. The Committee noted that the applicant has been allotted coal block. Hence, tapering linkage for existing kilns.								
51.	M/s. T.R. Chemical ltd/ Belapada, Bamra, distt- Sambalpur, Orissa Sambalpur	Subhash Chowk, Main Road, Rajgangpur-17, orissa	120000 (4X30000)	1920000	SECL/ MCL on 50:50 Basis.	28800	MCL	F
MCL Representative informed that only one Kiln commissioned and linkage approved accordingly.								
52.	Kamal Sponge & Steel , Village Sangma, Distt. Satna, MP.	Madhya Pradesh	30000 (2 nd Kiln)	48000	SECL	0	N/A	N/A
CMD, SECL has informed that 2 nd Kiln has not yet been commissioned. Hence, case deferred.								
53.	Gopani Iron and Power Pvt. Limited Chandrapur Growth Centre, Tadali, Chandrapur, Maharashtra.	2, Uttam House, Office No. 2 P.D. Mello Road Carnac Bunder Mumbai-40009.	Request for change of source from MCL to WCL	N/A	WCL	N/A	N/A	N/A
The committee noted that the request of the applicant was for transfer of linkage. This request was examined by the Committee at the time of rationalization of linkage and approved (Annexure III refers)								
54.	Aarti Sponge & Power Pvt. Limited Vill-Murethi, near Siltara, RNN-Dharsiva, Distt- Raipur, (CS)	Ashoka Park, Khamardih Road, Shankar Nagar, Raipur, (CS)	60000 (2x30000)	96000	SECL	57600	SECL/Korba /Raigarh	E/F

CMD, SECL informed that both units have been commissioned and hence linkage approved accordingly.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
55.	Shiv Shakti Steel Pvt. Limited, Chakradharpur, Hauuman Road, Raigarh, Chattisgarh	A-97, Saheed Nagar, Bhubneshwar	30000 (1 st Kiln)	48000	0	0	0	0
The request was for change of grade of the long-term coal linkage earlier granted to this unit from E/F grade to B&C grade. However, request of the company was not agreed due to non availability of these grades.								
56.	M/s. Dhanbad Fuels Pvt. (Formerly M/s. Dhanbad Fuels Pvt. Ltd.) At Mangalpur industrial Estate, Ranganj, Burdwan,	Room No. 601, 12-A, loard Sinha Road, Kolkata-71	15000 (2 nd Kiln)	24000	MCL	6720	ECL	D/E
CMD, ECL informed that Kiln No.2 commissioned and hence linkage approved accordingly. Addl. quantity approved after rationalization of existing linkage.								
57.	Gravati Trexim Pvt. At Vill-Acholim Dist-Raipur, CG	120, Shahid Smarak Complex, Raipur(C.G)	7500 (1 st Kiln)	12000	SECL	7200	SECL/Korba /Raigarh	E/F
CMD, SECL informed that the unit has been commissioned and hence linkage approved accordingly. Quantity worked out as per MoS recommendation.								
58.	Gupta Metalick & Power Limited , at Vill. Chunala, Rajura, Distt. Chandrapur.	Nagpur, Maharashtra	90000 (2 nd , 3 rd and 4 th Kiln)	144000	WCL	28800	SECL/Korba /Raigarh	E/F
CMD, SECL informed that only 2 Kilns have been commissioned. At S.No.10 of the list, Kiln No.1 was approved for linkage. Linkage for second Kiln approved at above. The Committee noted that the applicant has been allotted coal block. Hence, tapering linkage for existing kilns.								
59.	Vallabh Steel Limited Vill. Dudgha Ghamari, Sarai Kela, Jharkhand.	G.T. Road, Sahanawal, Ludhiana	105000 (1 st Kiln)	168000	CCL	0	N/A	N/A

Dir (Tech.), CCL informed that the unit is yet to be commissioned. Hence, case deferred.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
60.	M/s. Bhagwati sponge pvt. Ltd, Village Ikhra, P.O.- Jamuria Hat, Burdwan W.B.	P.O. JAMURIA HAAT DISTT. BURDWAN, (W.B.)	30000 (1 st Kiln)	48000	MCL	288800	ECL	D/E
CMD, ECL informed that the unit has been commissioned and hence linkage approved accordingly.								
61.	M/s. Maheshwary Ispat Pvt. Ltd., Beldanga, Distt. Burdwan WB (Separate Plant)	P-5 Kalakar Street Ground Floor Kolkata 700007	90000 (3x30000)	144000	MCL	57600	ECL	D/E
CMD, ECL informed that 2 Kilns have been commissioned and hence linkage approved accordingly.								
62.	Hi-tech Power and Steel Limited Vill-Parsada, post-Sarora, The Tilda, Raipur, (CS)	F-4 Modern Complex, 1 st Floor, Moti Bagh Chock, Raipur, CG.	30000 Addl.	48000	SECL	9600	SECL/Korba /Raigarh	E/F
CMD, SECL informed that the 2 nd unit has been commissioned and hence linkage approved. Addl. quantity worked out after rationalization of existing linkage.								
63.	Nav Durga Fuel Pvt. Limited Post & Vill. Sarai Palli, Gharghora Road, Distt. Raigarh, CG.	P-45 Ravindra Sarani Road, Room No. 403, 4 th Floor Kolkata.	60000 (2x30000)	96000	SECL	57600	SECL/Korba /Raigarh	E/F
CMD, SECL informed that both Kilns have been commissioned and hence linkage approved accordingly.								
64.	M/s. Maa Samleswari Sponge Iron Ltd., Katar Baga, Rengli, Sambalpur.)	Dhankunda, Distt. Sambalpur, Orissa.	30000 (1 st Kiln)	48000	MCL	28800	MCL	F
MCL Representative informed that the unit has been commissioned and hence linkage approved accordingly.								

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
65.	SKS Ispat Limited., Siltara Raipur, Chhattisgarh.	A-53, Ashoka Millennium, Ring Road, Raipur.	165000 (3 Kilns)	264000	SECL	158400	SECL/Korba /Raigarh	E/F

CMD, SECL informed that all 3 kilns have been commissioned and hence linkage approved accordingly.

66.	Shri Radhey Industries Limited, Vill-Silpahari near Sirgitti Industrial Area, distt-Bilaspur (CS)	114, Link Road, Opp. Udyog Bhawan, Bilaspur	30000 (Expn)	48000	SECL	28800	SECL/Korba /Raigarh	E/F
-----	---------------------------------------------------------------------------------------------------	---------------------------------------------	--------------	-------	------	-------	---------------------	-----

CMD, SECL informed that the unit has been commissioned and hence linkage approved. The Committee noted that the applicant has been allotted coal block. Hence, tapering linkage for existing kilns.

67.	Bhilai Ispat Pvt.Ltd. Godhi Gaon, Murmunda, Kumhari The. Dhamda Durg.	Hanuman Mandir, Nandni Road, Bhilai.	30000 (2x15000)	48000	SECL	0	N/A	N/A
-----	-----------------------------------------------------------------------	--------------------------------------	-----------------	-------	------	---	-----	-----

CMD, SECL informed that both the Kilns of 15000 TPA have not been commissioned. Hence, case deferred.

68.	Animesh Ispat Ltd. Vill. Sondra, Near Siltara Growth Centre, Phase-II, Raipur.	Dadabadi, M.G. Road, Raipur.	60000 (2x30000)	96000	SECL	0	N/A	N/A
-----	--------------------------------------------------------------------------------	------------------------------	-----------------	-------	------	---	-----	-----

CMD, SECL informed that the Kilns of 15000 TPA have not been commissioned. Hence, case deferred.

69.	Gopal Sponge and Power Limited, Vill. Siltara, Phase-II, Dharsiva Block, Raipur (C.G.)	140, Maha Laxmi Cloth Market, Pandri, Raipur (C.G.)	60000 (2x30000)	96000	SECL	57600	SECL/Korba /Raigarh	E/F
-----	----------------------------------------------------------------------------------------	-----------------------------------------------------	-----------------	-------	------	-------	---------------------	-----

CMD, SECL informed that both units have been commissioned and hence linkage approved accordingly.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
70.	M/s. Sponge Udyog Pvt. Ltd, Village Jaibhal, P.O. Kalunga, Dsitt. Sundergarh, Orissa.	Bhartiya Palace, Bander Bagicha, Fraser Road, Patna	30000 (1 st Kiln)	48000	MCL	28800	MCL/Ib	F

MCL Representative informed that the unit has been commissioned and hence linkage approved accordingly.

71.	M/s. Savitri spon Iron pvt. Ltd, Burdwan Chattardanga Raniganj distt. Burdwan WB.	25 B Abanindra Nath Tagore Street Camac Court Flat 10/D Kolkata	15000 Addl.	22500	MCL	4860	ECL	D/E
-----	-----------------------------------------------------------------------------------	-----------------------------------------------------------------	-------------	-------	-----	------	-----	-----

CMD, ECL informed that Kiln 2 has been commissioned and hence linkage approved. Addl. quantity approved after rationalization of existing linkage.

72.	M/s. Maa Chandi Durga Ispat (P) Ltd, Kanjilal Avenue Durgapur	8/ C, M.D, Road, 4 th Floor, Suite No. 15, Kolkata. WB	45000 (Addl)	72000	MCL	28800	ECL	D/E
-----	---------------------------------------------------------------	-------------------------------------------------------------------	--------------	-------	-----	-------	-----	-----

CMD, ECL informed that all three addl. Kilns of 15000 TPA have been commissioned and hence linkage approved accordingly. Addl. quantity approved after rationalization of existing linkage. The Committee noted that the applicant has been allotted coal block. Hence, tapering linkage for existing kilns.

73.	M/s. Shee Madhav Ispat (P) Ltd. , A-53, Ashoka Millennium, Ring Road No. 1, Near Shailendra Nagar, Raipur (C.G.)	11, Brabourne Road, 5th Floor, Kolkata.	30000 (1 st Kiln)	48000	MCL	N/A	N/A	N/A
-----	------------------------------------------------------------------------------------------------------------------	-----------------------------------------	------------------------------	-------	-----	-----	-----	-----

MCL Representative informed that the unit is not traceable. Hence, case rejected.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
74.	M/s. Sai Sponge (I) Ltd, Vill. Noagaon, Jhinkpani, Singhbhum (West), Jharkhand	40/1, Strand Road, 2nd Floor, Kolkata - 1	30000 (Addl)	48000	MCL	14400	CCL	E
Dir (Tech.), CCL informed that the addl. Kiln has been commissioned and hence linkage approved accordingly. Addl. quantity approved after rationalization of existing linkage.								
75.	M/s. Deepak Steel & Power Ltd, (Formerly :Deepak Mineral Pvt. Limited.) Topadidhi, Dist. Keonjhar, P.O. Guali ORISSA	P.O. Koira, Dist. Sundergarh (ORISSA)	105000 (5 th Kiln)	168000	MCL	0	N/A	N/A
MCL Representative informed that the request is for linkage to 5 th Kiln, which has not been commissioned. Hence, case deferred.								
76.	Vimal Ispat Limited Vill Chicholi, Tilda Kharora Road Distt Raipur Chhattisgarh	165 Uppar Floor, Eskay Plaza Anand Talkies Road New Bombay Market Raipur (CG)	7500 (1 st Kiln)	12000	SECL	7200	SECL/Korba /Raigarh	E/F
CMD, SECL informed that the unit of 25 TPD capacity has been commissioned and hence linkage approved accordingly.								
77.	M/s. Deepak Steel & Power Ltd, Uliburu, P.O. Nalda, Dist. Keonjhar (ORISSA) (Separate)	P.O. Koira, Dist. Sundergarh (ORISSA)	60000 (2x30000)	96000	MCL	57600	MCL	F
MCL Representative informed that both kilns have been commissioned and hence linkage approved accordingly.								
78.	M/s. N.K. Bhojani Pvt. Ltd, Rugudihi, Distt. Keonjhar, ORISSA	Main Road, Barbil, P.B. No. 37, Keonjhar, ORISSA	12000 Addl.	19200	MCL	0	N/A	N/A
MCL Representative informed that the additional Kiln has not yet been commissioned. Hence, case deferred.								

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
79.	S.A. Iron & Alloys Pvt. Ltd. Vill- Jiwanathpur, Distt- Chandauli, UP	37, Jawahar Nagar Extention, Bhelupur, Varanasi, UP	30000 3 rd Kiln	48000	SECL	28800	CCL	E
Dir (Tech.), CCL informed that the unit has been commissioned and hence linkage approved accordingly.								
80.	M/s. Reliable sponge (P) Ltd., Jhaliaberna, Bonai, Distt- Sundergarh, Orissa	Dua Motors, Panposh Road, Rourkela-04	60000 (2x30000)	96000	MCL	28,800	MCL	F
MCL Representative informed that one kiln has been commissioned and hence linkage approved accordingly.								
81.	Shivalay ispat & Power Pvt Ltd, At Kara village, guma Urla Road, Distt - Raipur (CG)	Near Prajapita Bramha kumari Ashram Choubey Colony, Raipur-01 (CG)	30000 (2 nd Kiln)	48000	SECL	0	N/A	N/A
CMD, SECL informed that the second Kiln has not been commissioned. Hence, case deferred.								
82.	Shri Nakoda Ispat Limited Siltara, Raipur (CS)	Near Railway Crossing, Mowa, PO, Shankar Nagar, Raipur, CS	105000 Addl.	168000	SECL	0	N/A	N/A

CMD, SECL informed that the unit is yet to be commissioned. Hence, case deferred. The Committee noted that the applicant has been allotted coal block.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
83.	Gopani Iron & Power India Limited (Formerly : Gopani Iron & Powder India Limited) Chandrapur Growth Centre Tadali, Distt. Chandrapur Maharashtra	Uttam House office No. 2 P. D Mello Road Camac Bunder Mumbai - 400009	60000 (2x30000) Addl.	96000	WCL	19200	MCL	F

WCL Representative informed that both Kilns have been commissioned. Hence, linkage approved accordingly. Since WCL informed that coal is not available, linkage proposed from MCL. Addl. quantity worked out after rationalization of existing linkage and subject to re-confirmation of Rail movement.

84.	SPS Sponge Iron Limited, Industrial Growth Centre, Jharsuguda, Orissa	Himalaya House, 38-B, Chowringhee Road, 8th floor, Kolkata-71	90000 4, 5, & 6 TH Klin	144000	CCL/ MCL	28800	MCL	F
-----	-----------------------------------------------------------------------	---------------------------------------------------------------	------------------------------------	--------	----------	-------	-----	---

MCL Representative informed that Kiln No. 4 commissioned. Hence, linkage approved accordingly. Further, the company has been allotted coal block. Hence, tapering linkage for existing kilns.

85.	M/s. Prabhu sponge (P) Ltd, Village- Jhagarpur, PS Rajgangpur, Sundergarh, Orissa	OCL Approach Road, P.O. Rajgangpur, Dist. Sundergarh, ORISSA - 770017,	15000 3 RD KLIN	24000	MCL	0	N/A	N/A
-----	-----------------------------------------------------------------------------------	------------------------------------------------------------------------	----------------------------	-------	-----	---	-----	-----

MCL Representative informed that the unit has not yet been commissioned. Hence, case deferred.

86.	Shree Sita Ispat and Power Limited Vill-Borjhara, Urla-Guma Road, distt-Raipur, CG	Behind district Court, Mill Para, Durg-01, CG	30000 2 ND Klin	48000	SECL	0	N/A	N/A
-----	------------------------------------------------------------------------------------	-----------------------------------------------	----------------------------	-------	------	---	-----	-----

CMD, SECL informed that the unit has not yet been commissioned. Hence, case deferred.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
87.	Anjani Steel, Vill. Ujalpur, Tehsil. Ghar Ghora, Dist. Raigarh, Chattisgarh,	4th Floor, Sangam Place, Civil Lines, Allahabad - 211002	30000 (2 nd Kiln)	48000	SECL	9600	SECL/Korba /Raigarh	E/F
CMD, SECL informed that 2 nd Kiln has been commissioned and hence linkage approved. Addl. quantity approved, after rationalization of existing linkage. Further, the company has been allotted coal block. Hence, tapering linkage for existing kilns.								
88.	Neel Kanth Concast Pvt. Limited Village Vadala, Tal-Mundra, Distt-Kutch, Gujarat.	Village Vadala, Tal-Mundra, Distt-Kutch, Gujarat.	30000 (2x15000)	48000	WCL	28800	SECL/Korba /Raigarh	E/F
CMD, SECL informed that both kilns have been commissioned and hence linkage approved accordingly..								
89.	Drolia Electrosteel (P). Limited. Siltara, Dharsinwa, Dist. Raipur (C.G.)	620, Maker Chambers V, Nariman Point, Mumbai	30000 (2 nd Kiln)	48000	SECL	9600	SECL/Korba /Raigarh	E/F
CMD, SECL informed that 2 nd Kiln has been commissioned and hence linkage approved. Addl. quantity approved, after rationalization of existing linkage.								
90.	Gagan Resources Pvt. Ltd. Gram: Munrethi Siltara, Dharsiva, Raipur (Chhattisgarh)	30/2 Anand Nagar, main Road, Raipur (C.G.)	15000 (1 st Kiln)	24000	SECL	14400	SECL/Korba /Raigarh	E/F
CMD, SECL informed that the unit has been commissioned and hence linkage approved accordingly.								
91.	Shiv Shakti Steel Vill. Chakradharpur on Hamirpur Road Road Raigarh Chhattisgarh	Marshal House Room No 234 2nd floor 33/1, N.S. Road, Kolkata 700001	67500 Addl.	108000	SECL	0	N/A	N/A

CMD, SECL informed that the addl. kiln has not yet been commissioned. Hence, case deferred.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
92.	M/s. Rungta Mines ltd, Karakolha – Vill. Dist. Keonjhar, ORISSA	Rungta House, Chaibasa – 833201 (Jharkhand)	90000 3 rd , 4 th & 5 th Klin	144000	MCL	19200	MCL	F
MCL Representative informed that 3 rd and 4 th Kilns have been commissioned and hence linkage approved accordingly. Addl. Quantity worked out after rationalization of existing linkages. Further, the company has been allotted coal block. Hence, tapering linkage for existing kilns.								
93.	M/s. Rungta Mines Ltd, Kamando, Bonai, Dist. Sundergarh (ORISSA)	Rungta House, Chaibasa – 833201 (Jharkhand)	180000 6 Kilns	288000	MCL	172800	MCL	F
MCL Representative informed that six kilns have been commissioned and hence linkage approved accordingly. Further, the company has been allotted coal block. Hence, tapering linkage for existing kilns.								
94.	M/s. Shyam DRI Power Ltd, Rengali, Distt-Sambalpur, Orissa	29, Ganesh Chandra Avenue, 1st floor, Kolkata-13	210000 (2x105000)	336000	MCL	0	N/A	N/A
MCL Representative informed that 2 kilns of 105000 TPA have not been commissioned and hence case deferred.								
95.	Khetan Sponge and Infrastructure, Vill. Srora, P.O. Tilda, Distt. Raipur, Chhattisgarh.	Khetan Building 1 st Floor, Moudhapara, Raipur.	60000 (2x30000)	96000	SECL	28800	SECL/Korba /Raigarh	E/F
CMD, SECL informed that one kiln has been commissioned and hence linkage approved accordingly.								
96.	M/s. BRG Iron & Steel Co. Pvt. Ltd, Vill- Kuranti, distt- Dhenkanal, Orissa	46-B, Rafi Ahmed Kidwai Road, 5th floor, Kolkata-16	60000 (2x30000)	96000	MCL	N/A	N/A	N/A
MCL Representative informed that the unit is not existing and hence case rejected.								

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
97.	M/s. BRG Iron & Steel Co. Pvt. Ltd, Vill- Kuranti, Distt-Dhenkanal, Orissa	46-B, Rafi Ahmed Kidwai Road, 5th floor, Kolkata-16	105000 Addl.	168000	MCL	N/A	N/A	N/A
MCL Representative informed that the unit is not existing and hence case rejected.								
98.	Rameshwarm Steel and Power Ltd. Badegumda, Gharghoda, Distt-Raigarh, (C.G.).	215, 2nd Floor, Deshbandhu Complex, Agrasen Chowk, Raipur (C.G.)	90000 (3x30000)	144000	SECL	0	N/A	N/A
CMD, SECL informed that the unit has not been commissioned and hence case deferred.								
99.	Ind Synergy Limited (Formerly Ind Agro Synergy Limited)	624, Ultra Industrial Complex, Raipur. CG.	100000	40000 (Enhancement)	SECL	0	N/A	N/A
CMD, SECL informed that the addl. capacity has been commissioned. However, no addl. quantity approved, after rationalizing the existing linkage.								
100.	M/s. Rashmi Cement Ltd- Unit-III, At Mouza-Jitusole, PO Jhargram, Distt-Paschim, Midnapur, WB	PO-Jhargram, Distt-Misdnapore-07, WB	30000 3 rd Klin	48000	MCL	0	MCL	F
MCL Representative informed that the 3 rd Klin has been commissioned. However, no addl. quantity approve, after rationalizing the existing linkages. Further, the company has been allotted coal block. Hence, tapering linkage for existing kilns.								
101.	Singhal Enterprises Pvt. Ltd. Vill: Hirma, PO-Jharsuguda, Disstt-Jharsuguda, Orissa	34-A, Metcalfe Street, 4th floor, Suite: 4F/1, Kolkata-13	60000 (2x30000)	96000	MCL	28800	MCL	F

MCL Representative informed that the unit has been commissioned and hence linkage approved accordingly. Further, the company has been allotted coal block. Hence, tapering linkage for existing kiln.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
102.	Indian Steel & Power Pvt. Ltd. Village Charauda, Mohndi Road, Siltara, Chhattisgarh..	O-2, Farishta Complex, G.E. Road, Raipur, (C.G.)	60000 (2x30000)	96000	SECL	28800	SECL/Korba /Raigarh	E/F
CMD, SECL informed that only one Kiln has been commissioned and hence linkage approved accordingly.								
103.	N.R. sponge Pvt. Ltd, At Vill-Bahesar near Siltara Growth Centre, Phase-II, Raipur, CG	33-A, Light Industrial Area, Bhilai-26(CG)	30000 2 nd Klin	48000	SECL	28800	SECL/Korba /Raigarh	E/F
CMD, SECL informed that addl. Kiln has been commissioned and hence linkage approved accordingly.								
104.	Nutan Ispat and Power Limited, 38, Shahhed Smarak Complex, Opp. Nav Bharat Press, G.E. Road, Raipur (C.G.) - 492001	Jarauda, Post - Tarra, Block Dharsiwa, Dist. Raipur (CG),	30000 2 nd Klin	48000	SECL	9600	SECL/Korba /Raigarh	E/F
CMD, SECL informed that addl. Kiln has been commissioned and hence linkage approved accordingly. Addl. quantity worked out after rationalization of existing linkage.								
105.	Benaka Sponge Pvt. Limited Vill-Belagal, Distt- Bellary, Karnataka	No. V, 1st floor(1 & 2), NJS Complex, Bangalore	60000 (2x30000)	96000	SCCL/ WCL	28800	MCL	F
Dir (Mktg.), CIL informed that one unit of 30000 TPA commissioned. Since SCCL/WCL have negative coal balance, the committee approved linkage from MCL, subject to re-confirmation of Railway movement.								
106.	Maithon Steel and Power Limited, Mouza - Bora, P.O. Bonra, P.S. Neturia, Dist. Purulia (W.B.)	20, British India Steel, 3F, East India House, Kolkata - 69	30000 2 nd Klin	43200	ECL	0	N/A	N/A

MCL Representative informed that the 2nd Klin has not been commissioned. Hence case deferred. Further, the company has been allotted coal block. Hence, tapering linkage for existing kiln.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
107.	Aditya Sponge & Power Limited at P.O. Bupalpal, Telgoi Distt., Keonghai, Orissa	Adityapur Industrial Area, Jamshedpur, Jharkhand	30000 (2 nd Kiln)	48000	MCL	9600	MCL	F

MCL Representative informed that the 2nd Kiln has been commissioned and hence linkage approved accordingly. Addl. quantity worked out after rationalization of existing linkage. Further, the company has been allotted coal block. Hence, tapering linkage for existing kiln.

108.	M/s. Ispat Godawari Ltd. (now known as Godawari Power & Ispat Limited) Industrial Area Siltara, Raipur.	Plot No. 428/2/ Phase-I, Industrial Area, Siltara	168000 (Addl)	208000	SECL	57,600	SECL/Korba /Raigarh	E/F
------	---------------------------------------------------------------------------------------------------------	---------------------------------------------------	---------------	--------	------	--------	---------------------	-----

CMD, SECL informed that the addl. Kiln has been commissioned. Addl. quantity worked out after rationalization of existing linkage. Further, the company has been allotted coal block. Hence, tapering linkage for existing kilns.

109.	Scan Steel's Limited (Formerly Shrishti Ispat Limited) Vill. Budhakata, P.O. Biringatoli, Distt Sundargarh, Orissa	Main Road Rajgangpur Dist sundargarh 770017 (Orissa)	30000 2 nd Kiln	48000	MCL	0	N/A	N/A
------	--------------------------------------------------------------------------------------------------------------------	------------------------------------------------------	----------------------------	-------	-----	---	-----	-----

MCL Representative informed that the 2nd Kiln has not been commissioned and hence case deferred.

110.	DD International Pvt. Ltd. N.H. 32, Gram-Dantia, PO-Shyamnagar, distt-Purulia, WB	20, RJS Building, 2nd floor, diagonal Road, Bistupur, Jamshedpur-01, Jharkhand	30000 (2x15000)	48000	SECL	14400	SECL/Korba /Raigarh	E/F
------	-----------------------------------------------------------------------------------	--------------------------------------------------------------------------------	-----------------	-------	------	-------	---------------------	-----

Min. of Steel informed that application was for 2 Kilns of 15,000 TPA each. CMD, SECL informed that 1 Kiln of 15,000 TPA has been commissioned and hence linkage approved accordingly.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
111.	Balajee Vidyut and Sponge Ltd. Vill-Siltara, Distt-Raipur, (CS)	Dadabadi, MG Road, , Raipur-01 (CS)	60000 (2x30000)	96000	SECL	N/A	N/A	N/A
CMD, SECL informed that the unit is not traceable and hence case rejected.								
112.	Adhunik Alloys & Power Limited, 2, Inner Circle Road, Shanti Towers, bistupur, Jamshedpur-01	Vill-Kandra Disstt- Saraikela , Jharkhand	105000 2nd klin (Tapering)	168000	CCL/ MCL	0	N/A	N/A
MCL Representative informed that the 2 nd Klin is yet to be commissioned and hence case deferred. Further, the company has been allotted coal block. Hence, tapering linkage for existing klin.								
113.	Shri Shyam Ispat, At Taraimal, in the Distt- Raigarh, CG	Vill-Taraimal, PO-Gerwani, distt- Raigarh-01	45000 2 nd & 3 rd Klin	72000	MCL 24000 SECL 48000	0	N/A	N/A
CMD, SECL informed that addl. Kilns are yet to be commissioned and hence case deferred.								
114.	Nixon Steel & Power, Kalinga, Sundergarh, Orissa	KP-294, Pitampur, Delhi-88	100000 (1 st Klin)	160000	SECL/ MCL	96000	MCL	F
MCL Representative informed that the Klin has been commissioned and hence linkage approved accordingly.								
115.	Jay Iron & Steel Limited Vill. & P.O. Balanda, Sundergarh, Orissa.	Udit Nagar, Rourkela, Orissa.	30000 (1 st Klin)	36000	MCL	21600	MCL	F
MCL Representative informed that the Klin has been commissioned and hence linkage approved accordingly. Quantity worked out on the basis of MoS recommendation.								
116.	Satyarth Steel & Power Limited, Borjhara, Raipur, CG.	8-Samta Colony Krishna Tokage Raod, Raipur.	30000 Addl.	48000	SECL	19200	SECL/Korba /Raigarh	E/F
CMD, SECL informed that the addl. Klin has been commissioned. However, addl. Quantity worked out based on rationalization of existing linkage.								

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
117.	Suraj Products Limited Vill. Barpali, P.O. Kesaramal (Rajgangpur), Dist. Sundergarh, ORISSA - 770017	Vill. Barpali, P.O. Kesaramal (Rajgangpur), Dist. Sundergarh, ORISSA - 770017	15000 3 rd Klin	24000	MCL	0	N/A	N/A

MCL Representative informed that the addl. Kiln has been commissioned. However, no addl. Quantity approved based on rationalization of existing linkages.

118.	Hospet Ispat, Allaganar, Ginigera Hospet Karnataka	214 Poornima Towers Shankar Sheth Road Pune 411037	30000 1 st Klin	48000	SCCL	0	N/A	N/A
------	----------------------------------------------------	----------------------------------------------------	-------------------------------	-------	------	---	-----	-----

SCCL informed that due to non-availability of coal, linkage may not be considered. Committee agreed.

119.	Shiv Shakti Sponge Pandersil Sukuruli, Distt Mayurbhanj, Orissa	5 Tulsi Bhawan Near Gopal Madan Bistupur, Jamshedpur 831001	30000 Addl.	48000	MCL	9600	MCL	F
------	-----------------------------------------------------------------	-------------------------------------------------------------	----------------	-------	-----	------	-----	---

MCL Representative informed that the addl. Kiln has been commissioned. Addl. Quantity approved based on rationalization of existing linkages.

120.	Shilpi Steel Pvt. Limited Woolworth Industrial Area, Sarora, Raipur (C.G.)	Gudhiyari, Raipur-492001 (C.G.)	15000 (1 st Klin)	24000	SECL	14400	SECL/Korba /Raigarh	E/F
------	----------------------------------------------------------------------------	---------------------------------	---------------------------------	-------	------	-------	---------------------	-----

CMD, SECL informed that the Unit has been commissioned and hence linkage approved accordingly.

121.	Vasavani Industries Limited, Vill. Sondra Distt. Raipur Chhattisgarh	12/13 Vijeta Complex, Shyastri Market Raipur 492001 (CG)	90000 1 st Klin	144000	SECL	57600	SECL/Korba /Raigarh	E/F
------	----------------------------------------------------------------------	----------------------------------------------------------	-------------------------------	--------	------	-------	---------------------	-----

CMD, SECL informed that 2 Kilns have been commissioned and hence linkage approved accordingly.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
122.	Real Ispat Pvt. Limited Borjhara, Distt- Raipur, (CS)	Opp. Holy Hearts School, Civil Lines, Raipur, (CS)	60000 (2x30000)	96000	SECL	57600	SECL/Korba /Raigarh	E/F
CMD, SECL informed that 2 Kilns have been commissioned and hence linkage approved accordingly.								
123.	Sova Ispat Limited, Mejia Bankura Distt. West Bengal.	1-R.N. Mukhrjee Road, Martin Burn House, 5 th Floor, Room No. 55, Kolkata.	90000 (1 st Kiln)	144000	ECL/ CCL/ MCL	86400	ECL	D/E
Min. of Steel informed that this is a 300 TPD capacity unit. CMD, ECL informed that this Kiln has been commissioned and hence linkage approved accordingly. Further, the company has been allotted coal block. Hence, tapering linkage for existing kiln.								
124.	L.N Metallic Limited (Formerly L.N Metallic Pvt. Limited, At village Siripura distt. Jharsuguda (Orissa)	Khetrajpur, Sambalpur, Orissa- 03	30000 2 nd Kiln	48000	MCL	9600	MCL	F
MCL Representative informed that the addl. Kiln has been commissioned. Addl. Quantity approved based on rationalization of existing linkage.								
125.	Sri Balaji Metallics Pvt. Ltd, At Khairbondh, P.O. Ranto Birkera, Distt Sundergarh, Orissa	BG/2, S.D.D.C. Complex, Kachery Road, Rourkela-12	12000 (1 st Kiln)	19200	MCL	11520	MCL	F
MCL Representative informed that the Kiln has been commissioned and hence approved for linkage. Quantity approved based on MoS recommendation.								
126.	S.A. Iron & Alloys Pvt. Ltd. Vill- Jiwanathpur, Distt- Chandauli, UP	37, Jawahar Nagar Extention, Bhelupur, Varanasi, UP	30000 4 th Unit	48000	SECL	28800	CCL	E

Dir (Tech.), CCL informed that the Kiln has been commissioned and hence linkage approved accordingly.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
127.	Crest Steel & Power Pvt. Limited At Vill-Joratarai, Tehsil & Dist- Rajnandgaon, CG	30, Shopping Eomplex, Nehru Nagar(East), Bhilai(CG)-20	105000 (1 st Klin)	168000	SECL	100800	SECL/Korba /Raigarh	E/F

Min. of Steel informed that this is a single unit of 1.05 lakh TPA. CMD, SECL informed that the unit has been commissioned and hence linkage approved accordingly.

128.	N.R. sponge Pvt. Ltd, At Vill-Bahesar near Siltara Growth Centre, Phase-II, Raipur, CG	33-A, Light Industrial Area, Bhilai-26(CG)	30000 3 rd Klin	48000	SECL	0	N/A	N/A
------	----------------------------------------------------------------------------------------	--------------------------------------------	----------------------------	-------	------	---	-----	-----

CMD, SECL informed that the 3rd Klin has not been commissioned. Hence, case deferred.

129.	Khediaria Ispat Limited Y-1, 1st floor, Civil Township, Rourkela-04	Y-1, 1st floor, Civil Township, Rourkela-04	12000 (1 st Klin)	19200	MCL	11520	MCL	F
------	---------------------------------------------------------------------	---------------------------------------------	------------------------------	-------	-----	-------	-----	---

MCL Representative informed that the unit has been commissioned and hence approved for linkage.

130.	Shri Ganesh Metalliks Limited, Vill-Chandihariharpur, PO-Kuarmunda, Distt-Sundergarh, Orissa	1/10, Civil Township, Rourkela-04	60000 3 rd & 4 th Kilns	96000	MCL	19200	MCL	F
------	----------------------------------------------------------------------------------------------	-----------------------------------	-----------------------------------------------	-------	-----	-------	-----	---

MCL Representative informed that the kilns have been commissioned and hence approved for linkage. Addl. Quantity worked out after rationalization of existing linkage.

131.	Bravo Sponge Iron Rukni, PS Para, Distt. Purulia, West Bengal.	Muneshwari Bhawan, Contractors Area, Bistupur, Janshedpur-Jharkhand	30000 2 nd Klin	36000	ECL/CCL/MCL	0	N/A	N/A
------	----------------------------------------------------------------	---------------------------------------------------------------------	----------------------------	-------	-------------	---	-----	-----

CMD, ECL informed that the 2nd Klin has not been commissioned. Hence, case deferred.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
132.	Rashmi Ispat Pvt. Limited, Village Gajasimul, PS Jhargram, Paschim Meinaipur, West Bengal.	P.O.Jhargram, 721507, Distt. Midnapore, West Bengal.	30000 3 rd Klin	48000	MCL/ ECL	0	N/A	N/A
CMD, ECL informed that the 3 rd Klin has not been commissioned. Hence, case deferred.								
133.	Vision Sponge Iron Pvt. Limited, Rakta P.O Madhukunda, PS Santuri Distt. Purulia.	Anand Lok 227 AGC Bose Road, Kolkata.	30000 2 nd Klin	48000	ECL	0	N/A	N/A
CMD, ECL informed that the 3 rd Klin has not been commissioned. Hence, case deferred.								
134.	SPS Sponge Iron Limited Durgapur, distt-Burdwan, WB	Himalaya House, 38-B, chowringhee Road, 8th floor, Kolkata-	30000 Addl.	48000	Any coal company	0	N/A	N/A
CMD, ECL informed that the 3 rd Klin has not been commissioned. Hence, case deferred. Further, the company has been allotted coal block.								
135.	Vandana Global Limited Siltara Industrial Area, Phase - II, Siltara, Raipur - 493221	Vandana Bhawan, M.G. Goad, Raipur (C.G) -	150000 Addl.	240000	SECL	0	N/A	N/A
CMD, ECL informed that the addl. Kiln of 1.5 lakh TPA has not been commissioned. Hence, case deferred. Further, the company has been allotted coal block.								
136.	M/s. BRG Iron & Steel Co. Pvt. Ltd, Vill- Kuranti, distt-Dhenkanal, Orissa	46-B, Rafi Ahmed Kidwai Road, 5th floor, Kolkata-	225000 Addl.	360000	MCL	N/A	N/A	N/A
MCL Representative informed that the unit is not existing. Hence, case rejected.								
137.	Sunil Sponge Iron Limited, 6 th Floor, Crescent Tower, 229, AGC Bose Road, Kolkata.	Cheraipani, Distt- Raipur, (CS)	105000	168000	MCL/ SECL	0	N/A	N/A
CMD, ECL informed that the addl. Kiln has not been commissioned. Hence, case deferred.								

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
138.	Arian Steel & Power At Vill- Silpahari industrial Area, Bilaspur,CG	Sadar Bazar, bilaspur-01,CG	30000	48000	MCL	28800	SECL/Korba /Raigarh	E/F
CMD, SECL informed that the unit has been commissioned and hence linkage approved accordingly.								
139.	Bajrang Ispat Pvt. Limited, Naikanbahal,Rourkela	NN-8, Civil Township near Ma Tarani Mandir, Rourkela.	30000 3 rd klin	48000	MCL	0	N/A	N/A
MCL Representative informed that the addl. Kiln has not been commissioned. Hence, case deferred. The company has also been allotted coal block.								
140.	Shri Gopal Govind Mangalpur Industrial Estate, Raniganj, W.B.	4, Synagogue Street, Suit No. 818, 8th floor, Kolkata	12000 3 rd Kiln	19200	ECL/CCL /NCL/ MCL	0	N/A	N/A
CMD, ECL informed that kiln 3 has not been commissioned. Hence, case deferred.								
141.	M/s. Seleno Steels ltd, Vill. Taraimal, Distt-Raigarh,CG.	Naya Ganj, Raigarh(CG)	15000 3 rd Klin	24000	SECL	0	N/A	N/A
CMD, SECL informed that the addl. Kiln has been commissioned. However, no addl. Quantity approved after rationalization of existing linkages.								
142.	Kalinga Sponge Iron, Kalinga Rourkela, Distt. Sundergarh Orissa	91/92, Bapuji Nagar, Bhubneshwar, Distt. Khurda, Orissa	30000 (1 st Kiln)	48000	MCL	28800	MCL	F
MCL Representative informed that the addl. Kiln has been commissioned and hence linkage approved accordingly.								
143.	Samleshwari Ferro Metatals Bishalkhinda, Sambalpur, Orissa	Shree Kunj Bohidar Nuapali Bhalupali Chowk, P.O. Sankarma Sambalpur 768006	30000 (Addl.)	48000	MCL	28800	MCL	F
MCL Representative informed that the addl. Kiln has been commissioned and hence linkage approved accordingly.								

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
144.	Usha Martin (Tapering) Adityapur, Sarai Kela, Jamshedpur, Jharkhand	2A, Shakespeare Sarani, Kolkata - 71.	105000 (1 st Kiln)	160000	ECL	96000	CCL	E
Dir (Tech), CCL informed that the Kiln of 1.05 TPA has been commissioned and hence linkage approved accordingly. The company has been allotted coal block and hence Tapering linkage.								
145.	Seeta Sponge Iron Kalunga Industrial Estate, Kalunga Distt. Sundargarh, Orissa	Post Rajgangpur Distt. Sundargarh 770017 Orissa	15000 (1 st Kiln)	24000	MCL	14400	MCL	F
MCL Representative informed that the Unit has been commissioned and hence linkage approved accordingly.								
146.	M/s. Mangalam Ispat Pvt. Ltd at Kuarmunda, Near Rourkela, Orissa.	D-5 Civil Town Ship near Life line Hospital, Rourkela, Orissa.	30000 2 nd Kiln	48000	MCL	0	N/A	N/A
MCL Representative informed that the 2 nd Kiln has not been commissioned and hence case deferred.								
147.	Orion Ispat Limited, Ramchandrapur P.O. Basantpur Distt Keonjhar, Orissa	Boneikala Joda Dist Keonjhar Orissa 758038	30000 3 rd kiln	45000	MCL	0	N/A	N/A
MCL Representative informed that the Unit has not been commissioned and hence case deferred.								
148.	Maa Samleswari Industries Vill Lapanga, Distt Sambalpur Orissa.	Tiwarigali, Khetrajpur, Sambalpur 768003 Oris	60000 (2x30000)	96000	MCL	28800	MCL	F
MCL Representative informed that one Kiln has been commissioned and hence linkage approved accordingly.								

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
149.	Nava Bharat Fuese Co. Limited Raikot, Jagdalpur, Bastar, CG.	Nav Bhart Udyog Ring Road, 1 Teli Bandha Raipur.	60000 (2x30000)	96000	MCL/ SECL	28800	SECL/Korba /Raigarh	E/F
CMD, SECL informed that one Kiln has been commissioned and hence linkage approved accordingly.								
150.	Jayaswal Nicko, Siltara, Raipur, Chhattisgarh	F-8, MIDC Industrial Area, hingna road, nagpur-	Not indicated	0	SECL	N/A	N/A	N/A
Min. of Steel informed that the application was not for sponge iron plant. Hence, case not considered.								
151.	BR Sponge & Power Limited, Badtumkela, Rajimunda, Distt Sundergarh, Orissa	Main Road Rajgangpur 770017 Orissa	60000 (2x30000)	96000	MCL	57600	MCL	F
MCL Representative informed that both Kilns have been commissioned and hence linkage approved accordingly.								
152.	Ma Vaishwani Sponge Iron, Kalunga Rourkela, Distt Sundergarh, Orissa	N-18, Ground Floor, civil Town ship, Rourkela.	30000 (2x15000)	48000	MCL	28800	MCL	F
MCL Representative informed that both Kilns of 15000 TPA have been commissioned and hence linkage approved accordingly.								
153.	Geetanji Ispat & Power Limited , Vill. Hardikala, Tehsil Bilha, distt Bilaspur Chhattisgar	Geetanjali House Nehru Nagar Amori Road, Balaspur 495001 (CS)	30000 (1 st Kiln)	48000	SECL	28800	SECL/Korba /Raigarh	E/F
CMD, SECL informed that the unit has been commissioned and hence linkage approved accordingly.								
154.	Gagan Commodities Pvt. Limited Jamuria Industrial Estate, Asansol Coalfield area Distt Burdwan.	Sanjeev Sarani Durgapur 713201	30000 (1 st Kiln)	48000	BCCL/ ECL	28800	ECL	D/E
CMD, ECL informed that the unit has been commissioned and hence linkage approved accordingly.								

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
155.	Sunvik Steel Pvt. Ltd. Survey No. 33, Jodidevarahalli, Kallambella Hobli, Sira Taluk Tumkur.	G/1/11 1 st Floor Platinum city Yesghwantpur Bangalore.	30000 (1 st Kiln)	48000	SCCL	0	N/A	N/A
SCCL informed that due to negative coal availability, linkage may not be considered. Committee agreed.								
156.	Vijaya Sponge & Ispat Pvt Ltd. Vill. Juri, Kourang, Purlia, WB.	2 nd Floor, Gajraj Mansion, Bistipur, Jamshedpur	30000 (1 st Kiln)	48000	CCL/ SECL	28800	CCL	E
Dir (Tech), CCL informed that the unit has been commissioned and hence linkage approved accordingly.								
157.	Bimal Deep Steel Pvt. Ltd. Adityapur Industrial Area, Jamshedpur, Jharkhand	Aditya - 3rd Floor, 'Q' Road Bistupur, Jamshedpur	30000 (1 st Kiln)	48000	SECL/C CL	28800	CCL	E
Dir (Tech), CCL informed that the unit has been commissioned and hence linkage approved accordingly.								
158.	Pooja Sponge Pvt. Ltd. Kalunga Distt. Sundergarh, Orissa	Plot No. 214 IDCO, Industrial Estate Kalunga Rourkela Orissa.	30000 (1 st Kiln)	48000	MCL/ SECL	28800	MCL	F
MCL Representative informed that the unit has been commissioned and hence linkage approved accordingly.								
159.	OCL India Limited, Vill. Lamloi Rajgangpur, Distt Sundargarh Orissa	B-47 Connaught Place New Delhi 1	30000 (4 th Kiln)	48000	MCL	0	N/A	N/A

MCL Representative informed that the addl. Kiln has been commissioned. However, no addl. Quantity approved after rationalization of existing linkages. Further, as the company has been allotted coal block, Tapering linkage for all existing Kilns.

No.	Name of the Unit and location of plant	Registered Office	Capacity as per MoS recommendation (TPA)	Quantity as per MoS recommendation (TPA)	Source as per application	Quantity approved by SLC (LT)	Source approved by SLC(LT)	Grade approved by SLC(LT)
160.	Bhaskar Steel & Ferro Alloys Limited, Bad Tumkela, PO Tumkela, PS- Lauhni, Distt- Sundergarh, Orissa	Bad Tumkela, PO Tumkela, PS- Lauhni, Distt- Sundergarh, Orissa	90000 (1 st Kiln)	144000	MCL	86400	MCL	F

MCL Representative informed that one Kiln of 90,000 TPA has been commissioned and hence linkage approved accordingly.

161.	API Ispat, at Village Siltara, Block Dharsila, Raipur.	N/A	210000 (2x105000)	336000	SECL	0	N/A	N/A
------	--------------------------------------------------------	-----	-------------------	--------	------	---	-----	-----

CMD, SECL informed that both the Kilns of 1.05 TPA have not been commissioned. Hence, case deferred.

OLD CASE

1	M/S. Divya Jyoti Sponge Iron (P) Ltd., Vill. Nandanpur P.O & P.S. Mejia Distt Bankura, WB.	46-A Rafi Ahmed Kidwai Road 5th floor Kolkata 700016	30000	40000	MCL	01/03/2004
---	--------------------------------------------------------------------------------------------	------------------------------------------------------	-------	-------	-----	------------

Secretary(Steel) as Chairman of erstwhile SLC(LT), functioning in the Ministry of Steel, in its meeting held on 11.5.2004 had approved coal linkage for this unit. However, linkage order could not be issued. The Committee, after examination, approved total linkage of 28,800 for this unit (including the case appearing at S.No. 38 of the main list.)

RATIFICATION OF LINKAGE - Lloyds Metals and Engineers Ltd:

The consumer was initially granted coal linkage based on the recommendation of erstwhile SLC(LT) functioning in the Ministry of Steel under the Chairmanship of Secretary(Steel) to the tune of 1.8 ltpa which was subsequently enhanced to 2.4 ltpa by the erstwhile SLC(LT) functioning in the Ministry of Steel. The consumer was also allotted coal block which was de allocated. The consumer has been drawing coal to the tune of 2.4 ltpa (C/D/E Grade) from WCL since 1994. The Committee, after deliberations, approved regularization of linkage at 60% satisfaction level i.e. 1.44 Lakh tonnes per annum.

Annexure III**List of Sponge Iron units who have sought unconditional transfer of existing coal linkage and approved by the Committee, subject to confirmation of movement**

Sl. No.	Name of the Unit	Original linkage on	Grade	Linked Qty.(lakh tonnes)	Change sought to	Revised Qty approved by Committee
1	Jai Durga Iron (P) Limited, Telayla Basti, Kodama, Jharkhand	MCL	F	0.45	CCL	0.27
2	Gopani Iron & Power (I) Ltd., A-22 MIDC, Tarali Chandrapur, Maharashtra	MCL	F	0.96	WCL	0.576
3	Haldia Steels Ltd. Raturia Indl.Area, Angadpur, Durgapur, West Bengal	MCL	F	0.48	ECL	0.288
4.	Bravo Sponge Iron, Rukni, Purulia, West Bengal	MCL	F	0.48	ECL	0.288
5.	Palash Sponge Iron (P) Ltd. Bharejnagar, hazaribagh, Jharkhand	SECL	F	0.072	CCL	0.072 **
6.	Ma Amba Sponge Iron (P) Ltd. Jemua, Bankura, West Bengal	MCL	F	0.288	ECL	0.288 **
7.	SL Iron & Steel Co. Ltd. Dantia, Purulia, West Bengal	MCL	F	0.288	ECL	0.1728
8	MB Ispat Corporation Ltd. Plot No. 1861, Brajara, Bankura, West Bengal	MCL	F	0.216	ECL	0.216 **

** No further reduction in quantity proposed, as these units were granted linkage in the meeting of October,2005 at 60% satisfaction level.

File No.23011/45//2006-CPD

Government of India

Ministry of Coal

<<>>

New Delhi, dated September 13,2006

ORDER

Subject: Coal linkage in respect of rationalized sponge iron units.

The undersigned is directed to refer to the minutes of the meeting of the SLC(LT) on Sponge Iron Units held on 12th May,2006 and to say that the competent authority while approving the minutes has directed that the coal quantity on long-term basis as recommended by SLC(LT) for new sponge iron units/ additional capacity would remain at 60% level without disturbing the allocation earlier given to old units. The name of such units are given as under and linkage order in respect of these units would be issued accordingly.

No	S.No. in minutes	Name of the Unit and location of plant	Quantity recommended by SLC (LT)	Quantity as approved by the Competent authority (quantity in tpa)
1.	3	Ma Chinnisikaia Sponge Iron Limited , (formerly Maa Chinnisikaia Sponge Iron) Vill. Burjhar, P.O. Marar, Ramgarh, Dist. Hazaribagh (Jharkhand)	3489	13746
2.	7	Grewal Associates (P) Ltd. Matkambada, Distt. Keonjhar, Orissa.	0	28800
3.	11	M.B. Ispat Corporation Ltd, Plot No. 1861, PO-Brojora, Distt. Bankura, West Bengal	28800	28800
4.	17	M/s. Bishwanath Ferro Alloys Ltd, Mathadih, P.O. Burhadth, Giridih, Jharkhand	7500	22500
5.	21	M/s Seleno Steels Ltd, Vill. Taramal, Distt-Raigarh,CG.	4800	14400
6.	23	M/s. Aryavata Trading Pvt. Ltd, Vill-Lohamellya, PO-Mohanpur, Jhargram, Distt- Paschim Medinipur, WB	6720	14400
7.	24	M/s. Agrawal Sponge Pvt Ltd, Raipur, CG Vill-Siltara, Raipur, (CS)	9600	28800
8.	27	M/s. Haldia Steels Ltd, Angadpur, Raturia Industrial Area, Durgapur, Burdwan, WB	9600	28800
9.	30	M/s. Shri Bajrang Power and Ispat Ltd, Vill. Borjhara, dist-Raipur Chhatusgarh.	100800	100800
10.	42	M/s. HEG, MP Mandideep, Industrial Growth Centre Borai, , Durg, Chhatusgarh.	0	48000
11.	43	M/S. Jai Balaj; Sponge Ltd Mangalpur Industrial complex, , Burdwan, WB	4800	43200
12.	56	M/s. Dhanbad Fuels Pvt. (Formerly M/s. Dhanbad Fuels Pvt. Ltd.) At Mangalpur industrial Estate, Ranganj, Burdwan.	6720	14400
13.	62	Hi-tech Power and Steel Limited Vill-Parsada, post-Sarora, The-Tilda, Raipur, (CS)	9600	28800
14.	71	M/s. Savitri spono Iron pvt. Ltd, Burdwan Chattardanga Ranganj distt. Burdwan WB.	4860	14400
15.	72	M/s. Maa Chandi Durga Ispat (P) Ltd, Kanjilal Avenue Durgapur	28800	43200
16.	74	M/s. Sai Sponge (I) Ltd, Vill. Noagaon, Jhinkpani, Singhbhum (West), Jharkhand	14400	28800
17.	83	Gopani Iron & Power India Limited (Formerly : Gopani Iron &Powder India Limited)Chandrapur Growth Centre Tadab, Distt. Chandrapur Maharashtra	19200	57600
18.	87	Anjani Steel, Vill. Ujalpur, Tehsil. Ghar Ghora, Dist Raigarh, Chattusgarh,	9600	28800
19.	89	Droha Electrosteel (P). Limited. Siltara, Dharsinwa, Dist. Raipur (C.G.)	9600	28800
20.	92	M/s. Rungta Mines Ltd, Karakolha - Vill. Dist. Keonjhar, ORISSA	19200	57600
21.	99	Ind Synergy Limited (Formerly Ind Agro Synergy Limited)	0	28800
22.	100	M/s. Rashmi Cement Ltd-Unit-III, At Mouza-Jitusole, PO Jhargram, Distt-Paschim, Midnapur, WB	0	28800
23.	104	Nutan Ispat and Power Limited, 38, Shahhed Smarak Complex, Opp Nav Bharat Press, G.E. Road, Raipur (C.G.) - 492001	9600	28800

..2..

24.	107	Aditya Sponge & Power Limited at P.O. Bubalpal, Telgoi Distt., Keongha, Orissa	9600	28800
25.	108	M/s Ispat Godawari Ltd. (now known as Godawari Power & Ispat Limited), Industrial Area Siltara, Raipur.	57600	124800
26.	116	Satvarth Steel & Power Limited, Borjhara, Raipur, CG.	19200	28800
27.	117	Siraj Products Limited Vill. Barpal, P.O. Kesaramal (Raigangpur), Dist. Sundergarh, ORISSA - 770017	0	14400
28.	119	Shiv Shaku Sponge Pandersil Sukuruli, Distt Mayurbhanj, Orissa	9600	28800
29.	124	L.N Metallic Limited (Formerly L.N Metallic Pvt. Limited, At village Siripura distt. Jharsuguda (Orissa)	9600	28800
30.	130	Shri Ganesh Metalliks Limited, Vill. Chandthariharpur, PO-Kuarmunda, Distt-Sundergarh, Orissa	19200	57600
31.	141	M/s. Seleno Steels Ltd, Vill. Taraamal, Distt-Raigarh, CG.	0	14400
32.	159	OCL India Limited, Vill. Lamloi Raigangpur, Distt Sundargarh Orissa	0	28800
			432489	1116246

G. Srinivasan

(G.Srinivasan)

Under Secretary to the Govt. of India.

Tele: 23384285

To

1. Special Secretary, Ministry of Coal Chairman
2. Adviser(Energy), Planning Commission, Yojana Bhawan, New Delhi. (Attn: Shri Satya Murti, Joint Advisor Coal) Member
3. Joint Secretary (LA), Ministry of Coal Member
4. Joint Secretary, Ministry of Steel, Udyog Bhawan, New Delhi. (Attn Shri K.A.S. Deo, Joint Secretary) Member
5. Executive Director, Traffic Transport(Steel) Ministry of Railways(Attn: Shri Sunil Mathur, Executive Director(TT), Steel) Member
6. Chairman, Coal India Limited Member
7. CMDs of BCCL, CCL, ECL, SECL, MCL, NCL, WCL Members
8. Chairman/Managing Director, Singareni Collieries Company Limited, Hyderabad, A.P. Member

Copy for information :

- 1) PS to Minister of Coal/OSD to Minister of Coal
- 2) PS to MOS(Coal)
- 3) Sr. PPS to Secretary(Coal), Ministry of Coal.
- 4) Director (CPD), Ministry of Coal.
- 5) Director (Marketing), CIL, 15-Park Street, Kolkata.
- 6) Chief General Manager(CP), CIL, 10-Netaji Subhas Rd., Kolkata.
- 7) Shri Krishan Kumar, CGM, CIL, Scope Complex, Lodi Road, New Delhi.

G. Srinivasan
(G.Srinivasan)

Under Secretary to the Govt. of India.

Copy also to: NIC, Minister of Coal for placing on the Website of Ministry of i.e. coal.nic.in.

G. Srinivasan
(G.Srinivasan)

Under Secretary to the Govt. of India.