

File No.23014/1/2015-CPD
Government of India
Ministry of Coal
<<>

New Delhi, the 11th March, 2015

OFFICE MEMORANDUM

Subject: Meeting of the Standing Linkage Committee (Long-Term) for Power/Sponge/ Cement Sectors to review the status of existing coal linkages/LoAs and other related matters to be held on 12th March, 2015 at 03.00 P.M.

In continuation of this Ministry's OMs of even number dated 06.02.2015, 13.02.2015 and 27.02.2015 on the above mentioned subject, I am directed to enclose herewith a copy of the Agenda to be discussed in the meeting of SLC (L-T) scheduled to be held on **12th March, 2015 at 03.00 P.M.**

2. The venue of the meeting is the "Bhaba Chamber", Scope Convention Centre, Scope complex, 7 Lodhi Road, New Delhi-1100 03
3. You are requested to kindly make it convenient to attend the meeting.
4. The project proponents whose cases are mentioned in the agenda may also attend the meeting, if they wish to represent their case before the SLC(LT).

Encls. As above.

19-11-2
11.3.2015

(Pilli Ravi Kumar)

Under Secretary to the Govt. of India

To

- | | |
|---|--------------------|
| 1. Additional Secretary, (AKB), Ministry of Coal | Chairperson |
| 2. Principal Advisor(Energy), NITI Ayog, Yojana Bhawan New Delhi. | Member |
| 3. Joint Secretary, (Coal), Ministry of Coal | Member |
| 4. Advisor (Projects), Ministry of Coal | Member |
| 5. Joint Secretary(Thermal), Ministry of Power, Shram Shakti Bhawan, New Delhi | Member |
| 6. Joint Secretary (Ports), Ministry of Shipping, Transport Bhawan, New Delhi | Member |
| 7. Joint Secretary, Ministry of Steel, Udyog Bhawan, New Delhi | Member |
| 8. Joint Secretary, Department of Industrial Policy & Promotion, Udyog Bhawan, New Delhi | Member |
| 9. Executive Director, T. T. (F), Room No. 261, Railway Board, Ministry of Railways, New Delhi | Member |
| 10. Chairman-cum-Managing Director, CIL, 10-Netaji Subhas Rd., Kolkata.- 700001 | Member |
| 11. Director(Marketing), Coal India Limited, 15-Park Street, Kolkata | Member |
| 12. CMD's BCCL, CCL., ECL, MCL,NCL, SECL & WCL | Members |
| 13. Chairman-cum-Managing Director, Central Mine Planning & Design Instt Ltd. , Gondwana Place, Kanke Road, Ranchi. | Member |
| 14. Chairman-cum-Managing Director, SCCL, P.O. Kothagudem Collieries, Distt. Khammam-507101 | Member |
| 15. Chairman, Central Electricity Authority, Sewa Bhawan, RK Puram, New Delhi | Member |
| 16. Chairman, NTPC, Scope Complex,, Lodhi Road, New Delhi-110003 | Member |

Copy to:

(i) Director(Technical), CIL, 10, NS Road, Kolkata, ii) GM(S&M), CIL, 15-Park Street, Kolkata, iii) CGM(CP), CIL, 10 NS Road, Kolkata, iv) Shri G.K. Vashisth, GM(S&M), CIL, Scope Minar, Laxmi Nagar, Delhi.

Copy also to:-

1. PS to Minister of State (I/C) for Power, Coal and NRE, 2. OSD to Minister of State (I/C) for Power, Coal and NRE, 3. Sr. PPS to Secretary(Coal), 4. PPS to Additional Secretary(Coal), 5. PPS to Additional Secretary(AKB), 6. PPS to Joint Secretary(SKS), 7. Director (CPD):

19-11-2
11.3.2015

(Pilli Ravi Kumar)

Under Secretary to the Govt. of India

Copy to NIC, Ministry of Coal with a request to place it on the Website of this Ministry for information of all concerned.

Copy to: Nodal Officer, Social Media, Ministry of Coal.

F. No.23014/1/2015-CPD
Government of India
Ministry of Coal
CPD Section

New Delhi, Dated March, 2015

11A

Agenda for the meeting of the Standing Linkage Committee (Long Term) for Power to be held on 12th March, 2015

A meeting of the Standing Linkage Committee (Long Term) for Power will be held on 12.03.2015 under the chairmanship of Additional Secretary (Coal) to review the status of LOAs issued by Coal India Ltd and its subsidiaries in pursuance of the recommendations of the Committee and other related matters. The agenda shall be as follows:

Agenda Item & No.	Brief Description of the Agenda item	
Agenda Item No. 1 Confirmation of Minutes of the Special SLC (LT) meeting held on 03.12.2014 and SLC (LT) review meeting held on 23.12.2014		Confirmation of Minutes of the Special SLC (LT) meeting held on 03.12.2014 and SLC (LT) review meeting held on 23.12.2014.
Agenda Item No. 2 Supply of Coal beyond 31.03.2105 to EUPs affected by de-allocation of coal blocks and environmental clearance issues,	Issue: Supply of Coal beyond 31.03.2015 to EUPs affected by de-allocation of coal blocks and environmental clearance issues, covered under decision of Special meeting of SLC (LT) held on 03.12.2014. Brief Background :-	An Inter-Ministerial Committee was constituted in the Ministry of Coal (MOC) vide order No. 23025/2/2013-CPD dated 15.03.2013 with the following terms of reference:

<p>covered under decision of Special meeting of SLC (LT) held on 03.12.2014.</p>	<p>I. To consider and make recommendations on the issues related to supply of coal to End-Use-Plants where:</p> <ul style="list-style-type: none"> (i) The linked coal blocks allotted could not be developed on account of rejection by MoEF for clearances. (ii) The linked coal block has been de-allocated. (iii) Where the development of the linked coal block is delayed on account of non-availability of Environment Clearance/Forestry Clearance due to blocks in no-go areas, wild life corridors or their buffer zones, Coal Bed Methane areas, etc. <p>II. Any other issue referred to by the Competent Authority.</p> <p>The issues were discussed in detail in the 5th Meeting of IMC held on 11.06.2014 and the Committee recommended as under:</p> <p><i>In view of the scarcity situation of coal, prioritization of categories for coal supply be done in the following order:-</i></p> <ul style="list-style-type: none"> (a) <i>The EUPs which were already having long term linkages / LoAs but their then existing linkages were converted to tapering linkage consequent upon allocation of coal block.</i> (b) <i>The EUPs which were granted tapering linkages in view of a coal block having been allocated to them.</i> (c) <i>The EUPs which did not have any linkage whatsoever.</i> (d) <i>Within (b) & (c) above, due reference shall also be made to the extent of financial exposure of these EUPs, as assessed and recommended by their sponsoring Ministries, to determine inter-se priority among them.</i> <p>The above recommendations of IMC were sent to CIL for necessary action after approval of the competent authority. However, before these could be implemented, Hon'ble Supreme Court pronounced its judgements of August, 2014 and September, 2014. There were numerous representations from various organizations and associations for implementation of the recommendations of the 5th IMC. Accordingly, it was decided to hold a special SLC(LT) meeting on 3.12.14 to discuss these issues.</p> <p>After detailed deliberations, the Committee recommended that "coal be supplied to above EUPs</p>
--	---

under (a) and (b) category subject to availability. EUPs under category 9 (c) of the agenda should not be considered since there is no authentic list of such plants. It would not be justified at all to provide coal to such EUPs who did not have any linkage earlier, normal or tapering and yet they proceeded with it. Giving any coal to such plants would also be tantamount to their jumping the queue over those applicants who had applied for linkages as far back as in 2007 and thereafter. For the purpose of supply of coal on these recommendations, CIL shall assess the quantity of coal that could be made available for this dispensation and keeping that in view, may enter into MoU with EUPs in the order of precedence and priority indicated above. This shall not infringe into the quantity of coal that a EUP is entitled to, under the existing tapering linkage if that quantity is higher.

The underlying principle shall be that preference would be given to the running plants. Further, coal supply under category (a) & (b) above shall be confined to EUPs under sponge iron/steel and cement sectors only. IPP units are being treated separately and therefore they would be excluded for the purpose of supply of coal under current dispensations. The CPP shall also be excluded from above arrangement (because of scarcity of coal).

Tentatively, additional 5-7 million tonnes of coal may be made available under current arrangement. The quantities to be supplied to each EUP shall be in proportion to their LoA quantity before these were tapered on account of allocation of coal blocks. Those EUPs whose tapering linkages have been reduced to zero levels and their blocks have been deallocated/cancelled would also need to be considered for supply of coal. EUPs linked with operational blocks should not be covered under the current arrangements as they are entitled to receive coal till 31st March, 2015. EUPs to be supplied coal under current proposal shall be offered coal from the mines nearest to them and they should lift coal by road.

EUPs linked with those coal blocks which are under investigation by CBI and FIRs have been registered against them shall not be considered for supply of coal under above arrangement.

This dispensation shall be in operation till March 31st, 2015.

Based on the above recommendations competent authority decided that coal be supplied to the EUPs under **category 9 (a)** of the Agenda of the meeting in case of de-allocated / cancelled blocks till 31st March, 2015 on best efforts basis / MoU route **across all the sectors i.e. Steel, Cement, Power and CPPs**, subject to availability of coal. Regarding category 9 (b) a view shall be taken separately once relevant base data as regards the requisite quantum of supply and availability is ascertained.

	<p>The above decision has been implemented w.e.f. 22.01.2015 by CIL. While a few customers have come forward for entering into MoUs for supply, a few others have not shown interest since e-auction price of coal turns out to be cheaper as compared to MoU price of such supply. The validity of this decision is only upto 31.03.15. Since the process of fresh allocation of coal blocks is still going on, decision needs to be taken for extending the period for supply of coal under this dispensation after 31st March, 2015 or otherwise.</p> <p style="text-align: center;">The SLC (LT) to take a view in the matter.</p>
<p>Agenda Item No. 3</p> <p>Continuation of tapering linkage subsequent to Supreme Court Judgement on de-allocation of coal blocks – extension beyond 31.03.2015.</p>	<p>Issue: Continuation of tapering linkage subsequent to Supreme Court Judgement on de-allocation of coal blocks – extension beyond 31.03.2015.</p> <p>Ministry of Power vide their OM No.FU-25/2014-IPC dated 24.12.2014 had recommended that all those power projects which had tapering linkage but whose coal blocks have been de-allocated by the Supreme Court Judgement, the Ministry of Coal may consider maintaining the tapering linkage at the tapering rate prevailing at the time of Supreme Court orders till the coal block auction process is completed.</p> <p>Keeping in view the recommendation made by Ministry of Power vide their OM dated 24.12.2014, with the approval of the competent authority, it was decided that the projects which had tapering linkage but whose coal blocks have been de-allocated by the Supreme Court Judgement, may be allowed to maintain tapering linkage at the tapering rate prevailing at the time of Supreme Court orders till 31.03.2015, subject to review after that date. This dispensation will apply to plants which are part of 78000 MW list approved by CCEA and are running and they have long term PPAs. Accordingly, letter no. 23011/106/2014-CPD(Pt) dated 15.01.2015 was issued.</p> <p>The coal blocks associated with these Units had been declared illegal and deallocated/cancelled by SC judgement. The tapering linkages were on account of these (now deallocated/cancelled) blocks.</p> <p>The validity of this decision is only upto 31.03.15. Since the process of fresh allocation of coal blocks is still going on, decision needs to be taken for extending the period for supply of coal under this dispensation after 31st March, 2015 or otherwise.</p> <p style="text-align: center;">The SLC (LT) to take a view in the matter.</p>

<p>Agenda Item No. 4</p> <p>Supply of coal under MoU to 6 units beyond 31.03.15 covered under draft CCEA note involving:</p> <ol style="list-style-type: none"> 1) Mejia TPS, Ph II, U-2, 500 MW. 2) Ukai U-6, 500 MW. 3) Tiroda Ph-I, U-2, 140 MW. 4) Bellary U-2, 500 MW 5) Pari TPS U-8 6) Tiroda Ph-II, U-1, 660 MW 	<p>Issue :- Supply of coal beyond 31.03.15 under MoU to 6 units recommended by SLC/LT during its meeting on 04.10.2013 which were delayed due to reasons other than 'No-go' areas and covered under draft CCEA note dated 10.02.2014, recirculated on 06.06.2014</p> <p>Brief Background :-</p> <p>There were 24 units with tapering linkage out of 78000 MW approved under CCEA decision of 21.06.2013. Out of these, 9 units which were affected by 'Go-no-go' policy of the MoEF, a special dispensation was provided vide CCEA decision of 26.12.2013 for three years. Out of balance 15 units, the cases were deliberated in the SLC/LT meeting of 04.10.2013. MoP suggested that supply of coal could be given for a reasonable period beyond the expiry of tapering linkage. The committee recommended that coal supplies on MOU basis may be extended for one year beyond the expiry of tapering linkages in case of six units. The decision of the committee was to be placed before the CCEA for approval. The draft CCEA note was circulated on 10.02.2014 and recirculated on 06.06.2014 but has not been finalised so far.</p> <p>The issue was considered in the SLC (LT) meeting dated 27.06.2014. The Committee noted that this matter came up during the SLC (LT) meeting dated 04.10.2013 and it was decided that the coal supply may be continued on MoU basis for further one year beyond the expiry of the tapering linkage. The decision could not be operationalized as the matter was stated to be placed before CCEA. The position still remains the same.</p> <p><i>The Committee decided that the earlier decision for supply of coal on MoU basis subject to availability of coal shall stand but it shall be for a period of 6 month or until the CCEA approval is obtained, whichever is earlier. The decision shall apply to all similar cases covered in the same CCEA note.</i></p> <p>The similar concerned plants are as under:-</p> <ol style="list-style-type: none"> 1) Mejia TPS, Ph II, U-2, 500 MW. 2) Ukai U-6, 500 MW. 3) Tiroda Ph-I, U-2, 140 MW. 4) Bellary U-2, 500 MW 5) Pari TPS U-8 6) Tiroda Ph-II, U-1, 660 MW.
--	---

	<p>The approval of CCEA on the matter has still not been obtained. In the meantime, 6 months' period allowed by SLC/LT vide meeting dated 27.06.14 has lapsed. Moreover, the coal blocks associated with these Units have been declared illegal and deallocated/cancelled by SC judgement. The tapering linkages were on account of these (now deallocated/cancelled) blocks.</p> <p>Since the process of fresh allocation of coal blocks is still going on, decision needs to be taken for extending the period for supply of coal on MoU basis under this dispensation after 31st March, 2015 or otherwise.</p> <p>The SLC (LT) to take a view in the matter.</p>
<p>Agenda Item No. 5</p> <p>Supply of coal under MoU to units beyond 31.03.15 covered under similarly placed power plants (with coal blocks) commissioned/expected to be commissioned by March, 2015.</p> <p>M/s. GVK Power (Goindwal Sahib) Pvt at Goindwal Sahib, Punjab and other similar projects viz</p> <p>Koradi unit-8, 9 & 10, MSPGCL, Maharashtra. (3x660</p>	<p>Issue:- Supply of coal under MoU to units beyond 31.03.15 covered under similarly placed power plants (with coal blocks) commissioned/expected to be commissioned by March, 2015.</p> <p>Brief Background:-</p> <p>Ministry of Power had forwarded a list of similarly placed power plants (9940 MW) which were expected to be commissioned by March, 2015. These were stated to be similarly placed to the 4660 MW power plants, for which CCEA had directed to supply coal under certain conditions. This list included six projects which required tapering coal linkages (i.e. having coal blocks):</p> <ol style="list-style-type: none"> 1. Govindwal Sahib Unit-I & II, GVK Power Punjab (2x270 MW) 2. Koradi unit-8,9 & 10, MSPGCL, Maharashtra. (3x660 MW) 3. Chandrapur Ext. Unit-8 & 9, MSPGCL, Maharashtra. (2x500 MW) 4. Mahan TPP (Ph-I) of Essar Power MP Ltd., Distt. Sidhi, M.P. (2x600 MW) 5. Derang unit-2, Jindal India Thermal Power Ltd., Distt. Angul, Odisha. (600 MW) 6. Monnet Malibrahmani TPP, unit-1, Monnet Power. (1x525 MW) <p>The matter was placed before the SLC (LT) in its meeting held on 27.06.2014 and the Committee recommended that "the Committee was of the view that supply of coal is to be done in accordance with the Presidential Directive and as per the CCEA decision top priority is to be given to 60,000 MW capacity out of 78,000 MW.</p> <p><i>However, should there be any possibility to accommodate any request without disturbing</i></p>

<p>(MW) Chandrapur Ext. Unit-8 & 9, MSPGCL, Maharashtra. (2x500 MW) Mahan TPP (Ph-I) of Essar Power MP Ltd., Distt. Sidhi, M.P. (2x600 MW) Derang unit-2, Jindal India Thermal Power Ltd., Distt. Angul, Odisha. (600 MW) Monnet Malibrahmani TPP, unit-1, Monnet Power. (1x525 MW)</p>	<p><i>commitments on account of present linkages, then this may be considered on the basis of CCEA decision referred above whereunder the priority would obtain as follows:- 67000+11000 MW (first priority). 30000 MW (second priority) and 4660 MW + 9940 MW (similarly placed units) (third priority) Committee therefore recommended that subject to the availability of coal, without affecting supply to units higher in the priority, arrangement for coal supply to Govindwal Sahib TPP can be considered on MoU basis for a period not exceeding six months. Requests by other plants similarly placed will also be dealt with on similar lines."</i></p> <p>Now, the coal blocks associated with these Units have been declared illegal and deallocated/cancelled by SC judgement. The requests for tapering linkages were on account of these (now deallocated/cancelled) blocks.</p> <p>Since the process of fresh allocation of coal blocks is still going on, decision needs to be taken for extending the period for supply of coal on MoU basis under this dispensation after 31st March, 2015 or otherwise.</p> <p>The SLC (LT) to take a view in the matter.</p>
<p>Agenda Item No.6 (i) Supply of Coal to Biomass based Power Plants.</p>	<p>Issue: Supply of Coal to Biomass based Power Plants.</p> <p>Brief Background:</p> <p>The issue is related to the requests received from India Biomass Power Association and from Maha Co-Gen Power Producers Association regarding supply of coal to bio mass based power plants via Long Term Coal Linkage. They have represented that their applications for grant of Long Term Coal Linkage are pending with the Ministry of Coal since last 3 years. Accordingly, they have requested MoC to issue linkages to these projects @ 15% of their total fuel requirement.</p> <p>In this regard, it is mentioned that no new linkage has been granted to any of the sectors since 2010 due to negative coal balance with the coal companies.</p>

	<p>As per earlier policy, Bio mass based power plants were allowed to use 15% of their requirement of fuel as fossil fuel (e.g. coal). Such fuel is used only at the time of non-availability of bio-mass, normally in monsoon season. Coal is needed for co-firing which acts as a supporting fuel and also helps in retaining the heat of bio-mass thus making the process more efficient. Historically, 15% of fuel requirement of coal was supplied as regular linkage to these power plants (mostly CPPs), as per recommendation of Standing Linkage Committee (Long-Term) based on the recommendations of the administrative Ministry i.e. Ministry of Power.</p> <p>However, as per Central Electricity Regulatory Commission (Terms and Conditions for Tariff determination from Renewable Energy Sources) (First Amendment) Regulations, 2014, dated 18.03.2014, Regulation 41 of the Principal Regulations was amended to read as under:</p> <p><i>“41. Use of Fossil Fuel: The use of fossil fuels shall not be allowed”.</i></p> <p>This matter was discussed in the SLC (LT) meeting held on 27.06.2014. During the meeting representative of CIL informed that CERC had issued guidelines on 18.03.2014 prohibiting use of fossil fuels in Biomass plants. Therefore, it would not be possible to supply coal to any of the Biomass Plants. The representative of MoP also supported the view of CIL. The Committee recommended as under:-</p> <p><i>“Committee directed to ascertain in respect of CERC order regarding ban on using fossil fuels in Biomass plants from MoP. This may be done before the next meeting. All these issues will be taken thereafter”.</i></p> <p>In the meantime, supply of coal to bio mass based power plants was suspended in view of CERC order dated 18.03.2014. Now, CERC vide Gazette notification dated 05.01.2015 has again amended Regulation 41 of the Principal Regulations to state as under:</p> <p><i>“The use of fossil fuels shall be limited to the extent of 15% in terms of calorific value on annual basis, till 31.03.2017”.</i></p> <p>In view of the fresh CERC order dated 05.01.2015, the SLC (LT) is to take a view in the matter.</p>
--	---

<p>Agenda Item No. 6 (ii)</p> <p>Issues related to Biomass Plants for change in the category from CPP to IPP</p>	<p>Issue: Issue of changing of the category from CPP to IPP of bio mass plants.</p> <p>The issue is related to the requests received from the Biomass plants for changing of the category from CPP to IPP of bio mass plants.</p> <p>A list of Bio-mass plants was received from CIL vide letter dated 22.04.2010, which inter-alia mentioned four projects viz. M/s Shalivahana Green Energy Ltd (10 MW), M/s Varambio Energy (P) Ltd (10 MW), M/s Sardaambika Power Plant Pvt Ltd (10MW) and M/s Yash Agro Energy Ltd. (12 MW), for which SLC (LT) for power in its meeting held on 06.11.2007 had recommended issuance of LoA from WCL. CIL has also stated that WCL has informed that none of the Bio-Mass plants fulfil the condition of CPPs as the entire power generation is sold to Grid.</p> <p>Accordingly, comments of Maharashtra Energy Development Agency (MEDA) were called for. MEDA clarified the position that the category of all the four Bio-mass plants should be treated as IPP not CPP since all the power generated was being supplied to grid. Comments received from WCL are summarized as under:-</p> <p><i>"In the 4 cases of bio-mass plants, the model LOA for CPP was issued. In terms of modified milestones, all the Bio-mass plants failed to fulfill the milestone No. 9 (b) on the grounds that the power generated is being supplied to Grid. In respect of Ma Sardaambika Power Plant Pvt Ltd, the unit failed to achieve the Milestone No. 8 in addition to Milestone No. 9 (b). M/s Yash Agro Energy Ltd, had not made any application for reduction in capacity of their plant from 12 MW to 8 MW. However, they have submitted commissioning certificate from CE stating that the 12 MW power plant situated at Chandrapur is commissioned on 15.09.2008."</i></p> <p>Request has been made by M/s Yash Agro for reduction in capacity from 12 MW to 8 MW, which was forwarded to CIL on 29.08.2011. CIL vide letter dated 01.04.2013 had informed that LoAs were issued by WCL under CPP category. These plants failed to achieve the milestones applicable to CPP within the LOA period, as a result CG have been forfeited after expiry of LOA in all these four cases.</p> <p>The SLC (LT) is to take a view in the matter.</p>
--	---

<p>Agenda Item No. 7</p> <p>Issue of acceptance /receipt of fresh applications.</p>	<p>Issue: Issue of acceptance / receipt of fresh applications.</p> <p>The proposal for acceptance of fresh applications for LoA in respect of Sponge Iron and Cement Sectors was placed before SLC (LT) meeting held on 22.09.2014. The Committee recommended as under:-</p> <p><i>“Receipt of fresh applications for grant of LOAs from Sponge Iron & Cement sectors shall be kept in abeyance for a period of three months. The matter would be reviewed thereafter.”</i></p> <p>In respect of the unprocessed applications, it was recommended that the fees deposited by the developers be deposited to the Govt. account but the processing of these applications should be kept in abeyance. Whenever it would be decided to accept fresh applications for LoAs, such unprocessed applications would get precedence over fresh applications to be received.</p> <p>As a period of three months has already lapsed, the SLC (LT) is to take a view in the matter.</p>
<p>Agenda Item No. 8</p> <p>Shri Vandana Vidhyut Ltd.</p>	<p>Issue: at Annexure – 1.</p> <p>Remarks of CIL :-</p> <p>The issue of supplying one time commissioning coal to plants where Show cause notices were issued (by SECL for achievement of COD beyond one year of expected COD), was discussed in the SLC(LT) Meeting held on 23.12.2014, the minutes of which is awaited.</p> <p>As per the PD, coal supply is to be made only to those plants having long-term PPA and CIL cannot make supply against medium/short term PPA.</p> <p>Conversion of tapering linkage to Long-Term linkage does not come under the purview of CIL. However, in view of naegative coal balance, CIL strongly disagrees to such conversion.</p>

<p>Agenda Item No. 9 U.P. Rajya Vidyut Utpadan Nigam Ltd. (UPRVUNL)</p>	<p>Issue: at Annexure – 2. Remarks of CIL :- As per their request received by NCL, the ACQ has been revised to 39,79,740 tonne per annum retrospectively w.e.f. 01.01.2014. However, further restoration to original quantity may be looked into by NCL on getting consumers' request. The issue was discussed in the SLC (LT) Meeting held on 23.12.2014 wherein it was decided that amended FSAS are to be signed after pro-rata reduction of the quantity pertains to derated capacity, the minutes of which is awaited. It is not possible to supply against de-commissioned units.</p>
<p>Agenda Item No. 10 Shyam Sel & Power Limited.</p>	<p>Issue: at Annexure – 3. Remarks of CIL :- LOA cancelled/withdrawn due to deficiencies observed in milestones no 1, 2, 3, 5, 6, 7, and 8 by CCL.</p>
<p>Agenda Item No. 11 Balco</p>	<p>Issue: at Annexure – 4. Remarks of CIL :- The supply of backlog quantity cannot be agreed.</p>
<p>Agenda Item No. 12 Baldev Alloyes Pvt. Ltd.</p>	<p>Issue: at Annexure – 5. Remarks of CIL :- Existing linkage for CPP. FSA was not sign since the plant was found non-operational at the time of physical inspection.</p>

<p>Agenda Item No. 13 Reliance Power Limited. (VIPL)</p>	<p>Issue: at Annexure – 6.</p> <p>Remarks of CIL :- Conversion of the Unit 1 of VIPL from GCPP to IPP category has been done as per the decision of SLC (LT), in its meeting held on 21st February, 2014. Since the unit is not covered in the Presidential Directive dated 17.07.2013, therefore FSA/coal supply cannot be done. For Unit 2, regular coal supply is taking place under FSA.</p>
<p>Agenda Item No. 14 Visa Steel Ltd.</p>	<p>Issue: at Annexure – 7.</p> <p>Remarks of CIL :- Matter referred to MOC vide letter dt. 20.2.2013 for advice as coal quantification received late from CCO, i.e., after 3 months period after expiry of LOA. Letter seeking advise on signing of FSA after expiry of 3 months sent to MOC on 20.02.2013. Also 3 year tapering period has expired.</p>
<p>Agenda Item No. 15 GMR Chhattisgarh Energy Ltd.</p>	<p>Issue: at Annexure – 8.</p> <p>Remarks of CIL :-</p> <p>(1) Not having any linkage with CIL Covered under 9940 MW, which had been offered coal under best effort MOU from NEC and WCL, but not lifted any coal from subsidiaries of CIL.</p> <p>(2) MOC vide its letter F No. 23011/138/2012-CPD (Vol-III) dated 16.01.2014 directed CIL to supply coal subject to a maximum approved quantity as indicated in the Presidential Directive dated 17.07.2013 for a period up to 30.09.2016 or till such time the production actually starts from the blocks. In view of availability of coal at ECL, the 3rd unit was transferred to ECL. As ECL has sought more linkages to cater its production, it is not possible to revert back to MCL</p> <p>(3) Supply is materialized as per term of FSA where, trigger level is 65% during 2014-15.</p> <p>(4) No linkage with CIL, covered under 9940 MW, have been offered coal under best effort MOU from</p>

	NEC and WCL but the IPP has not lifted any coal from subsidiaries of CIL. WCL does not have any rail logistic problem.
Agenda Item No. 16 Marwa TPP CSPGCL	Issue: at Annexure – 9. Remarks of CIL :- Extension in tapering linkage.
Agenda Item No. 17 India bulls Power Limited. Currently RatanIndia Power Limited.	Issue: at Annexure – 10. Remarks of CIL :- Comments of CIL not received.
Agenda Item No. 18 DVC, CTPS #U 7 & 8 MTPS #U 7 & RTPS Phase I (U#1&2)	Issue: at Annexure – 11. Remarks of CIL :- The case was already discussed in the SLC (LT) and the issue was inconclusive. The unit is covered under Presidential Directives dated 17.07.2013 Both the units are covered under Presidential Directives dated 17.07.2013. CCO intimated that Gondulpara coal block was jointly allocated to the consumer. Meanwhile FSA with Unit 7 was already signed. The matter was deliberated in the SLC(LT) Meeting held on 04.10.2013 wherein the Committee recommended that since the matter was being examined in the MOC, supply to unit 7 in the interim not to be discontinued without the approval of MOC/SLC(LT). However, no decision regarding unit 8 (where FSA is yet to be signed) has been taken by MOC/SLC(LT) till date. Conversion of tapering linkage to Long-Term linkage does not come under the purview of CIL. However, in view of negative coal balance, CIL disagrees to such conversion.

<p>Agenda Item No. 19</p> <p>Yazdani Steel & Power Ltd. formerly known as Dinabandhu Steel & Power Ltd.</p>	<p>Issue: at Annexure – 12.</p> <p>Remarks of CIL :-</p> <p>Matter pending at MOC. Quantification for AFBC boiler received. There is change in name. MoC had sought comments vide letter dt. 7.5.12. Comments sent vide letter dt. 4.6.12.No reply/approval from MOC regarding change in name till date received. Clarification regarding linkage has already been sent to MOC vide letter dated 26.0.2014. Further, as per directive of SLC(LT) dated 21.02.2014 complete status along with all the facts has been sent to MOC vide letter dated 28.03.2014.</p>
<p>Agenda Item No. 20</p> <p>Domestic Coal Based Power Producers Association (DCBPPA)</p> <p>(1) GMR Kamalanga Energy Ltd., Phase I, Dhenkenal, Odisha</p> <p>(2) Sterlite Energy Ltd., Jharsuguda, Odisha.</p> <p>(3) KSK Mahanadi Power Co. Ltd., Janglir Champa, Odisha</p> <p>(4) Jindal India Thermal Power Ltd.,</p>	<p>Issue: at Annexure – 13.</p> <p>Remarks of CIL :-</p> <p>(1, 2 & 3)</p> <p>MOC vide its letter F No. 23011/138/2012-CPD (Vol-III) dated 16.01.2014 directed CIL to supply coal subject to a maximum approved quantity as indicated in the Presidential Directive dated 17.07.2013 for a period up to 30.09.2016 or till such time the production actually starts from the blocks.. In view of demand of additional linkage by ECL, one unit was transferred to ECL. The request cannot be considered.</p> <p>(4) Unit no. not mentioned. Unit 1 covered under PD. For unit 2, no linkage with CIL, covered under 9940 MW, had been offered coal under best effort MOU from NEC and WCL, but not lifted any coal from subsidiaries of CIL. The request cannot be considered as MCL has sufficient linkages.</p>

<p>Derang, Odisha (5) Monnet Power Co. Ltd., Odisha</p>	<p>(5) No linkage with CIL, covered under 9940 MW, had been offered coal under best effort MOU from NEC and WCL but not lifted any coal from subsidiaries of CIL.</p>
<p>Agenda Item No. 21 Domestic Coal Based Power Producers Association (DCBPPA)</p>	<p>Issue: at Annexure – 14. Remarks of CIL :- Related to E-auction policy.</p>
<p>Agenda Item No. 22 APGENCO Govt. of AP undertaking (1) Request for exemption from submitting additional bank guarantee for non-achievement of milestones for Rayalseema-VI power plant. (2) Request for additional coal linkage of 1.2 MT for their Rayalseema-VI power plant since, the capacity has</p>	<p>Issue: at Annexure – 15. Remarks of CIL :- As per information received from MCL, there were delay in submission in 5 milestones, however, the unit submitted addl. BG for 2 milestones only within the validity period. The issue was deliberated in the SLC(LT) Meeting held on 27.06.2014, wherein the Committee recommended that, "keeping in view of the negative coal balance as of now and also in view of the facts that there are several other cases of similar nature, where demand for such additional coal would be of the order of 15-20 MT, no change in the present position is recommended." As such additional coal cannot be agreed.</p>

been enhanced from 500 MW to 600 MW.	
Agenda Item No. 23 Jindal Stainless Steel	Issue: at Annexure – 16. Remarks of CIL :- Matter is related to restoration of tapering coal linkage, which cannot be agreed to CIL.
Agenda Item No. 24 Dheeru Power	Issue: at Annexure – 17. Remarks of CIL :- No comments received from CIL.
Agenda Item No. 25 L&T Nabha Power Ltd.	Issue: at Annexure – 18. Remarks of CIL :- The issue was deliberated in the SLC(LT) Meeting held on 27.06.2014, wherein the Committee recommended that, "Keeping in view of the negative coal balance as of now ans also in view of the facts that there are several other cases of similar nature, where demand for such additional coal would be of the order of 15-20 MT, no change in the present position is recommended."
Agenda Item No. 26 TSPL (Talwandi Sabo)	Issue: at Annexure – 19. Remarks of CIL :- The consumer may apply in CIL for taking necessary action, if any. The coal may be available from ECL. For improvement in rake supply they need to take up the matter with Railways.

<p>Agenda Item No. 27 Sesa Sterilite Pvt. Limited</p>	<p>Issue: at Annexure – 20.</p> <p>Remarks of CIL :-</p> <p>MOC vide its letter F No. 23011/138/2012-CPD (Vol-III) dated 16.01.2014 directed CIL to supply coal subject to a maximum approved quantity as indicated in the Presidential Directive dated 17.07.2013 for a period up to 30.09.2016 or till such time the production actually starts from the blocks. In view of demand of additional linkage by ECL, the 3rd unit was transferred to ECL. The request for change cannot be accepted.</p>
--	--

F. No.23014/1/2015-CPD
Government of India
Ministry of Coal
CPD Section

New Delhi, Dated 11th March, 2015

Agenda for the meeting of the Standing Linkage Committee (Long Term) for Cement to be held on 12th March, 2015

A meeting of the Standing Linkage Committee (Long Term) for Cement will be held on 12.03.2015 under the chairmanship of Additional Secretary (Coal) to review the status of LoAs issued by Coal India Ltd and its subsidiaries in pursuance of the recommendations of the Committee and other related matters. The agenda shall be as follows:

Agenda Item & No.	Brief Description of the Agenda Item
Agenda Item No. 1 Confirmation of Minutes of the Special SLC (LT) meeting held on 03.12.2014 and SLC (LT) review meeting held on 23.12.2014	Confirmation of Minutes of the Special SLC (LT) meeting held on 03.12.2014 and SLC (LT) review meeting held on 23.12.2014.
Agenda Item No. 2 JayPee Sidhhi Cement Plant	Issue: at Annexure – 21. Remarks of CIL :- 1. Tapering Linkage. In this regard, action has already been taken by CIL in terms of the decision of the IMC and Minutes of SLC (LT) Meeting held on 03.12.2014. However, matter is related to restoration of tapering

	coal linkage, which cannot be agreed to CIL. 2. Matter is related to restoration of tapering coal linkage, which cannot be agreed to CIL.
Agenda Item No. 3 Prism Cement Limited.	Issue: at Annexure – 22. Remarks of CIL :- Tapering Linkage. The unit ins not included in the CCO letter dated 11.06.2014. In this regard, action has already been taken by CIL in terms of the decision of the IMC and Minutes of SLC (LT) Meeting held on 03.12.2014. However, matter is related to restoration of tapering coal linkage, hence does not come under the purview of CIL. The additional charge was levied under the tapering linkage policy as per the decision taken in CIL Board.
Agenda Item No. 4 Ambuja Cement Ltd. (ACC)	Issue: at Annexure – 23. Remarks of CIL :- Such inter plant transfer is not entertainable, since the linkage is plant specific.
Agenda Item No. 5 Ultra Tech Hirmi Cement Works, CG	Issue: at Annexure – 24. Remarks of CIL :- FSA was not executed due to validity of tapering linkage period was over.
Agenda Item No. 6 Ultra Tech Vikram Cement Works, CG	Issue: at Annexure – 25. Remarks of CIL :- FSA is under process at the end of WCL.

F. No.23014/1/2015-CPD

Government of India
Ministry of Coal
CPD Section

11th
New Delhi, Dated March, 2015

Agenda for the meeting of the Standing Linkage Committee (Long Term) for Sponge Iron to be held on 12th March, 2015

A meeting of the Standing Linkage Committee (Long Term) for Sponge Iron will be held on 12.03.2015 under the chairmanship of Additional Secretary (Coal) to review the status of LOAs issued by Coal India Ltd and its subsidiaries in pursuance of the recommendations of the Committee and other related matters. The agenda shall be as follows:

Agenda Item & No.	Brief Description of the Agenda Item
1 Agenda Item No. Confirmation of Minutes of the Special SLC (LT) meeting held on 03.12.2014 and SLC (LT) review meeting held on 23.12.2014	Confirmation of Minutes of the Special SLC (LT) meeting held on 03.12.2014 and SLC (LT) review meeting held on 23.12.2014.
2 Agenda Item No. Baldev Alloys Pvt. Ltd.	Issue: at Annexure – 5. Remarks of CIL :- Due to non-submission of CG within stipulated time period, offer for LOA cancelled/withdrawn and the same was communicated to MOC.

Agenda Item No. 3 Howrah Gas Ltd.	Issue: at Annexure – 26. Remarks of CIL :- Comments of CIL not received.
Agenda Item No. 4 Rashmi Metaliks Ltd.	Issue: at Annexure – 27. Remarks of CIL :- As per CCL, the milestone submitted, 50% of the construction of the project is completed. However, during inspection, it was found that the construction of the unit is nowhere near the 50% mark, as certified by the Chartered Engineer. therefore, CG forfeited and LOA withdrawn. As the milestones were not achieved, this cannot be agreed.
Agenda Item No. 5 Indian Industries Association (IIA)	Issue: at Annexure – 28. Remarks of CIL :- No comments received from CIL.
Agenda Item No. 6 Indian Industries Association (IIA)	Issue: at Annexure – 29. Remarks of CIL :- S.A. Iron and Alloys (P) Limited recently applied for the source change from CCL/SECL to NCL which will be examined suitably.
Agenda Item No. 7	Issue: at Annexure – 30. Remarks of CIL :-

Chaman Metallics	<p>FSA with Chaman Metallics Ltd. was signed on 24.09.2009 on normal basis, in Jan., 2012 consumer shown its inability to take coal in view of non-availability of iron ore. Validity of FSA expired on 23.09.2014. However, The unit has also not made any application for renewal of FSA till date.</p>
<p>Agenda Item No. 8 Anjani Steel Ltd.</p>	<p>Issue: at Annexure -- 31.</p> <p>Remarks of CIL :-</p> <p>Unit were recommended to supply coal till mar., 2015. So far matter of restoration of tapering coal linkage is concerned, which cannot be agreed to CIL 2. As per SECL deficiencies were found in the milestones no. 5, 7, 10, 11, 14 and 15 consequent upon which LOA cancelled/withdrawn and CG + ACG forfeited. 3 & 4: matters are not pertaining to CIL.</p>
<p>Agenda Item No. 9 Anjani Steel Ltd.</p>	<p>Issue: at Annexure -- 32.</p> <p>Remarks of CIL :-</p> <p>SECL will take further needful after receiving the necessary documents.</p>
<p>Agenda Item No. 10 Visa Steel</p>	<p>Issue: at Annexure -- 7.</p> <p>Remarks of CIL :-</p> <p>Matter is related to restoration of tapering coal linkage, which cannot be agreed to CIL. However, vide CIL letter dated 22.01.2015 CIL unit was recommended to supply of Coal till Mar., 2015.</p>

Annex-1

46

Subject: Request for incorporation of issues related to coal linkage for 2x135 IPP of Vandana Vidhut Limited

Date: 02/07/15 01:35 PM

From: Corporate Affairs <corpaff@vandanaavidhut.com>

To: slclt.moc@nic.in

Cc: js.bindra@nic.in, dirpc-mop@nic.in

Letter to MoC.pdf (83kB)

Vandana Vidhut Ltd

Dear Sir,

With reference to the subjected matter, we herewith submit our pending issues before the SLC LT meeting to be held on 18.02.2015, for discussion and resolved.

- 1. Delay in release of Startup coal for trial run /commissioning of Unit #2:** Startup coal for commissioning of unit #2 is yet to be released by SECL, even the CEA (O&M) has recommended vide letter no. CEA/Plg/OM/1/1/2014/1597-1604 Dated 13.05.2014 & CEA/Plg/OM/1/1/2014/1597-1604 Dated 03.11.2014, for supply of 1.0 (One) lakh ton. During SLC-LT meeting held on 23.12.2014 the matter was discussed but since the minutes of the meeting not yet released the further action on the forwarding of the letter by GM (S&M) CIL Kolkata to SECL, Bilaspur is held up. We have confirmed to CEA (O&M) about the expected CoD of unit #2 but due to delay in receipt of the startup coal we could not achieve the expected CoD as intimated to CEA i.e. before 31st March, 2015. Therefore it is requested to please advice to CIL, Kolkata to do the needful action immediately to release the startup coal.

- 2. Request for issue of guideline for acceptance of PPA with Discoms under Short term / Medium term power supply in absence of Long term PPA, for supply of coal against the FSA signed with SECL :-**

We have signed FSA with SECL on 13.08.2013, wherein condition of coal will be supplied only on submission of Long Term PPA. Since presently we are not having any long term PPA with any Discom, we would request to supply of linkage coal for the available Short term / medium term PPA with Discoms. Without linkage coal the power supply to the Discom is not competitive. It is requested to do needful action in this regards.

- 3. Request for Conversion of Tapering linkage to Long term linkage as de-allocation of the linked captive coal block :-**

As per the judgment of the hon'ble Supreme Court, the jointly allotted Fatehpur East captive coal block is cancelled by MoC. For participation in the case-1 bid for long term power supply Long Term Coal Linkage is essential. Hence, it is requested to please convert the tapering linkage to long term (Normal) coal linkage for our 2x135 MW IPP.

We would request to please incorporate our said issues in the agenda of the SLC-LT



Vandana Vidhyut Ltd.

Regd. OFF.: "VANDANAA BHAWAN",
M.G. Road, RAIPUR- 492 001 (Chhattisgarh) INDIA
Ph. : 0771 - 4006000, Fax : 0771 - 4006001

VVL/14-15/MoC/400

Date: 06.02.2015

To,
The Director – CPD
Ministry of Coal,
Room No.315-B,
3rd Floor, Shastri Bhawan
New Delhi -110 001

Sub. :- Issues related to Coal linkage granted to Vandana Vidhyut Ltd. 2x135 MW IPP, for incorporation in the SLC-LT meeting to be held on 18.02.2015

Ref. :- Notice no. 23014/1/2015- CPD, Dated 06.02.2015, published on Website of MoC


Dear Sir,

With reference to the subjected matter, we herewith submit our pending issues before the SLC LT for discussion and resolved.

- 1. Delay in release of Startup coal for trial run /commissioning of Unit #2:** Startup coal for commissioning of unit #2 is yet to be released by SECL, even the CEA (O&M) has recommended vide letter no. CEA/Plg/OM/1/1/2014/1597-1604 Dated 13.05.2014 & CEA/Plg/OM/1/1/2014/1597-1604 Dated 03.11.2014, for supply of 1.0 (One) lakh ton. During SLC-LT meeting held on 23.12.2014 the matter was discussed but since the minutes of the meeting not yet released the further action on the forwarding of the letter by GM (S&M) CIL Kolkata to SECL, Bilaspur is held up. We have confirmed to CEA (O&M) about the expected CoD of unit #2 but due to delay in receipt of the startup coal we could not achieve the expected CoD as intimated to CEA i.e. before 31st March, 2015. Therefore it is requested to please advice to CIL, Kolkata to do the needful action immediately to release the startup coal.
- 2. Request for issue of guideline for acceptance of PPA with Discoms under Short term / Medium term power supply in absence of Long term PPA, for supply of coal against the FSA signed with SECL :-**
We have signed FSA with SECL on 13.08.2013, wherein condition of coal will be supplied only on submission of Long Term PPA. Since presently we are not having any long term PPA with any Discom, we would request to supply of linkage coal for the available Short term / medium term PPA with Discoms. Without linkage coal the power supply to the Discom is not competitive. It is requested to do needful action in this regards.
- 3. Request for Conversion of Tapering linkage to Long term linkage as de-allocation of the linked captive coal block :-**
As per the judgment of the hon'ble Supreme Court, the jointly allotted Fatehpur East captive coal block is cancelled by MoC. For participation in the case-1 bid for long term power supply Long Term Coal Linkage is essential. Hence, it is requested to please convert the tapering linkage to long term (Normal) coal linkage for our 2x135 MW IPP.

We would request to please incorporate our said issues in the agenda of the SLC-LT meeting to be held on 18th Feb.2015 for the discussion & needful recommendation.

Thanking you,
Yours faithfully,
For, Vandana Vidhyut Limited


R.V. Mathe
Vice President – Commercial

(48)

meeting to be held on 18th Feb.2015 for the discussion & needful recommendation.

With best regards,

R.V.MATHE

VICE PRESIDENT -Commercial

VANDANA VIDHYUT LIMITED

+91-771-4006000,+91-771-4006016

Fax-+91-771-4006001

Mobile-070241-05902

Email -corpaff@vandanavidhyut.com

Annexure-2

Page 1 of 1

49

MD regarding SLC(LT) meeting agenda no 2
quantity of de-commissioned/closed/derated
-2009 power plants

Date: 02/10/15 11:33 AM

From: CE(Fuel) <gm.fuel@uprvunl.org>

nic.in

z.pdf (659kB)

moc encloser.pdf (1.0MB)

UPRVUNL

----- Original Message -----

Subject: Fwd: Letter By MD regarding SLC(LT) meeting agenda no 2 on coal quantity of de-commissioned/closed/derated
units of Pre-2009 power plants

Date: Mon, 09 Feb 2015 18:17:52 +0530

From: "CE(Fuel)" <gm.fuel@uprvunl.org>

To: Ronoida <ronoida@rediffmail.com>, <as.moc@nic.in>, <jsla.moc@nic.in>, "Director (Technical) UNL"
<director.technical@uprvunl.org>, <pradeep.kumar87@nic.in>

Dear Sir,

Kindly Find the enclosed letter and list our agenda in SLC(LT) meeting which is going to be held on Feb,18,2015.

Regards

CE(Fuel)

UPRVUNL



Northern Coalfields Limited

(A Mini Ratna Company)

Sales & Marketing Deptt., PO- Singrauli Colliery,

Distt- Singrauli, MP- 486 889

(An ISO 14001, ISO 9001, OHSAS 18001 & SA 8000 Certified Company)

Phone No. 07805-266605/256210, FAX. 07805-267406 / 266640


Website: www.ncl.nic.in

2

50



No. NCL/SGR/Sales/14-15/ 2232



02.01.2015

✓ The Chief Engineer (Fuel),
UPRVUNL,
14th Floor, Shakti Bhawan Extn,
Lucknow- 226001.

Dear Sir,

Sub.: Revision of Annual Contracted Quantity (ACQ) pursuant to the end of "Balance Life" as per Fuel Supply Agreement (FSA)

This has reference to your letter No. 927/CE(Fuel) dated 26.07.2014 on the subject. Vide the said letter, it had been requested not to reduce the ACQ of Obra TPS despite the end of "Balance Lives" of its units No. 6, 7 and 8 on 31.03.2014 since coal requirement of the power house is likely to increase once all its units are brought back into operation subsequent to their R&M

In this context, it is stated that in terms of the directions received from Coal India Limited, the FSA does not provide for accomodating such requests from the power plants.

In view of the above, ACQ of Obra TPS stands revised from 50,00,000 to 39,79,740 Tonne Per Annum retrospectively w.e.f. 01.04.2014. However, in case of any reservation in this regard, the matter may be taken up with SLC (LT) / CEA for issue of necessary directions through Coal India Limited.

This is for your kind information and further needful please.

Yours faithfully,

[Handwritten Signature]
02/01/15

General Manager (S&M/QC)

Copy to:

1. CMD, UPRVUNL
2. Dir (Tech), UPRVUNL
3. CGM, Obra TPS

EE (Fuel)
N. Singrauli
20-1-15

2

(51)

MAHENDRA KUMAR
CHIEF ENGINEER (FUEL)



U.P. RAJYA VIDYUT UTPADAN NIGAM LTD
14TH FLOOR, SHAKTI BHAWAN EXTEN,
LUCKNOW- 226001
TEL.No. 0522 2287836
FAX NO.(0522 228786)

No. 927 /CE (Fuel)/

Dated: July. 26, 2014

General Manager (S&M/QC),
M/s. Northern Coalfields Ltd.,
P.O. Singrauli Colliery,
Distt. Sidhi (M.P.)
(Fax no.07805-267406)

Subject:- Revision of Annual Contracted Quantity (ACQ) pursuant to the end of the "Balance Life" as per Fuel Supply Agreement (FSA).


Dear sir,

Kindly refer your letter no. NCL/SGR/Sales/14-15/766 dated:01-07-2014. In this connection it is to inform that Unit#6 was deleted and Unit#8 is under the process of deletion while Unit#7 is under R&M. R&M of 5X200 MW units of Obra TPS have been carried out. R&M of Unit#9 was completed and running at around 93% PLF during current financial year. At present R&M of Units#10 & 11 (2x200 MW) are being carried out and after this R&M of Unit#12 & 13 will be carried out. When all units, which are under R&M, will come under operation, coal required for above plant (1194 MW) at 80% PLF will be around 75 lacs tonne while FSA has been signed only for 50 lacs tonne. Under this circumstances Obra TPS will face huge coal shortage.

Therefore, you are requested not to reduce quantity of ACQ against deletion of units as coal requirement will increase after R&M of 5X200 MW and 94 MW (Unit#7).


Your co-operation is solicited.

Yours sincerely,


(Mahendra Kumar)
Chief Engineer (Fuel)

CC: 1. Director(T), UNL
2. Chief Engineer (L-1), Obra TPS

AMNH23


DIRECTOR

Sanjay Prasad
I.A.S.
MANAGING DIRECTOR



**U.P. RAJYA VIDYUT UTPADAN
NIGAM LTD.**

7th floor, Shakti Bhawan,
Lucknow- 226001
TEL.No. 0522 -2287874
FAX NO. 0522 -2287885

No. 106 -MD/CE(Fuel)/m/Linkage

Dated: February 9, 2015

Jt. Secretary,
Ministry of Power, Govt. of India,
Shram Shakti Bhawan
New Delhi (Fax no.011-23385652)

Subject: Standing Linkage Committee (Long Term) meeting-Agenda Item No.2 on coal quantity of de-commissioned/closed/derated units of Pre-2009 power plants.

Dear sir,

It is to bring to your kind notice that Coal Linkage of Obra TPS (2x50MW +3x94MW+ 5x200 MW = 1382 MW) is 50 lac tonnes as Fuel Supply Agreement (FSA) signed between UPRVUNL & NCL on 25.07.2009. General Manager (Sales), NCL vide letter no. NCL/SGR/Sales/14-15/2232 dated:02.01.2015 informed that ACQ of Obra TPS had been reduced from 50,00,000 to 39,79,740 tonnes retrospectively w.e.f. 01-04-2014 on the ground that 3X94 MW units of Obra TPS had completed their balance life of 5 years w.e.f. 01.04.2009 (copy enclosed). M/s. NCL rejected request of UPRVUNL for non- reduction of coal linkage sent vide letter no. 927/CE(Fuel) dated:26-07-2014 (copy enclosed). R&M of 5X200 MW units and 94 MW unit are being carried out. After R&M of 5X200 MW units and 94 MW unit, coal requirement of Obra TPS (1194 MW) at 85% PLF will be more than 50 lacs tonnes per annum.

Coal Linkage of Harduaganj TPS (1X55 MW + 1X60 MW+1X105 MW=220 MW) is 9.0 lac (5.53 lac with BCCL + 3.47 lac with CCL) tonnes per annum. One unit of 55 MW was deleted, R&M of 1X105 MW is being carried out. After R&M of 105 MW unit, coal requirement of Harduaganj TPS (165 MW) at 85% PLF will be more than existing coal linkage of 9.0 lac tonnes per annum. Coal linkage of Harduaganj Extn TPS (2x250 MW) is 20.57 lac tonnes with M/S CCL. We are facing coal shortage at Harduaganj for running of available units (1x60 MW & 2x250 MW) against total annual coal linkage of 29.57 lac.

It is therefore requested that coal linkage of Obra TPS and Harduaganj TPS may not be reduced on account of completion of balance life /deletion of 3X94 MW units and 55 MW unit respectively.

Thanking you,

Encl: As above.

Yours sincerely,

(Sanjay Prasad)
Managing Director

C.C. to:-

- 1- Additional Secretary (Coal) & Chairman, SLC (LT), Govt. of India, Ministry of Coal, 3rd floor Shastri Bhawan, New Delhi (Fax no.011-23385652).
2. Joint Secretary (LA), Govt. of India, Ministry of Coal, 3rd floor Shastri Bhawan, New Delhi (Fax no.011-23385652).
- 3- Chief Engineer (OMD), CEA, R.K. Puram, New Delhi.
4. R.O., NOIDA.

Coal linkage

Aim-3

74

Page 1 of 1

56

Subject: **Meeting of SLC (LT) to be held on 18/02/2015 - Request for listing of agenda - Reg.**

Date: 02/10/15 11:35 AM

From:

RAJENDRA MOHTA <rajendra@shyamgroup.com>

To: slclt.moc@nic.in

Cc: jsia.moc@nic.in, cmd@ccl.gov.in, dmcil@coalindia.in, dto@ccl.gov.in, df@ccl.gov.in, hodsnm@ccl.gov.in

Letter dtd 09.02.2015 address to the additional Se... (1.2MB)

Annex A - L.O.A.ISSUED BY CCL.pdf (1.1MB)

Annex B- Our letter dated 17.11.2008 Confirming of... (54kB)

Annex C - letter dated 06.02.09 Submission of Envi... (601kB)

Annex D -CCL letter no 7336-41 dtd 16.09.2010 enca... (59kB)



Dear Sir,

Our representation along with enclosers are attached herewith for your kind consideration.

we do once again request to kindly include in the agenda for discussion in the SLC (LT) meeting to be held on 18/02/2015 so that justice can be restore.

Thanking you,

Shyam 518 Road Ltd

--
With Regards:
Rajendra Mohta
For Shyam Group of Industries
83 Topsia Road,
7th Floor, Trinity Tower
Kolkata: 700046.

Ph: 033 40164001/27, Fax: 033 40164025*

Mb: 09163335219



SHYAM SEL & POWER LIMITED

SHYAM SEL & POWER LIMITED

3

57

Ref: SSPL/CCL/ CPP Linkage/14-15/02

Date: 09.02.2015

To,
The Additional Secretary (Coal),
Chairman Standing Linkage Committee (LT),
Ministry of Coal, Government of India,
Shastri Bhavan, New Delhi - 110 001

Sub: Justice & Intervention is requested for Execution of the Fuel Supply Agreement with Central Coalfield Ltd., (CCL)

Ref: 1) LOA No: CCL/HQ/C-4/LOA/8553-58 dt'd 3/10.09.2008 issued By CCL
2) Our letter No. SSPL/CCL/CCP Linkage/14-15 dated 28.01.2015.

Respected Sir,

The subject LOA was issued to provide assured supply of coal to the tune of 0.452 MTPA for our Captive Power Plant (CPP) situated at Village: Jamuria Dist: Burdwan (WB) acknowledging the commitment Bank Guarantee for Rs. 4, 06, 80,000/- **copy of the LOA is enclosed as Annex "A"**.

Subsequently, CCL sought certain clarification vide their letter no. CCL/HQ/C-4/LOA Corresp/1045-46 dated 21.01.2009 in respect of the milestones vis-a-vis achievement of the same. The same was complied by us under cover of our letter no. SSL/Jamuria-CPP/CCL/LOA/08-09 dated 17.11.2008 copy is enclosed as **Annex-"B"**. Subsequent to this letter, desired documents in respect of the environment clearance were also submitted under cover of our letter of even no dated 06.02.2009 copy enclosed as **Annex- "C"**.

Since, there was no clarification or communication from CCL with reference to our submission, we assumed that all the documents & compliances submitted to the respective authorities are found in order.

Sir, we were shocked to note that the Manager (Finance), CCL issued letter for encashment of our Bank Guarantee vide their letter no. CCL/HQ/C-4/LOA/Shyam Sel/7336-41 dated 16/21.09.2011, a copy of the said letter was also endorsed to us and same is enclosed as **Annex "D"**

As soon as the said letter was received at our end, the subject matter was represented to CMD, CCL vide our letter no. SSPL/Jamuria/ CPP dated 30.09.2010 and also explained our serious concern in person to CMD, CCL as well as other concerned officials of the CCL. **Sir, on a telephonic call, our officials meet with High Power Committee regarding achievements of all the Milestones.** We were assured by the members of committee that issue will be referred to CIL & MOC. The revocation of the BG was withdrawn vide letter dated 29.10.2011, and we were asked to enhance the validity period of the B.G from 31.03.2011 to 31.07.2011 and accordingly validity period of the B.G. was extended.

But without waiting for the response from CIL, CCL instructed our Banker Oriental Bank of Commerce for encashment of subject Bank Guarantee without indicating any reason what so ever on 22.03.2011 though our B.G. was valid up to 31.07.2011. It is unfortunate that CCL could not appreciate the sincere & gigantic efforts made by us on this issue, rather the General Manager (S&M) issued letter for cancellation/ withdrawal of Letter of Assurance(LOA) and encashment of commitment Guarantee vide their letter No. CCL/HQ/C-4/LOA Corresp/2300-08 dated 22.03.2011, enclosed as **Annex "E"**.

Corporate Office : Viswakarma, 1st Floor, 86C, Topsia Road, Kolkata - 700 046 Phone : +91 33 4011 3000 Fax : +91 33 2285 2212

Registered Office : S S Chambers, 5, C B Avenue, Kolkata - 700 072 Phone : +91 33 4011 1000 Fax : +91 33 4011 1031 | www.shyamgroup.com

Steel Sponge Iron Pig Iron Ferro Alloys Stainless Steel Power TMT Rebars Wire Rod Structural Cement Tubes & Pipes H.R Coil

Page...2.

In spite of our repeated representation to the various authorities of CCL and CIL, no relief was available to us and the concerned bank was instructed to invoke our BG. We had therefore no alternative but to approach the Court of Law on 06.04.2011. The Hon'ble Court granted some interim relief in terms of keeping linkage & LOA alive and also replacing BG with a demand draft. Sir, you will kindly appreciate that concluding the issue through court will be a long drawn process to our detriment only. Sir, more than 4000 people are employed at this new project and overcoming the economic challenges, we have installed our manufacturing facilities with great difficulties and huge financial burden in form of loans on fixed capital but we are unable to operate due to scarcity/non availability of coal.

We now submit our PRAYER before your good self with a hope that matter will be reconsidered and natural justice will be restored.

A) As per Clause 3.3 read with Clause 4 of the LOA, it is obligatory to extend validity of the LOA for further period of three (3) months in the event of non-performed or incomplete of any Activity/Milestone against submission of additional CG. BUT SUCH OPPORTUNITY WAS NOT GIVEN TO US, which may be observed from enclosed ANNEX "A" mentioned above.

B) As per clause 3.4.1 it is obligatory on the part of the CCL to notify at least 7 days in advance before withdrawal of LOA or encashment of CG for the avoidance of doubt. BUT THIS WAS IGNORED BY CCL.

C) That the all milestones were achieved by us during the validity period of the LOA hence there is no cause of action. The validity period of the L.O.A may kindly be extended suitably by condoning the delay.

D) The B.G. encased by CCL may kindly be restored.

E) CCL may kindly be advised to Execute FSA enabling us to get the supply of coal.

Thanking you in anticipation of getting a quick favorable response in this regard.

For Shyam Sel & Power Limited


(Rajendra Mohta)
General Manager (Coal)

Encl: As above (19 Sheets.)

Copy with enclosures to:-

- 1) The Joint Secretary (LA), MOC, GOI, Shastri Bhavan, New Delhi- 110 001.
- 2) The Chairman Cum Managing Director, CCL, Ranchi- 834 001.
- 3) The Director (Marketing), CIL, 15, Park Street, Kolkata- 700 016.
- 4) The Director (Technical), CCL, Ranchi - 834 001.
- 5) The Director (Finance), CCL, Ranchi - 834 001.
- 6) The General Manager, (S&M), CCL, Ranchi - 834 001.

For kind information with request for necessary action.

Corporate Office : Visvakarma, 1st Floor, 86C, Topsia Road, Kolkata - 700 046 Phone : +91 33 4011 3000 Fax : +91 33 2285 2212

Registered Office : S S Chambers, 5, C.R Avenue, Kolkata - 700 072 Phone : +91 33 4011 1000 Fax : +91 33 4011 1031 | www.shyamgroup.com

Steel, Sponge Iron, Pig Iron, Ferro Alloys, Stainless Steel, Power, TMT Rebars, Wire Rod, Structural, Cement, Tubes & Pipes, H.B. Coil

By Regd. Post

No: CCL/HQ/C-4/LOA Corresp/ 2308-08
Date: 22/03/2011



Recd
02/04/11

3

59

To,
M/s Shyam Sel & Power Ltd.,
Vill: Jamuria, P.O. Bahadurpur
Dist: Burdwan
West Bengal-713 362

CCL

A Miniratna Company

सेन्ट्रल कोलफील्ड्स लिमिटेड

(भारत सरकार का एक उपक्रम)

दरभंगा हाउस, राँची 834 029

CENTRAL COALFIELDS LIMITED

(Govt. of India Undertaking)

DARBHANGA HOUSE, RANCHI 834 029

फोन/Phone : (0651) 2360606 (10 Lines), 236 0123 (5 Lines)

फैक्स/Fax : (0651) 2360257, वेबसाइट/Website : http://www.ccl.gov.in

Sub: Cancellation/withdrawal of Letter of Assurance (LOA) and encashment of commitment Guarantee.

Dear Sir,

1. This has reference to this office letter No. CCL/HQ/C-4/LOA/8553-58 dated 03-10/09/2008 issued by CCL to M/s Shyam Sel Limited, Vill: Jamuria, Dist: Burdwan (W.B) for 3*30 MW CPP.
 2. Validity period of LOA expired on 09/09/2010.
 3. The Assured failed to fulfill few activities /milestones within the validity period of LOA.
 4. Due to incomplete/partial submission of the required documents related to under mentioned milestones before the expiry of LOA period, the LOA is being cancelled and forfeiture of commitment guarantee will take place as per terms of the LOA issued to you.
 - i. Milestone No. 1: Existence of business entity:**
Submitted Ministry approval letter upon change of name after expiry of LOA period.
 - ii. Milestone No. 3: Technical & Feasibility Studies:**
Submitted addendum for Water and land requirement in the DPR for the CPP after the expiry of LOA period. The same was not mentioned in the DPR initially submitted on 17/11/2008.
 - iii. Milestone No. 5: Environmental Clearance:**
Submitted Environmental clearance granted by MoEF for Integrated steel plant along with 2*250 MW CPP whereas the LOA was issued for 3*30 MW CPP.
 - iv. Milestone No. 6: Forest Clearance:**
Submitted after expiry of LOA period.
 - v. Milestone No. 7: Water allocation:**
Submitted sanction letter for firm water allocation after expiry of LOA period for 1000 MW thermal power project along with integrated steel plant whereas the LOA was issued for 3*30 MW CPP.
 - vi. Milestone No. 8- Funding of investment, as identified in the DPR:**
Submitted photocopy of in-principle sanction of term loan proposal for Rs. 240 Crores for 90 MW CPP after expiry of LOA period.
5. In view of the above, it is hereby notified in terms of clause 3.4.1 of LOA that the LOA under reference is being cancelled/withdrawn followed by encashment of commitment guarantee (CG) for Rs. **40680000/-** In accordance with the terms and conditions of LOA.

Thanking you

Yours faithfully,

General Manager (S&M)

Cc to:

- 1.) DT (O), CCL, Darbhanga House. Ranchi
- 2.) FM (Cash), CCL, Darbhanga House. Ranchi.
- 3.) All members of LOA committee, CCL, Darbhanga House. Ranchi
- 4.) M/s. Shyam Sel & Power Limited, Viswakarma, 1st Floor, 86C, Topsia Road, Kolkata-700 046 by Regd Post
- 5.) M/s. Shyam Sel & Power Limited, SS Chambers, 5, C.R Avenue, Kolkata-700 072



7336-41
CCL

No: CCL/HQ/C-4/LOA/Shyam Sel/
Date : 16/9/2010

21

A Miniratna Company

सेन्ट्रल कोलफील्ड्स लिमिटेड

(भारत सरकार का एक उपक्रम)

दरभंगा हाउस, राँची 834 029

CENTRAL COALFIELDS LIMITED

(Govt. of India Undertaking)

DARBHANGA HOUSE, RANCHI 834 029

फोन/Phone : (0651) 2360606 (10 Lines), 236 0123 (5 Lines)

फैक्स/Fax : (0651) 2360257, वेबसाइट/Website : http://www.ccl.gov.in

To
The Finance Manager (Cash),
CCL, Ranchi.

Sub : Encashment of Bank Guarantee No. 02860007208 dt. 17/6/2008 for Rs. 4,06,80,000/- only valid upto 30/10/2010.

Dear Sir,

Kindly refer to your letter no. C-3/Cash/B.G./10-11/278(S&M)/641-642 dt. 11/8/2010 on the above subject, which is addressed to GM (S&M), CCL, Ranchi.

Vide above referred letter, you have requested us to inform M/s. Shyam Sel Ltd., Kolkata for renewal of the above said B.G. in form of B.G. which had been deposited by them before issuance of LOA. Since the validity of the LOA issued to M/s. Shyam Sel Ltd., Kolkata has already expired, hence, as such as per terms & conditions of LOA, the said B.G. will have to be forfeited.

Keeping in view the facts as stated above, you are requested to kindly get the encashment of the B.G., if not done, a cash receipt in respect of encashment of B.G. may kindly be endorsed to this office for records.

Yours faithfully,

A. Jha
Chief Manager
(LOA/FSA/R)

Copy to :

- 1). The GM (S&M), CCL, Ranchi – for kind information.
- 2). Sh. A.K.Ghosh, Sr. Manager(Finance), S&M Deptt, CCL, Ranchi – for follow up action.
- 3). Sh. S.N.Tiwary, SM (LOA), CCL, Ranchi – for information & necessary action.
- 4). M/s. Shyam Sel Limited, Vill: Jamuria, Dist: Burdwan (W.B.) – Regd. Post.
- 5). M/s. Shyam Sel Limited, Corporation Office : "Vishwakarma", 86 C, Toppia Road, 1st floor, Kolkata – 700 046 – Regd. Post.

Ann-4

6

63

Subject: Issue for discussion in SLC(LT) meeting

Date: 02/10/15 12:28 PM

To: 'slclt.moc@nic.in' <slclt.moc@nic.in>

From: Ramesh K. Narang <ramesh.narang@vedanta.co.in>

BALCO

Dear Sir,

We give below an issue of Bharat Aluminium Company Ltd.(BALCO) for discussion in forthcoming SLC(LT) meeting scheduled for 18th February, 2015. We request for inclusion of the issue as agenda item for discussion in the meeting.

Supplies of Backlog Coal quantity

Bharat Aluminium Company Ltd. (BALCO) had been operating 270MW captive power plant since 1988 and 540MW captive power plant since 2005-06 and had long term linkages and FSA signed with SECL. BALCO was allocated Durgapur II/Taraimar coal block in Nov'07 and pursuant to the same, long term linkages were converted to tapering linkages as per normative date of production of the coal block. Initially normative date of production of Durgapur II/Taraimar coal block was prescribed as 6th May 2011, though as per norms, it should have been 6th May 2012. On taking up the matter with Ministry of Coal, the same was revised to 6th May 2012 by MoC vide letter no. 13016/39/2008-CA-I dated 9th Dec 2011 and tapering was restored back to normal quantity w.e.f. 27th Jan'2012.. In the meanwhile, SECL has already commenced tapering of coal and had reduced the coal supply by 25% w.e.f. 7th May 2011. Hence during the period 7th May 2011 to 26th January 2012, BALCO lost 25% of linkage quantity amounting to approx. 7.89 lakh tonnes.

We have been representing to CIL/SECL for supply of this backlog quantity but the matter has been pending. We would like to mention here that currently, BALCO is getting only 25% coal of linkage quantity after further tapering. Consequently, we are facing severe shortage of domestic coal and are forced to reduce generation and buy power from the grid to keep our smelter running.

We wish to confirm that the petition filed in the court earlier by BALCO on this issue has been withdrawn (Court order dated 13.01.2015 refers) and the same has been intimated to Ministry of Coal. As on date there is no legal case in any court regarding this issue.

In view of above, we request that SLC(LT) may consider the issue and give necessary instructions to SECL for supply of backlog quantity of coal which will give some relief to BALCO's operations temporarily.

4

64

Regards.

R.K.Narang

AGM(Corporate Affairs)

BALCO, New Delhi

Ph. : 9899298857

The information contained in this electronic message and any attachments to this message are intended for the exclusive use of the addressee(s) and may contain proprietary, confidential or privileged information. If you are not the intended recipient, you should not disseminate, distribute or copy this e-mail. Please notify the sender immediately and destroy all copies of this message and any attachments contained in it.

Ann-5

7

65

Subject: **Humble Request for listing our agenda item for discussion in SLC(LT) meeting proposed for 18-02-2015 in relation to the erstwhile approved / sanctioned Coal Linkage for 3rd and 4th Kiln of Sponge Iron & Captive Power Plantbut coal supplies has not commenced.**

Date: 02/10/15 02:44 PM
From: S V KRISHNA <krishna@baldevalloys.com>
Reply-To: krishna@baldevalloys.com

To: slclt.moc@nic.in
Cc: s.abbasi@nic.in, singh.anilkr@nic.in,
dscpd.moc <dscpd.moc@nic.in>,
V.Peddanna <dirca.moc@nic.in>,
Uday Munjal <uday.munjal@investindia.org.in>

Baldev Alloys Pvt. Ltd.
[BAPL]

10-02-2015

To

The Hon'ble Chairman (SLC-LT)

Ministry of Coal, Govt. of India,

3rd Floor Shastri Bhawan, New Delhi.

Sub: Humble Request for listing our agenda item for discussion in SLC(LT) meeting proposed for 18-02-2015 in relation to the erstwhile approved / sanctioned Coal Linkage for 3rd and 4th Kiln of Sponge Iron & Captive Power Plantbut coal supplies has not commenced.

Reference:

1. Office Memorandum / Notice No. 23014/1/2015-CPD dated 06-02-2015
2. Meeting Dated 05-02-2015 at Shastri Bhawan held with Director-CPD, Manager Research & Investment Facilitation: "Make in India" and undersigned proponent,
3. Representation Letter(s) dated 06-02-2015 & Letter Dated 09-02-2015 addressed to Director (CPD), Ministry of Coal, Govt. of India, New Delhi

Respected Sir,

In support of "Make In India" the most visionary program launched by Hon'ble Prime Minister of India, and spirit of positive sentiments reflected during the meeting held with Director (CPD) & Director (Coord) on 05-02-2015 at Shastri Bhawan, New Delhi.

We hereby register good words and gratitude for award of time and detailed discussions.

It would be in the interest of the subject matter to narrate / brief note for your up-hand information and ready reference.

General Information: Baldev Alloys Private Limited [BAPL] is an Integrated Plant installed at Industrial Growth Center, Vill: Siltara, Tehsil & District Raipur, Chhattisgarh, INDIA with facilities of Steel Making and captive Power. It has Four Kilns of capacity Fifty Tons Per Day each, total two hundred Tons Per Day in operational for making sponge iron by consuming Iron Ore and Coal. It also generates Eight Mega Watt Captive Power through its operating Power plant by consuming the Flue Gasses arrested from Sponge Iron Kilns and Consuming Coal parallel to it for generating the Power. Both products i.e. Sponge Iron Produced and Power Generated are consumed in its Steel Melting Plant (which is also operational) in same campus to produce variety of Steel Billets. Billets are sold to other value addition chain / open market. Perhaps to run the unit consistently and sustain in the present scenario it is necessary to operate all facilitates to fetch viability as all three processes (Sponge Making, Power Generation and Steel Melting) are inter-related with cascade effects on each and all of them due to under productivity and sub optimal utilization.

However Due deficit of Coal by Linkage route and the unit incurred and recorded huge cash and financial losses in the Balance Sheet for 2013-2014 (Audited) & 2014-2015 (Provisional Half Yearly Report) bringing down the unit to NON-SUSTAINABLE level because of increased cost of production as compared to other competitors (blessed with complete coal linkage) the operations of the unit halted/ SHUT DOWN temporarily since SEPTEMBER 2014.

Due to such financial crisis / cash losses the unit was not capable to meet the debt obligations and dues to banks and Financial institutions, whereas Banks & Financial institutions initiated the process of recovery of Loans availed by the Unit by exercising powers conferred under "sarfaesi act".

The Banks & Financial Institutions may revoke the recovery process and review the proposal to continue the financial assistance and enhance the facilities under the circumstances if supply of Coal commences under Fuel Supply Agreement / Linkage to bring the unit to operational viability and sustain in a level playing platform.

Matter No 1: Condoning Delay in submission of the Bank Guarantee for Linkage / Fuel Supply Agreement for 3rd and 4th Kilns of Installed and running Sponge Iron Plant and supplies of coal be commenced as per NCDP 75% of Normative Requirement.

That BAPL expanded its Sponge Making facilities and prayed for supply of Coal / Linkage for its new installation of **3rd and 4th Sponge Iron Kilns** way-back on 25-01-2007, Hon'ble Ministry of Coal [MoC] was kind enough

5

67

to consider the application and direct the Coal Company South Eastern Coalfields Limited [SECL] through Coal India Limited [CIL] to comply the process and Enter in Fuel Supply Agreement [FSA] in pursuance of the New Coal Distribution Policy [NCDP] inducted on 18-10-2007. SECL on 25-03-2008 Confirmed Coal Linkage / Offer for Letter of Assurance [LOA] as per norms under NCDP.

On 29-03-2008 SECL issued a Notice / Letter and laid down the condition of submission of Commitment Guarantee [CG] within 3 months from date of notice / letter for issuance of LOA and thereby FSA which was further 15 days extended, as the unit at the relevant period was under commissioning stage and financial assistance from banks were under process of sanctioning of Loan and Bank Guarantee Limits for submission of above required Commitment Guarantee. We registered our seriousness of installation of Plant and requested for time extension.

SECL in an autocratic / mechanical behavior cancelled the Offer for LOA without disposing the request made by us, of which intimation was received on 14-11-2009, meanwhile on sanctioning of loans from banks and achieving the financial capability we ran Pillar-to-Pole of all concerned offices to submit the Commitment Guarantee, but was not accepted anywhere.

Sir, on bare perusal of the relevant paragraph No 5 of the NCDP "... Further, with a view to ensure that only serious and committed consumers approach for LOA, they would be required to furnish and 'Earmest Money Deposit'(EMD). EMD can be in form of Bank Guarantee and would stand discharged once FSA is concluded within the stipulated period. However, on failure, the EMD will be forfeited.." (extract of para 5.1) from these lines it clearly reveals that as per the policy (NDCP) the EMD/Commitment Guarantee was introduced/prescribed to judge the seriousness of the consumer whether the promoter/consumer will install the plant / factory or not.

Under such circumstances, were left with no option apart from approaching court of law in the interest of justice to the matter, Hon'ble High Court of Chhattisgarh, at Bilaspur was kind enough to take into consideration the fact that Plant is already commissioned and interalia, for the reasons stated above the Hon'ble Court has been pleased to direct MoC (vide its order dated 26-02-2013, 25-07-2013 & 03-04-2014) to decide application / representation FOR GRANT OF COAL UNDER LINKAGE SYSTEM within 6 weeks.

On 30-06-2014, MoC vide its letter No. 23028/13/2013-CPD, intimated the Director of BAPL that "Hon'ble court vide its order dated 26-02-2013 had granted liberty to the company to apply afresh for linkage, which has not been availed of by the company.....in any case fresh coal linkages are not being considered at this point of time due to large gap between demand and supply of coal in the country."

Here it is pertinent to mention that the aforesaid letter of MoC had not taken directions of Hon'ble Court under latest order in the context dated 03-04-2014, on record, MoC being the Government / Instrumentalities of State and having absolute control on mechanism of coal distribution

5

68

are supposed to act with compassion, reasonableness and due application of mind, whereas as per the sentiments and conclusive lines of MoC letter dated 03-06-2014 it seems to again acted mechanically, that Hon'ble court in its sequence of orders dated 25-07-2013 & 03-04-2014 was pleased to consider the term "REPRESENTATION", whereas in disposal of the representations made by company MoC has claimed that Fresh linkage application for grant of coal linkage has not been not filed, and also stated that in any case fresh coal linkages are not being considered at this point of time due to large gap between demand and supply of coal in the country.

The aforesaid letter of MoC, which was expected to be a relief to an existing / operating / functioning plant, has turned futile of all efforts / prayers / directions of Hon'ble Court.

PRAYER "We hereby pray before Hon'ble Ministry of Coal, and wisdom of the competent authority for Condoning Delay in submission of the Bank Guarantee and directing CIL/SECL for further needful Execution of FSA with SECL favouring our 3rd & 4th Kiln of Sponge Iron Unit." this would be in the interest of Justice as well as on the lines of the sentiments of the orders passed by the Hon'ble High Court on various dates.

Matter No 2: Restoration of Coal Linkage for Captive Power Plant

That MoC in its SLC(LT) meeting dated 11-05-2005, allocated coal linkage to the Company's Captive power Plant, conveyed vide linkage order No. 23021/106/200-CPD dated 27-07-2006.

The aforesaid linkage order, contained a condition to sign FSA within a year of the issuance of the linkage order.

That MoC in its SLC(LT) meeting dated 18-04-2011, in certain cases including our's directed that CIL would take a view on cancellation of linkage or signing of FSA based on terms and conditions of the linkage order in each case and inform the ministry of coal accordingly.

CIL/SECL unilaterally cancelled / terminated the Linkage granted by MoC stating that the plant was not operational on 18-04-2011 i.e. even date of SLC(LT) meeting, and other autocratic grounds without taking into consideration that the plant has been installed and operating in absence of linkage coal,

PRAYER "We hereby pray before Hon'ble Ministry of Coal, and wisdom of the authorities for directing CIL/SECL for further needful Execution of FSA with SECL favouring our Captive Power Plant" this

5

69

would be in the interest of natural Justice.

Thanking You

Yours Faithfully

S V KRISHNA

Mob: 98269 55827

CC To:

1. Joint Secretary, Ministry of Steel, Udhog Bhawan, New Delhi (for information and necessary recommendations)
2. Joint Secretary, (Thermal), Ministry of Power, Shram Shakti Bhawan, New Delhi (for information and necessary recommendations)
3. Director (vig/coord/parl), Ministry of Coal, Shastri Bhawan, New Delhi (for information and necessary recommendations)
4. Director (CPD), Ministry of Coal, Shastri Bhawan, New Delhi (for information and necessary recommendations)
5. Manager, Research & Investment Facilitation, Make in INDIA, Invest India, Federation house, Tansen Marg, New Delhi (for information and necessary recommendations)

Ann-6

15

CF6

Subject: **Req: Inclusion of coal supply to Unit 1-VIPL in SLC (LT) agenda for 18.2.2015**

Date: 02/10/15 04:26 PM

From: Nabanshu.Bhattacharjee@relianceada.com

To: slclt.moc@nic.in

Cc: Vijay.Kachroo@relianceada.com

20150210 Letter to MoC inclusion in SLC LT agenda... (1.7MB)

Reliance Power Ltd

Dear Sir,

VIPL requests that the issue of coal supply to Unit 1 of VIPL may kindly be included in the agenda of the meeting of SLC(LT) to be held on 18.2.2015.

The letter from VIPL to Chairperson, SLC(LT), is enclosed.

Best regards,

Nabanshu Bhattacharjee
Reliance Power Limited,
New Delhi
Mob: +91 9555356644

The information contained in this electronic message (email) and any attachments to this email are intended for the exclusive use of the addressee(s) and access to this email by any one else is unauthorised. The email may contain proprietary, confidential or privileged information or information relating to Reliance Group. If you are not the intended recipient, please notify the sender by telephone, fax, or return email and delete this communication and any attachments thereto, immediately from your computer. Any dissemination, distribution, or copying of this communication and the attachments thereto (in whole or part), in any manner, is strictly prohibited and actionable at law. The recipient acknowledges that emails are susceptible to alteration and their integrity can not be guaranteed and that Company does not guarantee that any e-mail is virus-free and accept no liability for any damage caused by any virus transmitted by this email.

To,
Chairperson, Standing Linkage Committee (Long Term) (SLC(LT))/
Additional Secretary to Government of India,
Ministry of Coal (MoC),
Shastri Bhawan, New Delhi – 110 001

Date: 02.02.2015

Sub: → Inclusion of the issue of supply of coal to Unit 1 of Vidarbha Industries Power Ltd (VIPL) in the agenda of meeting of SLC(LT) to be held on 18.02.2015

→ Unit 1 satisfies all conditions for supply of coal – it has valid LoA, has been commissioned, has a long term PPA and the project has huge debt exposure

Dear Sir,

1. MoC Office Memorandum dated 06.02.2015 (File No 23014/1/2015-C/D) states that the proponents who wish to have their agenda items listed for discussion in SLC(LT) meeting to be held on 18.02.2015 may send the request by email.
2. In reference to above, we request that the issue of coal supply to Unit 1 of VIPL may kindly be included in the agenda. The unit satisfies all conditions for supply of coal as noted below:

Satisfaction of prerequisite for supply of coal:

- a. **LoA:** Unit 1 has a valid LoA and has achieved all LoA milestones
- b. **Commissioned:** Unit 1 has been commissioned and is operational
- c. **PPA:** Power is supplied to 28 lakh consumers of suburban Mumbai under long term PPA
- d. **Huge debt:** The project has a debt of 2800 Cr, mostly from Private sector banks

Justification for inclusion of the issue in the agenda of SLC(LT):

3. LoA for Unit 1 was issued by CIL after approval from SLC(LT). As noted above, VIPL has achieved all LoA milestones and also satisfies all criteria for signing of FSA and supply of coal.
4. Unit 1 has been commissioned and entire power generated is supplied to 28 lakh consumers in suburban Mumbai under a cost plus PPA. Thus fuel cost is passed on to the end consumers through the tariff.
5. Despite above, FSA for Unit 1 of VIPL has not been executed yet and the unit is being deprived of coal supplies under LoA. In fact, contrary to the provisions of the Presidential Directive which says that coal may be supplied to projects without LoA with an aggregate capacity of 4660 MW only if availability of coal for the LoA holders like VIPL is not adversely impacted, coal is being supplied under MoU to such projects without LoA.
6. In absence of coal from CIL sources, VIPL is forced to procure substantially expensive coal from open market, which is more than 2.5 times the cost of coal from CIL sources. The entire burden of additional cost is borne by the end consumers.

Request:

7. In view of the above, VIPL requests that the issue of coal supply to Unit 1 of VIPL may kindly be considered by SLC(LT) in the meeting dated 18.02.2015 and accordingly included in the agenda. SLC(LT) may kindly intervene and advise CI /SECL to at least supply coal under MoU. (which is being supplied even to plants without LoA), as an interim measure till FSA is signed between VIPL and SECL, thus granting relief to the 28 lakh end consumers of suburban Mumbai.

With regards,

Yours faithfully,

For Vijarbha Industries Power Ltd.

(Vijay Kachroo)

Senior Executive Vice President

Amm-7

(11)

Page 1 of 2

Subject: Request to include issues of coal linkage for our DRI units and CPP in the agenda for SLC (LT) to be held on 18.02.2015

Date: 02/10/15 04:55 PM

From: JK Pahwa <jk.pahwa@visasteel.com>

To: slcit.moc@nic.in

M C L.pdf (513kB)

VISA Steel Ltd

Dear Sir

We request you to include our matter / issues on restoration of coal linkage for our two Sponge Iron kilns and a CPP of 40MW as per minutes of the special SLC meeting held on 3rd December 2014 , in the proposed SLC (long term) to be held on 18.02.2015.

1.Coal Linkage of 3,67,700 tonnes /annum allotted to VISA Steel for its CPP of 75 MW vide LoA dated 24.6.2010, is yet to be implemented and FSA yet to be signed by MCL though our CPP of 40 MW based on thermal coal has already been commissioned in 2010. After VISA Steel achieved all the milestones in time, MCL requested the coal ministry on 20.02.2013 (copy attached) for its advise for signing of FSA for 40 MW capacity, but coal ministry is yet to reply to its request.

2.After advise from the coal ministry on the SLC meeting held on 3rd December 2014, CIL/MCL has agreed to supply coal to our sponge iron units , but has told us that it will charge a premium of 40% and 20% respectively over and above price applicable for sponge iron units ,for supplies to sponge iron and CPP respectively (considering this as supply under tapering linkage)

You are requested to kindly include our above two issues in the agenda for the SLC (LT)meeting scheduled to be held on 18.02.2015.

Regards

JK Pahwa

Vice President-Corporate

VISA STEEL LIMITED

Mob: 9818351590

7

(80)

*****CAUTION - Disclaimer ***** This e-mail contains PRIVILEGED AND CONFIDENTIAL INFORMATION intended solely for the use of the addressee(s). If you are not the intended recipient, please notify the sender by e-mail and delete the original message. Further, you are not to copy, disclose, or distribute this e-mail or its contents to any other person and any such actions are unlawful. This e-mail may contain viruses. VISA Steel Limited has taken every reasonable precaution to minimize this risk, but is not liable for any damage you may sustain as a result of any virus in this e-mail. You should carry out your own virus checks before opening the e-mail or attachment. VISA Steel Limited reserves the right to monitor and review the content of all messages sent to or from this e-mail address. Messages sent to or from this e-mail address may be stored on the VISA Steel Limited's e-mail system. ***** End of Disclaimer*****

Amm-8

(15)

Page 1 of 2

(96)

Subject: **Inclusion of agenda items for discussion in SLC (LT) meeting scheduled to be held on 18th February, 2015**

To: slclt.moc@nic.in <slclt.moc@nic.in>

Cc:

Balaji S - Chairman Office Energy <Balaji.S@gmrgroup.in>

Suryanarayana SV <Sangu.Suryanarayana@gmrgroup.in>

Date: 02/10/15 06:12 PM

From:

Sandeep Somisetty <Sandeep.Somisetty@gmrgroup.in>

Addition of agenda items for SLC(LT) meeting on 18... (185kB)

GMR Energy Ltd

10th February, 2015

Sh AK Dubey,

Secretary to the Government of India,

Ministry of Coal,

Shastri Bhawan,

New Delhi

Dear Sir,

Subject – Inclusion of agenda items for discussion in SLC (LT) meeting scheduled to be held on 18th February, 2015

We write with regard to the Ministry of Coal's Office Memorandum dated 6th February, 2015 notifying the date and time for the meeting of the Standing Linkage Committee (Long Term) inviting agenda items to be included for discussion.

We request that the issues identified by us (enclosed in the appendix) may please be included in the agenda of the SLC (LT) meeting and are deliberated upon and

8

97

considered favorably.

We request an invitation to the meeting such that we could participate and provide the our concerns and factual position on the issues pertaining to GMR Energy Ltd.

Thanking you,

With warm regards,

For GMR Energy Ltd,

Sandeep Somisetty

Manager – Chairman Office, Energy

This e-mail contains information which is confidential and/or legally privileged. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail is strictly prohibited. If you have received this e-mail in error, please destroy it and notify us by reply e-mail or by telephone. Internet E-mail messages may be subject to delays, non-delivery and unauthorised alterations and we shall not be responsible for the consequence(s) in such event(s). All reasonable precautions have been taken to ensure no viruses are present in this E-mail. We cannot accept responsibility for loss or damage arising from the use of this E-mail or attachments and recommend that you subject these to your virus checking procedures prior to use.

8

98

Issue 1 – GMR Chhattisgarh Energy Ltd – Supply of commissioning coal to the 2x685 MW power project in Raikheda, Chhattisgarh

Description of the issue:

The first unit of the 2x685 MW thermal power project has achieved synchronization with the grid using coal on 2nd November, 2014. It was subsequently tested to raise load and the unit is ready for commissioning with coal to achieve rated load.

The project had applied for coal linkage in 2009, however hasn't been granted Letter of Assurance (LoA). In order to continue with commissioning of its units using coal as fuel, the project requires commissioning coal. The project forms a part of '*similarly placed projects*' which, as per the decision of Cabinet Committee on Economic Affairs (CCEA) of 21 June, 2013 and the subsequent presidential directive to coal companies to execute FSAs, needs to be supplied coal for its two units.

Request:

SLC (LT) is requested to recommend for supply of at least 2 lakh tonne coal required for commissioning and carpeting purpose. This quantity can be adjusted against the supply under the Fuel Supply Agreement (FSA) as and when the coal linkage/allocation is granted by CIL/MoC.

Issue 2 – GMR Kamalanga Energy Ltd (GKEL) - Restoration of source of coal (tapering linkage) for third unit of 3 x 350 MW Power Project from Eastern Coalfields Ltd(ECL) back to Mahanadi Coalfields Ltd (MCL)

Description of the issue:

Subsequent to grant of Tapering Linkage, GKEL had entered into an FSA for 550 MW on 28th August 2013 with MCL. However, vide MCL's letter No. MCLSBP/GM/S&M/Sectt./FSA/2014/3486, dated 21st March 2014, the tapering linkage for 350MW (unit 3) of the 550MW was transferred to ECL from MCL. Accordingly, GKEL entered into an FSA with ECL on 29.05.2014 for 350 MW (Unit 3).

Pursuant to the FSA, GKEL started lifting coal from the month of June'14 from M/s ECL. However, the following issues need to be noted–

1. The plant is a mere 30 Kms away from MCL Talcher Collieries while it is more than 600 km from ECL mines, resulting in an additional expense and increase in fuel cost of Rs 2/kwh.
2. Further, the majority of the power from unit 3 is supplied under 25-year Case 1 Power Purchase Agreements (PPAs) which don't have provisions for pass through of such cost escalations. The bid for the same was based on coal linkage from MCL mines.
3. Moreover, there is an issue of grade slippage as well and the coal being received is of much lower grade than what is being billed for.

Request:

SLC (LT) is requested to impress upon Coal India Ltd (CIL) to restore source of coal for unit 3 of the project from M/s ECL back to M/s MCL, since it would entail low transportation costs and the railways would also bear lesser burden. It would be in line with the exercise of coal linkage rationalization being undertaken by the Govt of India.

There have been precedents in the past of such changes in the coal linkages from WCL to SECL – Adani Tiroda, Rattan India Amravati and Reliance Butibori.

Issue 3 – GMR EMCO Energy Ltd (GEEL) – Low coal supply materialization and lapse of rakes in GMR's 2x300 MW EMCO Thermal Power Plant

Description of the issue:

In the last several months, the levels of coal supply materialization to the plant which has FSAs with SECL have been very low. This has resulted in very low levels of Plant Load Factors (PLFs). The table below captures the data pertaining to allotted rakes, the loaded rakes and the materialization levels. It needs to be noted that lapsed rakes are not re-allocated in the future as well.

The no of Rakes lapsed in case of GEEL for Jan '15 is as follows:

Programme Rakes	Loaded Rakes	Lapsed Rakes	% of Materialisation	Quantity Lapsed (tonnes)	Cost of coal from other sources Rs Cr
54	39	15	72.2	58,410	10

The low materialization has meant that GEEL has to procure additional coal from other expensive sources and take a hit on its income, because it is obliged to supply power at 85% PLF as per the PPA for recovery of its fixed charges.

It is pertinent to note that, domestic coal supply commitments of CIL and its subsidiaries is restricted only at around 65% of the quantities needed for the normative 85% PLFs. Therefore, if the materialization levels remain lower still (at 80% or lower), it would further hamper the performances of the power plant, which is required to meet auxiliary consumption requirements also.

Request:

SLC (LT) is requested to impress upon CIL and SECL to increase supply and ensure that 100% materialization is realized.

Issue 4 – GMR Chattisgarh Energy Ltd (GCEL) - Allocation of coal from coal mines facing logistic/evacuation constraints

Description of the issue:

CIL and its subsidiaries have recently initiated steps for supply of coal to power plants from such coal mines which are facing evacuation and logistics constraints. As per the notice inviting applications, this offer is applicable for projects placed under the 4660 MW and 'similarly placed category' also. GCEL's 2x685 MW Chhattisgarh Thermal Power Plant (CTPP) is placed under the 'similarly placed category' of power plants (9,940 MW) as identified by the Ministry of Power. These are such plants which, similar to the plants in the 4660 MW category, do not have coal linkages but have long term PPAs with discoms, have high exposures to debt from domestic lenders and will achieve COD before March '15.

CTPP has a long term PPA under Section 62 of the Electricity Act, 2003 with the Chhattisgarh state discom and the project will achieve full commercial operations by March, 2015.

MCL and SECL have made offers to lift coal from their mines on 'as is, where is' basis for the months of December, January and February. Therefore, GCEL responded to the aforementioned notices of MCL and SECL for lifting coal for the month of December.

However, its applications were rejected on the following grounds –

- MCL rejected GCEL's offer to lift coal on 10th December, 2014 citing absence of any arrangement/MoU with MCL. Based on the same, GCEL wrote back to MCL to invite it to execute the MoU, however it is yet to receive a reply from MCL.
- SECL rejected GCEL's offer on the 13th December, 2014 citing the reason that the project has a long term cost plus PPA and is therefore not eligible to lift coal under the offer made.

The reasons cited by MCL and SECL to reject GCEL's applications are not tenable and should not come in the way of supply of coal to CTPP. Neither in the

8

102

CCEA decision nor in the presidential directive is there any discrimination on the basis of the type of PPA, as long as it is a long term PPA. And there is no mention of the need for an MoU for supply of coal. Moreover, GCEL is willing to enter into an MoU with the concerned CIL subsidiary in case it is insisted upon.

Request:

In view of the above, we request SLC (LT) to kindly provide a clarification to CIL and MCL/SECL not to discriminate against 'similarly placed projects' projects and supply coal subject to availability.

Amm-9

~~16~~

109

Subject: Coal linkage to 2x500 MW Marwa TPP of CSPGCL-
Reg. inclusion in the agenda of SLC(LT) meeting
scheduled on 18 Feb'2015.

Date: 02/10/15 06:30 PM

From: PRG1 CSPGCL <prg.cspgcl@gmail.com>

To: slct.moc@nic.in

Cc:

mdgenco <mdgenco@cseb.gov.in>, ceomgen@yahoo.co.in,
nsmondalcea@yahoo.com

Marwa, TPP

CSPGCL, Raipur

CSPGC L letter no.255 to MoC regarding SLC(LT).pdf (5.5MB)

Dear Sir,

Please find attached this office letter No./255 dtd 10.02.2015 regarding inclusion of the proposal for Coal linkage to 1000 (2x500) MW Marwa TPP of CSPGCL in the agenda of SLC(LT) meeting scheduled on 18 Feb'2015.

WITH REGARDS,
EXECUTIVE DIRECTOR (PRG-I),
CSPGCL, RAIPUR (C.G.)
Phone : 0771-2574521

9

सो एल पी जी सी एल
C/PGCL

CHHATTISGARH STATE POWER GENERATION COMPANY LIMITED
(A Govt. of C.G. Undertaking)

104

No.03-05/Coal Blocks/MoC/ 255

Raipur, dtd.

19 FEB 2015

To,

The Under Secretary,
Ministry of Coal,
Govt. of India,
Shastri Bhawan,
New Delhi- 110011.

Kind Attn: Shri Pilli Ravi Kumar / Shri J.S. Bindra, Director
Email : slclt.moc@nic.in

Sub: Meeting of the Standing Linkage Committee (Long Term) for Power Sector to review the status of existing coal linkages / LOA's and other related matters to be held on 18th Feb'2015 at 10:30 A.M.

Ref: Your file no.23014/1/2015-CPD dtd.06.02.2015.

Dear Sir,

In reference to the subject matter this is to state that Chhattisgarh State Power Generation Company is implementing 2x500 MW Marwa TPP in Distt. Janjgir-Champa,, which is in advance stage of commissioning. Unit # 1 has already achieved full load on 30.03.2014 and Unit # 2 is planned for synchronization in Mar'2015. COD of Units 1 & 2 are planned in May'15 and Aug'15 respectively.

The Ministry of Coal in SLC (LT) meeting held on 02.08.2007 considered Taper Coal Linkage for this project and SECL, Bilaspur issued Letter of Assurance (LoA) on 12.09.2008. After compliance of all the conditions stipulated in LoA, Fuel Supply Agreement (FSA) was signed on 04.09.2013 with Taper Linkage. Ministry of Coal / Coal Controller decided the Normative date for production of coal from linked Parsa Captive Coal Block as 02.05.2012, therefore the tapering quantity as per FSA was as under as on 04.09.2013:-

i.	Upto 01.05.2012	-	100%	-	Nil
ii.	02.05.2012 to 01.05.2013	-	75%	-	Nil
iii.	02.05.2013 to 01.05.2014	-	50%	-	2.31 mtpa
iv.	02.05.2014 to 01.05.2015	-	25%	-	1.155 mtpa

In view of above, the taper linkage is valid till 01.05.2015 only.

MD, CSPGCL has sent letter no.MD/CSPGCL/400 dtd.21.11.2014 & 414 dtd.13.12.2014 (copies enclosed) and Principle Secretary, Energy, Govt. of Chhattisgarh has also sent letter no.2879/ED/OSD/13/2 dtd.22.12.2014 (copy enclosed) for extension of validity of tapering linkage for Marwa TPP to ensure coal security for the project, which is almost ready for operation.

9

105

The development of linked coal block Parsa (in Hasdeo-Arand Coalfield) for the project got affected due to the reasons mentioned below, which were not in the control of CSPGCL:-

- i. Coal block was affected due to "NO GO" policy till Aug'2012.
- ii. The approval of Mining Plan and Mine Closure Plan was granted in a span of 22 months by MoC as against the timeline of only 2 months due to change in approval procedure through CMPDIL (CSPGCL submitted application to MoC for approval of Mine Plan on 20.07.2012 and approval received on 19.05.2014).
- iii. Due to Hon'ble Supreme Court decision dated 25.08.2014 the Coal Block got de-allocated and since then no progress could be achieved.


It is pertinent to mention that in the End Use Project 1000(2x500) MW Marwa TPP, CSPGCL has already done investment of about Rs 6676 Crore till Jan'2015 which is more than 94% of the project cost.

It is not out of place to mention here that MoC vide its notification dtd.16.01.2014 (copy enclosed) conveyed to CMD, CIL to consider extension of taper linkage till Sept'2016 for 9 Units including Marwa Units 1 & 2 (linked with Parsa Coal Block) which were affected due to NO GO policy.

In view of above, it is earnestly requested to consider the proposal in the agenda of forthcoming SLC (LT) meeting proposed to be held on 18.02.2015, for extension of validity of tapering linkage for Marwa TPP for a period of 5 years or till commencement of production of coal from the dedicated coal mine for which we have already applied under the process of allotment of coal blocks to the Government Companies.

Thanking you,

Yours faithfully,



**Executive Director (PRG-I)
CSPGCL, Raipur**

Amm-10

~~18~~

Page 1 of 4

109

Subject: FW: Request for inclusion of the Company's issues in agenda of SLC (LT) to be held on 23rd Dec,2014
To: slclt.moc@nic.in

Date: 02/10/15 07:05 PM
From: zkhan <zkhan@rattanindia.com>
Reply-To: zkhan@rattanindia.com

Dear Sir,

Change of Name

Indiabulls Power Ltd
to
Rattan India Power Ltd

Request for inclusion of the Company's issues in agenda of SLC (LT) to be held on 18th Feb, 2015

Note1: The same email we have already sent on Wednesday, December 17, 2014 at 11:25 AM

Note2: The same email we have already sent on Thursday, November 20, 2014 at 9:15 AM

Kind Regards,

Z.A.Khan (Zia)

DGM-Corporate Relations

RattanIndia Power Limited

12th floor, Building-5, DLF Cyber City,

Phase-3, Gurgaon - 122002, (Haryana)

Mob; +91 9311369610

Landline - +91 1246695650

To

The Chairman,

10

110

Standing Linkage Committee (LT),

Ministry of Coal,

Shastri Bhawan, New Delhi

Sub: Request for inclusion of the Company's issues in agenda of SLC (LT) to be held on **18th Feb '2015**

Sir,

Most humbly and respectfully, we submit our request to include the following item as an Agenda items for discussion / decision in SLC (LT) meeting to resolve the issue:

- **Item no.1.-"Change Of Name Of The Company From Indiabulls Power Ltd to RattanIndia Power Ltd".**

We wish to inform you that consequent to an internal restructuring of business in the Indiabulls group and the rearrangement and reallocation of the roles and responsibilities among the individual promoters, pursuant thereto, a change in the name of Indiabulls Power Limited: (the Company) had become imperative so that the same reflected the restructuring and rearrangement as aforesaid.

Accordingly it was decided that the name of the Company be changed to **RattanIndia Power Limited** and thus the approval of the shareholders of the Company in this regard was sought, in terms of the requirements to such effect as laid down under the Companies Act, 2013 and the Rules framed thereunder.

Subsequent to the receipt of the approval of the shareholders, an application was made by the Company to the Registrar of Companies NCT of Delhi & Haryana in response to which a **fresh certificate of incorporation dated October 30, 2014 (Attached as Annexure 1) was issued in favor** of the Company evidencing that the name of the Company **stood changed to RattanIndia Power Limited**, with effect from the said date.

10

(711)

The fact as to the aforesaid change in the name of the Company was informed to the Secretary Coal vide our letter ref no. IPL/change of company name-RPL/MOC/SECL/2014-2015/508 dated November 13, 2014 (Attached as **Annexure 2**), in consonance with the **provision recorded at item no (d) - xvii** in minutes of SLC (LT) held on 18.04.2011, **seeking the approval to the change in name of the Company to RattanIndia Power Limited** and the consequent amendment in all the permissions, linkages, Fuel supply Agreements (FSA) and other documents and writings, so as to record the new name as aforesaid. A copy of the said letter was also endorsed to coal Companies for the reference and records.

Pending the receipt of the approval of the Ministry of Coal, we shall therefore have to procure the coal supplies from SECL under the FSA, in the old name of the Company. Accordingly, an AFFIDAVIT CUM INDEMNITY BOND (prescribed to cater to such situations, as applicable to the SLC (LT) Consumers) duly signed and executed, is submitted to Coal Companies vide our letter no. IPL/Change of Name to RPL/MOC/SECL/intimation/513 dt 18.10.2014 (copy Attached as **Annexure 3**).

It is further requested that on the basis of this letter, the requisite information as to the change in the name of the Company be transmitted to the Director Rail Movement, Railway Board, Kolkata beside other authority for necessary alteration in their record, so that change in FOIS can be made for acceptance & sanction of Rail movement program from Dec'2014 onward.

- **Item no. 2-"To extend the period of Purchaser's Condition Precedent of clause no 2.8.3 of FSA in accordance with revised date of COD of the Units."**

On the above subject, we have explained our constraints to the Honorable members of SLC (LT) regarding cause of delay in CoD of the **Units of Indiabulls Power & Indiabulls Realtech Ltd** on 22nd Sept'2014 in the SLC (LT). Thereafter, following recommendation was made by SLC (LT) at item no 3(ii) as per the minutes circulated vide no 23014/2/2014-CPD dated 7th November '2014:

- i. Notice for cancellation issued due to non-achievement of COD may be kept in abeyance in all such cases.*
- ii. CEA & CIL should formulate a common policy in the matter.*

10

112

CEA should furnish a comprehensive list of TPPs with revised CoD and there should be no slippage beyond that.

iv. *The issue of imposition of penalty due to non-achievement of CoD to be decided thereafter.*

In compliance to the above recommendation of SLC (LT) a period of **Purchaser's conditions Precedent of FSA may be extended according to revised schedule of COD of the Company / comprehensive list of CEA and the concerned Coal Companies i.e. SECL, MCL & WCL may be advised accordingly.**

Thanking you,

Yours sincerely,

For Indiabulls Power Ltd.

(Now known as RattanIndia Power Ltd.)

(A.C. Choudhary)

Vice President/Authorized Signatory

Ann-11

~~20~~

117

Subject: [No subject]
>: slclt.moc@nic.in

Date: 02/11/15 10:40 AM
From: ce_fuel@dvcindia.org

SLCAgenda for the meeting11.02.2015.pptx (113kB)

Dear Sir,

With reference to the information publised in your websited dated 06.02.2015 in connection with the meeting of the standing linkage committee for Power, Sponge & Cement sector, please find the agenda itmes which DVC wish to include the agenda items for discussion in the SLC(LT) meeting for favourable response.

With Kind regards,

Chief Engineer(Fuel)
DVC, Kolkata

DVC,
CTPS # U 788

Synopsis report for CTPS U#7&8 (2X250MW)

- SLC (LT) granted Long term Linkage on 26.08.2003 2.058 MMT coal to Unit # 7 &8.
- COD of Unit # 7 & 8, CTPS was declared on 02.11.2011 & 15.07.2011 respectively.
- Coal supply started under MoU from CCL which continued upto Dec'13.
- FSA was signed with CCL on 11.12.2012 for supply of 1.03 MMT coal to U#7.
- FSA for Unit#8 could not be signed as the same unit was not included in CEA list of requirement of coal.
- CEA vide letter dated 29.07.2013 has advised DVC to approach CCL for signing FSA.
- DVC approached CCL/CIL for signing FSA, but FSA could not be signed by CCL on plea that Unit#7 & 8, CTPS are the end use project of Gondulpara coal block.
- DVC approached Jt. Sec.(Th) & Director(IPC), MoP, GoI to take up the matter with MoC for signing FSA for Unit # 8, CTPS.
- Gondulpara coal block which was allocated to TVNL & DVC on 50:50 sharing basis has been de-allocated/ Cancelled in light of 'verdict of Hon'ble Supreme Court.
- The project cost of CTPS U#7&8 is 2611 Crs.
- PPA for CTPS Unit # 7 & 8 is 100% (500MW with MP-200MW & Delhi-300MW)
- U#8 is under commercial operation, as such FSA for supply of 1.03MMT under long term Linkage approved by SLC(LT) is needed for Fuel security and viability of the project

(119)

Synopsis report for MTPS U#7&8 (2X 500 MW)

- SLC in its meeting held on 29.01.2010 recommended for tapering linkage for MTPS U#7&8 as EUP was linked with Barjora & Khagra-Jaydev coal blocks.
- COD of Unit # 7 & 8, MTPS was declared on Aug'2011 & Aug'2012 respectively.
- Coal supply started from Barjora Mines from Jul'11. But due to delay in land acquisition and due to local law and order problem, Khagra-Jaydev could not be developed
- Units are kept either idle/shut down due for want of coal or to run at partial load by arranging coal under existing FSA of existing units by paying performance incentive resulting high generation cost.
- Project cost for MTPS U#7&8 is Rs. 5286Cr.
- PPA for MTPS, Unit # 7 & 8 is 900MW with Hariyana-100MW, W.B-200MW, Tata steel,-100MW Delhi-120MW, Kerla-100MW & Karnataka-200MW & Balance for firm consumers).
- Now, Linked Coal blocks, Barjora(N) & Khagra-Jaydev have been de-allocated/ cancelled in light of Hon'ble Supreme court verdict and DVC did not applied for allocation of any coal block for end use project of MTPS, Phase-II. Units are kept idle most of the time for want of coal, As such, Long term linkage for full quantity is needed for fuel security..

Synopsis report for RTPS Phase-I(U#1&2)

- SLC (LT) has granted tapering coal linkage as the EUP is linked with Saharapur-Jamarpani Coal block.
- Unit #1 is under commissioning & COD is expected in the month of Feb'15.
- FSA was also executed for supply of coal with BCCL & CCL.
- The project cost of RTPS Ph-I is 6745 Crs.
- Now, linked coal block has been de-allocated in the back drop of Hon'ble Supreme court verdict, As such, Long term linkage for full coal requirement is needed for fuel
- Saharapur-Jamarpani if reallocated may be linked with Raghunathpur TPS Ph-II.

Amm-12 (25)

(195)

Fw: Agenda Item to be listed on the meeting to be held on 18th Feb.2015.

Date: 02/11/15 02:12 PM

From: R K Das <rkdas@yazdanisteel.com>

To: slct.moc@nic.in

Yazdani Steel & Power Ltd

To,
The Secretary
Ministry of Coal
Government of India
Sashtri Bhawan
New Delhi

Sub- Enable us for lifting of coal under FSA in the new name i: e Yazdani Steel & Power Ltd.(formerly known as Dinabandhu Steel & Power Ltd.)

Dear Sir,

In the absence of the requisite approval from the ministry of coal, we are not in a position to avail of our quota of linkage coal for operating our plant and have so far dependent on coal procurement through e-auction and private traders this has made operation of our unit very unviable as well as irregular causing heavy losses to the unit as well as jeopardizing the livelihood of our workman and other staff.

We further request you to grant us permission and allow us to lifting of coal under FSA in the new name from MCL .

We would therefore request you to kindly arrange for early disposal of our case so that the requisite approval is available to us and we are in a position to re avail our linkage coal quota from MCL.

Thanking You,
Yours faithfully,
For Yazdani Steel & Power Ltd.
Rama Krushna Das
Company Secretary.

Amm-13

(26)

(136)

Subject: Inclusion of Rationalization of Tapering Linkages for discussions in the SLC (LT) Meeting on 18.2.2015.

Date: 02/11/15 02:47 PM

From: DCPPA <domesticcoal@gmail.com>

To: slct.moc@nic.in

Letter to US-C on Rationalisation of Tapering Link... (245kB)

Shri Pilli Ravi Kumar, I.A.S.
Under Secretary to Govt. of India
Ministry of Coal
Shastri Bhawan,
New Delhi

Ratimalization of
Tapering linkage

Sir,

Enclosed please find our letter dated 11.2.2015 on the above subject.

Best Regards,

Amm DC BPPA

Amit Jain
Mobile: +919810062441

Domestic Coal Based
Power Producers Association
Plot No. 12, Sector B-1, L.S.C.
Vasant Kunj, New Delhi - 70
Tel: 011-26139256-65
Fax: 011-26139747
Email: domestic.coal@gmail.com



Domestic Coal
Based
Power Producers
Association

13

137

Plot No.12, Sector B-1,
L.S.C. Vasant Kunj,
New Delhi - 110070

Tel: 011-26139256-65
Fax: 011-26139747

Email: domestic.coal@gmail.com

Ref.: DCPA/MoC-US//2014/001

February 11, 2015

Shri Pilli Ravi Kumar, I.A.S.
Under Secretary to Govt. of India
Ministry of Coal
Shastri Bhawan
New Delhi 110 001

Sub: Inclusion of Rationalization of Tapering Linkages for discussions in the SLC (LT) Meeting on 18.2.2015.

Dear Sir,

This is in reference to the recent media reports that suggest that the Government is endeavoring to rationalize coal linkages to ensure that transportation of coal is reduced, thereby putting less strain on the already over-burdened rail network as well as resulting in lower cost of power generation.

We would like to bring to your notice that a similar exercise may be undertaken for rationalization of tapering linkages that have been granted from CIL subsidiaries that are located far away from the power plants. In some cases, tapering linkages have also been transferred to CIL subsidiaries which are located further away, as mentioned below:

Sl. No.	Company	Particulars of Tapering Linkage transferred	Request
1	GMR Kamalanga Energy Ltd., Phase I, Dhenkenal, Odisha	Tapering Linkage for 350 MW was transferred from MCL to ECL	May be transferred back to MCL.
2	Sterlite Energy Ltd., Jharsuguda, Odisha	Tapering Linkage for 600 MW was transferred from MCL to ECL	May be transferred back to MCL.
3	KSK Mahanadi Power Co. Ltd., Jangjir Champa, Odisha	Tapering Linkage for 600 MW was transferred from SECL to ECL	May be transferred back to SECL.
4	Jindal India Thermal Power Ltd., Derang, Odisha	Tapering Linkage for 600 MW was transferred to WCL (Cost-Plus basis) / NECL.	May be transferred to MCL on linkage prices.
5.	Monnet Power Co. Ltd., Odisha	Tapering Linkage for 1050 MW was transferred to WCL (Cost-Plus basis) / NECL.	May be transferred to MCL on linkage prices.

SLC (LT) is requested to impress upon CIL to restore source of Coal for the above identified units of the above five projects, since it would entail low transportation costs and the railways would also bear lesser burden. Such a decision would also be in line with the coal linkage rationalization exercise being undertaken by the Government of India.

138

13



Domestic Coal
Based
Power Producers
Association

Plot No.12, Sector B-1,
L.S.C. Vasant Kunj,
New Delhi - 110070

Tel: 011-26139256-65
Fax: 011-26139747
Email: domestic.coal@gmail.com

There have been precedents in the past of such transfers in the source of coal linkages on the request of the developer – Adani Tiroda, Indiabulls Amravati and Reliance Butibori.

Thanking you,

For Domestic Coal Based Power Producers Association

A handwritten signature in black ink, appearing to be 'D. J. ...', written over a horizontal line.

Authorised signatory

Amm-14 ²⁸

(142)

Subject: **Policy for E-Auction of Coal to power plants (IPPs)
from CIL mines with evacuation constraints.**

Date: 02/11/15 03:22 PM

From: DCPPA <domesticcoal@gmail.com>

To: slct.moc@nic.in

Letter US-C for E-auction of Coal 11-1-15.pdf (238kB)

Shri Pilli Ravi Kumar, I.A.S.
Under Secretary to Govt. of India
Ministry of Coal
Shastri Bhawan,
New Delhi

*Policy for e. auction
DCB PPA*

Sir,

Enclosed please find our letter dated 11.2.2015 on the above subject.

Best Regards,

Amit Jain
Mobile: +919810062441

**Domestic Coal Based
Power Producers Association**
Plot No. 12, Sector B-1, L.S.C.
Vasant Kunj, New Delhi - 70
Tel: 011-26139256-65
Fax: 011-26139747
Email: domestic.coal@gmail.com



Domestic Coal
Based
Power Producers
Association

14

Plot No.12, Sector B-1,
L.S.C. Vasant Kunj,
New Delhi - 110070

Tel: 011-26139256-65
Fax: 011-26139747
Email: domestic.coal@gmail.com

Ref.: DCPPA/MoC-US/2014/002

February 11, 2015

Shri Pilli Ravi Kumar, I.A.S.
Under Secretary to Govt. of India
Ministry of Coal
Shastri Bhawan
New Delhi 110 001

Sub: Policy for E-Auction of Coal to power plants (IPPs) from CIL mines with evacuation constraints

Dear Sir,

In order to address the issue of coal getting accumulated in certain mines of CIL having evacuation constraints, Ministry of Coal had issued guidelines to CIL in November 2014 wherein it was proposed that coal stock accumulated in various CIL mines may be offered to IPPs having long-term Pas with Discoms with a condition to evacuate coal on their own, with the inter-se priority as under:

- Power Plants commissioned before 01.04.2009 having FSAs with coal companies (upto 90% of pro rata ACQ upto March, 2015).
- Power Plants which have got commissioned after 01.04.2009 and which have FSAs (upto 65% of pro rata ACQ upto March, 2015).
- Power Plants which come under the 4660 MW and similarly placed category on best effort basis.

After having met the demand of such consumers, the left-out stock is being offered through E-auction to all other consumers subsequently. We understand that the aforesaid policy will be in force until March 2015.

The above policy has enabled CIL to evacuate coal from their stocks which were getting accumulated due to evacuation constraints and helped such mines to increase production, besides offering such coal to the actual consumers including the power plants which have not been able to enter into medium-term / long-term PPAs despite having coal linkages from CIL to run their plants on e-auction coal.

Further, even though the process of auction of Schedule II and Schedule III coal blocks would be concluded by March / April 2015, the actual coal supply from Schedule III mines would only start in a few years' time.

We, therefore request you to extend the above policy for a period of another year, i.e. upto March 2016.

Thanking You,

For Domestic Coal Based Power Producers Association

Authorized Signatory

Amm-15

30

146

Subject: **SLC(LT)-Meeting on 18/02/15- Agenda points- Submitted-reg.**

Date: 02/11/15 03:25 PM

From: ce-comm1 <ce-comm1@apgenco.gov.in>

To: slclt.moc@nic.in <slclt.moc@nic.in>

Cc: ce-comm1 <ce-comm1@apgenco.gov.in>

Meeting of the Standing Linkage Committee.pdf (326kB)

AP Genco

Ref:- OFFICE MEMORANDUM Dtd:06/02/2015

This has reference to the above regarding the meeting of the Standing Linkage Committee(LT) to be held on 18th Feb'15 to review the status of existing coal linkages/LOAs.

Agenda points of APGenco are herewith submitted as attachment for kind consideration.

Regards

Chief Engineer(Coal & Comm1)
AndhraPradesh Power Generation Corporation (APGenco)

15

1457



ANDHRA PRADESH POWER GENERATION CORPORATION LIMITED
(A Govt. Of A P Undertaking)
Vidyut Soudha, Hyderabad - 500082

Meeting of the Standing Linkage Committee (Long Term) for Power/Sponge/Cement sectors to review the status of existing coal linkages/LOAs and other related matters to be held on 18th February, 2015 at 10:30 AM.

1) RTPP Stage-IV (1x600MW):

a) Revalidation of LOA:

Standing Linkage Committee (Long Term) in its meeting held on 02/08/07 has sanctioned linkage of 2.31 million tones per year from M/s Mahanadi Coalfields Ltd to RTPP-Stage IV (1x600MW) and Letter Of Assurance (LOA) was issued on 18/03/2009 with validity for two years. As per the terms & conditions of LOA, APGENCO has furnished commitment Bank Guarantee for Rs 10.17Cr to M/s MCL and its validity is up to 18/06/15.

Out of the five milestones to be achieved within six months, 2 mile stones viz., land acquisition and environmental clearance were not achieved within due date for which additional commitment bank guarantee was furnished to M/s MCL as per the terms & conditions of LOA. Remaining three milestones viz Approval of investment decision, Technical and feasibility studies, Commitment of equity investment were achieved within due period however the same were not communicated within the stipulated period.

During the standing linkage committee (Long term) meeting held on 28/12/13 at New Delhi, Status of coal linkages were reviewed. In the minutes of meeting in respect of RTPP (Unit 6) it is stated that "There were delay in submission of 5 milestones but unit furnished additional CG for 2 milestones only within validity". Subsequently, M/s MCL vide Lr Dtd: 15/07/14 has intimated that M/s APGENCO was required to furnish five additional CGs against five mile stones and the status was reported to SLC(LT).

:: 2 ::

In this regard, it is to submit that APGenco will furnish Additional commitment bank guarantees for the two mile stones viz land acquisition and environmental clearance which were not achieved within due date but achieved within the validity period of LOA. In view of the achievement of balance three mile stones within the stipulated period, APGenco requests Standing Linkage Committee(LT) to grant exemption for submission of additional bank guarantees.

b) Additional coal linkage:

APGENCO initially planned for 500MW and coal linkage was sanctioned for 500MW Thermal Power Project vide LOA No.MCL/GM/S&M/LOA/APGENCO-Rayalaseema-VI/2009/5590,dt:18/03/2009. M/s BHEL suggested 600MW instead of 500MW. CEA has also advised the power utilities to go for 600MW units instead of 500MW units. Hence the capacity was revised to 600MW from 500MW originally envisaged. APGENCO applied for additional coal linkage 1.2 million tones vide Lr No. CE/Comml/Plng/RTPP/D No.72/2010 dt:18 /02/ 2010 . It is further submitted that the environmental clearance for additional 100MW was held up for want of additional coal linkage.

Since the project is likely to commence operations during 2015-16, APGENCO requests for revalidation of LOA No.MCL/GM/S&M/LOA/APGENCO-Rayalaseema-VI/2009/5590,dt:18/03/2009 and sanction additional coal linkage for 1.2 million tones on priority.

2) Dr NTTPS (1x800MW):

The proposed project is an extension to existing 1760MW. Land and infrastructure is available. Approvals are under process. Power Purchase Agreement was executed. REC accorded sanction for loan of the project. The coal requirement is 4.72MTPA and APGENCO applied for coal linkage to Ministry of coal, GOI vide Lr No.CE (Comml)/Plg/Dr NTTPS-V/D No. 180/2012,

15

149

:: 3 ::

Dt: 07/05/2012. Tender specification is under finalization. The estimated commencement and completion dates of the project are 2015-16 and 2018-19.

3) VADAVREVU Thermal Power Project (5x800MW):

Govt. of AP has given consent to the project on 10/06/2010. APGENCO has taken up the project development activities. Land identified in Kanuparthi village in Naguluppalapadu mandal. Hon'ble High Court in its orders dtd: 26/09/12 directed that possession of the land acquisition should be taken only after obtaining final clearance from the Pollution Control Board authorities'. The Project is proposed to be taken up with blended coal of import and domestic coal. Proposal for Long-term coal linkages for domestic portion was submitted to Ministry of Coal vide Lr Dtd: 20/08/09 for 10MTPA of coal. TOR issued and financial closure achieved. Application submitted to CEA for coal linkage in the prescribed format for pre qualification & fixing inter -se seniority vide letters dtd:08/01/2010. MoE&F clearance & coal linkage waited.

4) SDS TPS (Sri Damodara Sanjeeviah TPS) Stage-II (1x800MW):

Govt of AP accorded permission to APPDCL (subsidiary of APGenco) for establishing the project vide lr dtd: 16/02/13 Clearances viz Air authority, sea water allocation, forest clearance, Dept. of mines TOR was obtained. M/s PFC has given in principle approval for extending loan. Applied for environmental clearance with MoEF. Land is readily available. Detailed project report is ready. PPA entered on 04/01/2011. The proposal for sanction of coal linkage for 2.75MTPA sent to Ministry of Coal vide lr dtd: 17/05/2012 and application submitted to CEA in the prescribed format for fixing inter se- priority vide letter dtd:26/05/12.

Chief Engineer (Coal & Comm'l)

Amm-16

(34)

(153)

Subject: Request for adding in the agenda for the meeting to be held on 18.02.15

Date: 02/11/15 03:55 PM

To: 'slct.moc@nic.in' <slct.moc@nic.in>

From: Rajdeep Mohanty <rajdeep@jindalsteel.com>

Letter to SLCT.pdf (843KB)

Dear Sir,

Jindal Stainless Steel

In reference to your notice No. 2301/1/2015-CPD, dtd.6th Feb'15, please find attached our views which may kindly be included in the agenda for the Standing Linkage Committee meeting to be held on 18.02.15.

Thanks & Regards,

Rajdeep Mohanty

16

158



MCL/JSL/FSA/Jan/2014-15

Date- February 11, 2015

To

Shree Pilli Ravi kumar
Under Secretary to the Govt. of India
Ministry of Coal, govt of India,
New Delhi
Email: slcltmoc@nic.in

Sub- Restoration of Coal Linkage as per the LOA and FSA in view of De-Allocation of our Captive Coal Block

Ref: Notice No.23014/1/2015-CPD, Dated-6thFeb, 2015

Dear Sir,

We appreciate the decision taken by CIL to supply coal on "best – effort basis" whereby we have been allotted a quantity of 0.329 Million Tonnes of coal Per Annum against the FSA/LOA Qty of 1.14 Million Tonnes under Tapering Linkage of MOU for a very small period till Mar'15.

In this regard, we wish to bring to your kind attention that in accordance with the MoU dated 09.06.2005 ("JSL's MOU"), we have set up 2 x 125 MW captive power plant at Kalinga Nagar Industrial Complex, Jajpur, Odisha.

It is pertinent to mention that pursuant to JSL's MOU, a captive coal block was allocated to Jindal Stainless Limited on 29thNov'2005, jointly with MCL and three other private Parties for afore stated captive power plant. Subsequently, a joint venture company was formed on 13thAug' 2008.

Subsequently, the Letter of Assurance was issued to JSL on 10thJul'2008 for granting the long term coal linkage and subsequently coal supply agreement was executed with MCL on 5thFeb'2009 with an amendment on 18thMar'2009 for a total requirement of 1.139 million tonne per annum (ACQ) of Coal. However, the long term linkage was purportedly converted to Tapering Linkage vide letter dated 1st Feb'2011 bearing no.CIL/S&M/Tapering/MCL/23 in view of the tapering linkage guideline dated 26.02.2010 of MOC which is not even applicable to our case.

As per the Tapering Linkage, the coal was supplied @ 100% of the ACQ from 30thMay'2009 to 29thMay'2010 (1styear), @ 50% of the ACQ from 30thMay'2010 to 29thMay'2011 (2ndyear), @ 25% of the ACQ from 30thMay'2011 to 29thMay'2012 (3rdyear) and it was purported to be NIL after 30thMay'2012 onwards.



CIN:L26922HR1980PLC010901

Registered Office : O.P. Jindal Marg, Hisar - 125 005, (Haryana) India.
Corporate Office : Jindal Centre, 12, Bhikaji Cama Place, New Delhi - 110 066, India

Jindal Stainless Limited
6th Floor, IDCO Tower, Janpath,
Bhubaneswar - 751 022
(Odisha) India.

T: (0674) 2545561, 2544846
F: (0674) 2548147
E: jsl@bbs.jindalsteel.com
www.jindalstainless.com

It is noteworthy that the JV Company could not start the production from allocated coal block before the normative date of production due to delay in grant of approvals/statutory clearances by the Govt. and consequently JSL had no quantity after 30th May 2012 under the linkage /FSA, as per the tapering linkage guideline dated 26.02.2010.

Thereafter, JSL is continuing the operation of their CPP with the coal from,

- a) FSA / linkage coal @ 25% of the last lifted quantity which was allowed by CIL / MCL under the direction of the Hon'ble Supreme Court of India
- b) Imports
- c) Through Forward & spot auctions

Please note that tapering linkage policy was not applicable to us as SLC(LT) awarded long term linkage and not tapering linkage to us. The primary reason for tapering coal supplies was allotment of combined coal block of Gopalprasad West and Utkal-A which has now been de-allocated pursuant to orders dated 25.08.2014 and 24.09.2014 of Hon'ble Supreme Court of India.


Considering the hardship, JSL has gone through all these days, we would request SLC (LT) to increase/restore the coal linkage to 100% level of ACQ. i.e 1.139mtpa

This is without prejudice to our rights and remedies in law.

For this kind help we shall be highly obliged to you.

With Regards

For Jindal Stainless Limited


Rajdeep Mohanty
Resident Director

Ann-17

35

160

Subject: Dheeru Powergen LOA issues

To: sicit.moc@nic.in

Date: 02/11/15 04:12 PM

From: Dheeru Powergen <dheerupowergen@gmail.com>

Reply-To: gvchalam@gmail.com

Enclosure to MOC letter SLC-LT 11-2-2015 .docx (21kB)

Date : 11-02-2015

To:

**The Addl. Secretary cum Chairman SLC(LT),
Ministry of Coal, Government of India,
Shastri Bhawan,
New Delhi**

Dheeru Powergen Ltcl

Respected Sir,

**Sub: Request for re-validation of the LOAs in view of problems related to
Environmental related Issues.**

We thank you very much for giving us an opportunity to attend in the recent SLC(LT) meeting dt.23-12-2014 and discuss about the pending issue of re-validation of LoAs granted to our 1050 MW TPS.

Sir, we submit that the matter was discussed in detail in the SLC (LT) meeting dt 23-12-2014 and it was agreed that the issues concerned may be processed on file or will be placed in the coming SLC (LT) in order to and grant the suitable re-validation/extension.

As discussed in the meeting, we once again submit that:

- LoAs were cancelled, citing the reason the Environment Clearance (EC) granted to the Project has been cancelled by the National Green Tribunal (NGT) and the matter is pending before the Supreme Court.
- NGT cancelled the EC on the ground that the Project location is falling within the Critically Polluted Area of Korba Town and advised to seek a fresh EC once Moratorium period is lifted.
- While the issue is pending in the SC, the MoEF through GO dt. 17-9-2013 lifted the moratorium period of Critically Polluted Area status to Korba Town, which allow us to seek a fresh EC.
- However, as per MoEF notification dt: 19-4-2012, EC will be not granted without Coal LOAs. Thus the project progress is badly struck.

Sir, we so far made direct and indirect investment of nearly Rs. 150 Crores and the project achieved all milestones, except the milestones linked with the Environmental issues. Thus the Cancellation of LoA will push us into huge loss.

With regard to the projects, which are struck due to Environmental issues, the Ministry of Coal is liberal either by extending the Time Limit to achieve Mile-stones or Not Cancelling the LoA granted to such Projects.

Sir, in view of the above, we humbly request you to Re-validate the LOAs and grant 1 (One) Year

17

161

extension to enable us to resolve all the Environmental issues.

Sir, we further submit that subject to the re-validation of LOAs, we are agreeable to withdraw the pending case before the Kolkatha High Court filed in connection with termination of LoAs.

In view of the above, we request you to place our case in the coming SLC(LT) meeting dated 18-2-2015 to discuss the case in order to grant the suitable re-validation/extension of LOAs as deliberated in the last SLC(LT) meeting dated 23-12-2014.

Kindly consider our request favourably.

Thanking you,

For Dheeru Powergen Limited

Sd/-

Venkatachalam.G

Director.

Encl: Note on LOAs cancellation and Milestone compliance

G.VENKATACHALAM

Director

Dheeru Powergen Limited.

110, Anrutha Vile, Rajbhavan Road.

Hyderabad -500 082, INDIA

Ph. +91-40-23395167, Fax: +91-40-23318644.

H/P: +91-9849032180/9346239288.

Note on LOAs cancellation and Milestone compliance

Dheeru Powergen Limited (DPL) is developing a 1050 (3x350) MW coal fired thermal power plant in Korba, Chhattisgarh and has received the LoAs from SECL for the entire capacity.

DPL informed Ministry of Coal (MoC) that DPL has achieved all milestones except those relating to Forest Clearance (viz. Land Acquisition, Forest Clearance and Start of Construction), which are beyond control of DPL and had requested for an extension in timelines.

Subsequent to the lapse of 24 months from the issue of the LoA, SECL issued a Notice for Cancellation of LOAs. However, MoC was kind enough to advise SECL to not take any coercive action till the decision in the matter was taken by SLC(LT).

With respect to the compliance of milestones, SECL indicated that the some milestones have not been achieved by DPL. DPL made submissions on several occasions time and again and given detailed reasons for delays in achieving the milestones stated as pending. Out of 5 pending milestones as shown by SECL, 3 milestones are directly linked to Environmental issues which are beyond control of DPL and 2 milestones in fact have been completed but SECL allege that they have not been completed.

The pending Milestones as indicated by SECL are categorized two parts and the status is given bellow:

1. **LoA Milestones Pending on account of Environmental/Forest Clearance**

- i. **Milestone No.4:** "Land documents submitted is for lesser area than that mentioned in DPR".

While DPL has acquired the revenue and private land, it is in the process of acquiring the revenue forest land required for the project. The detailed status of Forest Land acquisition is given Milestone No-6 Compliance. On account of pending acquisition of the Forest land, we

could not complete the entire land acquisition. Appropriate additional CGs has been submitted for delay in achievement of this milestone.

Completion of this milestone is related to Forest Clearance and accordingly DPL has requested for an extension.

- ii. **Milestone No.6:** "Diversion of forest land equivalent of 323.325 acres as mentioned in the MoEF clearance not submitted".

DPL is in the process of acquisition of revenue forest land required for the project. The proposal has been approved by the Department of Forests, Government of Chhattisgarh and has been forwarded to MoEF. At MoEF, the Forest Advisory Committee (FAC) has recommended for grant of approval Forest Land Diversion and accordingly Stage-1 approval has been granted. We are now active in securing the Final i.e. Stage-2 clearance. Forest Clearance is a process which is largely beyond the control of DPL. Appropriate additional CGs has been submitted for delay in achievement of this milestone.

Completion of this milestone is related to Forest Clearance and accordingly DPL has requested for an extension.

- iii. **Milestone No.10:** " Documents relating to start of construction not submitted"

As per the guidelines of MoEF, DPL is not permitted to commence construction till clearance is received for diversion of forest land. However, appropriate additional CGs has been submitted for delay in achievement of this milestone.

Completion of this milestone is related to Environment/Forest Clearance and accordingly DPL has requested for an extension.

2. LoA Milestones Achieved but still SECL alleging as pending:

- i. **Milestone No.3:** "Detailed Project Report of Feb 2008 mentions project cost of Rs.4903.52cr. Further Board Resolution dated 01.12.2010 mentions project cost as Rs.5776.00 cr., but revised DPR not submitted."

DPR prepared in February 2008 mentions project cost of Rs.4903.52 Cr. Accordingly, SECL considered that the said Milestone has been

achieved since 04-012-2009. Since then, there has been significant increase in the cost of various inputs related to the project and the project cost has been revised to Rs.5776 Cr. An analysis of the basis of the estimated increase in project cost has already been submitted to SECL and as advised by SECL, we further submitted an addendum to the DPR capturing these escalations in the project cost. The Project cost is an evolving number and with time there can be escalations in the same. DPL has secured the financial closure for the increased project cost which is the appropriate way forward given the escalations. However, appropriate additional CGs has been submitted for delay in achievement of this milestone.

Therefore, Milestone No.3 which had been achieved on 04.12.2009 continues to be achieved.

- ii. **Milestone No.9:** "Capacity in the Loan Agreement mentioned as 2x525MW instead of 3x350 MW"

DPL had been considering higher unit size of 2x525 MW and therefore had signed a loan agreement for a Rupee Term Loan of Rs.4332 Cr with a consortium of 17 Banks and Financial Institutions with State Bank of India as the lead Bank. This would have neither increased the total capacity of the plant nor the total quantity of coal required. However, DPL has now decided to maintain the original plant configuration of 3x350 MW, for which it has been allocated the coal linkage. However, appropriate additional CGs has been submitted for delay in achievement of this milestone.

Therefore, the Milestone regarding Financial Close may be deemed to have been achieved.

In spite of above submissions, during the SLC(LT) meeting held on 20-12-2013, it was resolved that "*the Committee recommended that SECL could take further action as per terms of LOA*" and assigning the reason that the EC granted to the project is quashed by the NGT and the case is pending before the Supreme Court.

Subsequent to the above decision, SECL have cancelled the LoAs on 17-2-2014 and even before the letter of cancellation is reached to us SCEL hastily invoked the BGs with short notice of 48 hours served that too on Friday evening. The Cancellation and BG invocation was challenged in the Kolkatha High Court and interim restraining order was granted. But by the

time the order is granted SECL has already en-cashed Rs.34.58 Crores out of total BG amount of Rs. 53.80 Crores.

Further, the matter was discussed in the SLC(LT) meeting held on 11-08-2014, it was resolved that "*in view of quashing of EC by NGT which was rendered LOA non actionable. Hence linkage may be terminated*".

As regards the Environmental Clearance (EC), the following are submitted:

- The project has secured the EC for the Project within the time line as set out in the LOAs.
- However, due to petition against to the EC, the National Green Tribunal (NGT) quashed the EC granted to the Project on the ground the project location is likely to fall within the 15KM radius of critically polluted area of Korba as notified under Comprehensive Environmental Pollution Index (CEPI) and held that "*the project proponent is, however at liberty to apply a fresh and pursue his request for grant of EC in accordance with law after lifting of moratorium period of Critically polluted area*".
- We appealed in the Honourable Supreme Court against the NGT order and the hearings are in the process and confident to get EC re-instated as the NGT has hastily passed order.
- In the mean time, while the case is pending before the SC, MoEF through vide order dt: 17-9-2013 has lifted moratorium period of Critically Polluted Area status to Korba Town.
- We now, parallel to the legal recourse in the SC, DPL have initiated all steps to secure a fresh EC as directed by NGT, as the moratorium period of Critically Polluted Area is lifted and the same is in the process.
- However, as per the MOEF notification dated 19-4-2012, EC will be not granted without Coal LOAs. Thus the project progress is badly struck.

But the submissions of DPL that the Moratorium period of critically polluted zone of Korba has been lifted and are free to secure a fresh EC as per directed by NGT, which is in the process is totally ignored. It is just viewed that EC is quashed and the same was not stayed by the SC. The fact is that whether the matter stayed or not by the SC, there is an alternative way is well exit to secure the fresh EC and the same is under process is ignored totally by the SLC (LT).

It shall be noted that in many cases, where the projects are struck due to Environmental reasons e.g. the projects which are struck on MoEF/PCB clearance or Consent for Establishment (CFE) or Forest Clearance or various environmental reasons, the Ministry is liberal in considering the extension of time limit or not cancelling the LoAs.

However, when it comes to DPL, the issues and difficulties, which are more similar in nature like other projects that got extension in the past and the ministry was liberal in acting so, have been ignored by the SLC (LT) and as well as by the Coal Companies with their irrational and biased actions in terminating the LOAs.

Amm-18

38

Page 1 of 1

173

Subject: SLC meeting of 18th February 2015- 2X700 MW TPP of Nabha Power Limited

Date: 02/11/15 05:31 PM

To: slclt.moc@nic.in <slclt.moc@nic.in>

From:

Devendra Arolkar <Devendra.Arolkar@larsentoubro.com>

NPL SLC LINKAGE SLC AS FEB 2015.pdf (1.1MB)

Dear Sir,

We request you to include two issues as under in the agenda:

1. Grant of coal linkage for balance approved capacity of 200 MW. Approved and installed capacity of the project is 1400 MW whereas linkage is granted for 1200 MW. Both Units of this 2X700 MW project are in operation.
2. Allocation of more rakes to clear backlog of washed coal rakes from SECL command area.

Letter giving further details is attached.

LOI
Nabha Power Ltd.

Thanks and regards,

Devendra Arolkar

GM & Head-Fuel Sourcing

Larsen & Toubro (Nabha Power),

(M): +91-98198 59150

Larsen & Toubro Limited

www.larsentoubro.com

This Email may contain confidential or privileged information for the intended recipient (s). If you are not the intended recipient, please do not use or disseminate the information, notify the sender and delete it from your system.



18

1574

NABHA POWER LIMITED

Mailing Address: Aspire Tower, 4th Floor, Plot No. 55,
Industrial and Business Park, Phase I, Chandigarh- 160002.
Phone: 0172 4646846 • Fax: 0172 4646802

Email: Devendra.Arolkar@larsentoubro.com

Ref: NPL/SLC/Linkage/SLC-AS-Feb 2015

Date: 11th February 2015

To,
Dr. A. K. Dubey, IAS
Addl Secretary & Chairperson- SLC (LT)
Ministry of Coal, Shastri Bhavan,
New Delhi- 110001

Sub: 1. Enhancement of Linkage for balance approved capacity of 200 MW
2. Allocation of more rakes to clear backlog of washed coal
Ref: OM dated 6th February 2015, File No 23014/1/2015-CPD

Dear Sir,

Thank you for giving us an opportunity to raise issues concerning our project for inclusion in the agenda of the SLC (LT) meeting scheduled on 18th February, 2015.

We have been raising the issue of "unlinked" capacity of 200 MW for our Case 2 project in various forums from time to time, including SLC (LT) and requesting grant of coal linkage. However, in spite of getting sympathetic hearing, our request has not been acceded to.

We once again wish to bring to your notice that only two Case II projects i.e. Nabha Power Limited and Talwandi Sabo Power Limited have linkages lower than their approved capacity. Both are located in the state of Punjab. These projects were awarded on tariff based competitive bidding and entire benefit of domestic coal will be passed on to the power consumers of the State.

Rules for forthcoming coal block auctions do not permit participation of Case 2 projects in the auction. In view of these decisions of Ministry of Coal, Punjab's electricity consumers will not have any avenue for obtaining domestic coal for enhanced capacity and are forced to purchase expensive power. Thus, grant of balance coal linkage for unlinked capacity of 200 MW deserves due consideration.

Wholly Owned Subsidiary of L&T Power Development Limited
Corporate Office: L&T House, N M Marg, Ballard Estate, Mumbai 400 001
Regd office: PO Box No -28, Near Nalash, Rajpura-140401, Punjab
CIN No: U40102PB2007PLC031039

18


175

Another issue that we wish to bring to the notice of SLC (LT) is large backlog of washed coal rakes. As on 1st February 2015, this was over 200 rakes of washed coal. It may be noted that average monthly dispatch is approx. 45 rakes. We request intervention of SLC (LT) by advising Railways to allot more rakes so that the backlog can be cleared.

We request you to take up these issues in the meeting of 18th February 2015. We look forward to your favorable action in the matter.

Thank you.

Yours Sincerely,
for Nabha Power Limited,



11/2/15
Devendra N. Arolkar
General Manager

Amm-19

(44)

Page 1 of 1

(200)

Subject: Issue for discussion in SLC(LT) TSPL - Draft

To: slct.moc@nic.in <slct.moc@nic.in>

Cc: Ramesh K. Narang <ramesh.narang@vedanta.co.in>,
Sudhir Agrawal <Sudhir.Agrawal@vedanta.co.in>,
Chetan Shrivastav <Chetan.Shrivastav@vedanta.co.in>

Date: 02/11/15 06:23 PM

From: Yogesh Chaturvedi <Yogesh.Chaturvedi@vedanta.co.in>

Note for SLC (LT) TSPL.docx (16kB)

TS PL - Shifting of
Linkage

Dear Sir,

Please find attached the note on shifting of linkages for SLC (LT) meeting.

Regards

Yogesh

The information contained in this electronic message and any attachments to this message are intended for the exclusive use of the addressee(s) and may contain proprietary, confidential or privileged information. If you are not the intended recipient, you should not disseminate, distribute or copy this e-mail. Please notify the sender immediately and destroy all copies of this message and any attachments contained in it.

TSPL has an FSA for **7. 72 MMTPA (or 140 rakes per month)** with Mahanadi Coalfields Limited (MCL) for all its three units (3x660MW) and MCL is supplying the coal to TSPL from IB, Talcher and Kulda mines. The rail distance from MCL mines to TSPL is **longest in the country** i.e. 1829 Kms (Talcher) and 1575 KM (IB). There is very poor rake evacuation from Kulda mine due to restriction on movement of coal trucks by Hon'ble High Court of Odisha. Average transit time for reaching the coal to our plant is 7-8 days.

At 80% PLF, TSPL will require at least 8 rakes per day, but as of now TSPL has not been able to get even 2 rakes per day on any of the months. In the month of Jan'15, TSPL received maximum of 34 & 15 rakes from SECR and ECoR respectively, which is far below the requirement to run plant on desired PLF.

In current scenario, only 3 rakes of coal maximum can be taken every day from MCL mines. The only solution to the problem appears to be shifting of linkage of two of the units to any other CIL subsidiary.

TSPL is a Case-2 plant, supplying 100% power to state of Punjab. It is understood that Punjab State govt has also conveyed the necessity of shifting of linkages to SECL and NCL at the "Workshop on Rationalization of Coal Linkages" held on 02nd Dec 2014 to ensure coal availability to TSPL.

In order to ensure adequate coal supplies to TSPL, it is requested that linkage of 2 units of TSPL be shifted from MCL to NCL or SECL.

Ann-20

(51)

(52)

Page 1 of 2

(295)

Subject: Issue for inclusion in agenda of SLC(LT) meeting on Feb18,2015

Date: 02/11/15 10:11 PM

To: 'slclt.moc@nic.in' <slclt.moc@nic.in>

From: Ramesh K. Narang <ramesh.narang@vedanta.co.in>

Sesa Sterlite Ltd

Dear Sir,

Sesa Sterlite Ltd. (Formerly Sterlite Energy Ltd.) has signed FSA with MCL for its 4x600MW IPP at Jharsuguda on Aug27, 2013. However, Coal India Ltd. vide its circular no. CIL/CMO/47252(New Pol)/157 dated 26.02.2014 transferred our linkage quantity for one unit (Unit IV) from MCL to ECL.

We understand that recently, M/s KPMG have submitted a report to Govt of India on rationalisation of coal linkages. In its report, KPMG has recommended to allocate linkage coal to all the plants from nearest mines/collieries which will facilitate effective utilisation of country's resources and reduce burden on railways.

Our power plant is located at Jharsuguda in Odisha and is close to MCL mines within 30 to 80 km distance. Lifting of coal from ECL will unnecessarily involve additional transportation of coal by large distance appx 600 km and also at additional cost to us.

In order to utilise country's resources efficiently and effectively, it will be prudent to reduce the cross movement of railway wagons.

We have represented on various occasions to MoC/CIL as well as to MCL, for shifting of linkage of unit IV from ECL to MCL. We have set up our plants close to MCL mines considering our linkages from MCL. Coal is available at MCL, we may make our own arrangements to lift this coal to support on logistic constraints faced at MCL, Sundergargh mines.

In view of above, it is requested that the matter be considered for discussion in the SLC(LT) and our linkage for Unit IV be shifted back to MCL.

20

228

With Best Regards

SK Agrawal

Group Head – Central coal Procurement

Sesa Sterlite Limited

Core6, 2 nd Floor, Scope Complex,

7, Lodhi Road, New Delhi-110003

sudhir.agrawal@vedanta.co.in

09937321333

The information contained in this electronic message and any attachments to this message are intended for the exclusive use of the addressee(s) and may contain proprietary, confidential or privileged information. If you are not the intended recipient, you should not disseminate, distribute or copy this e-mail. Please notify the sender immediately and destroy all copies of this message and any attachments contained in it.

Ann-21

3

53

Subject: **Agenda Points from Jaiprakash Associates Limited, Noida - To be listed for discussions in Standing Linkage Committee (SLC) Long Term (LT) meeting to be held on 18th February, 2015**

Date: 02/10/15 11:35 AM

From: sk1.gupta <sk1.gupta@jalindia.co.in>

To: slcit.moc@nic.in

Cc: V.K Talwar <vktalwar@cmaindia.org>,

cs.jain <cs.jain@jalindia.co.in>,

neha.goyal <neha.goyal@jalindia.co.in>

20150210105754.pdf (383kB)

Jaypee Sidhi Cement Plant

Dear Sir,

For the Scheduled Meeting of the Standing Linkage Committee (Long Term) for Power/Sponge/Cement Sectors to review the status of existing coal linkages/LOAs and other related matters to be held on 18th February 2015 ; we shall be thankful if the following points are added in the Agenda Items for discussions.

- 1.0 **RESTORATION OF ORIGINAL COAL QUANTITY OF FSA**
- 2.0 **LONG TERM COAL LINKAGE FOR OUR JP SIDHI CEMENT PLANT, SIDHI**

The details on the above issues are as under:

- 1.0 **RESTORATION OF ORIGINAL COAL QUANTITY OF FSA**

We have since signed FSA No. 0040 for Jaypee Rewa Cement Plant, 0041 Jaypee Bela Cement Plant, 0042 for Jaypee Rewa Captive Power Plant-I, 0043 for Jaypee Rewa Captive Power Plant-II, 0044 for Jaypee Bela Captive Power Plant, N124 for Jaypee Rewa and Jaypee Bela Plant (cement expansion) & N125 for Jaypee Himachal Cement Plant, Baga with M/s. SECL, Bilaspur. However, these linkages have come under tapering due to coal blocks allotted to us at Mandla (North) vide Ministry of Coal letter dated 17.09.2007. Since the coal blocks have been cancelled in line with the recent Supreme Court orders, it is requested that our linkages coal quantity for our FSAs with M/s. SECL be restored to original volumes as at the time of the signing of the FSAs.

- 2.0 **LONG TERM COAL LINKAGE FOR OUR JP SIDHI CEMENT PLANT, SIDHI**

In reference to our application for Coal Linkage to Ministry of Coal, Govt. of India for our Jaypee Sidhi Cement Plant, in line with the Government directives, M/s. South Coalfields Ltd. (SECL) vide their letter SECL/BSP/S&M/COMML/48/JALCMT(LOA)/1928 dated 11th July 2008 had approved a coal linkage of 2.55 lac Tons per annum for our green field plant of 2.0 Million Tons per Annum Cement capacity and 1.5 Million Tons per annum of Clinker capacity.

We have since complied with all the requirements of various milestones as required by SECL. However, while giving environmental clearance MoEF had mentioned the source of supply as Central Coalfields Ltd. We are of the considered opinion that Ministry of Environment and Forests can only issue environmental clearance for use of certain quantity of coal at our Cement plant as well as Captive Power Plant and they have no jurisdiction towards the source of supply which is the sole prerogative of Ministry of Coal.

As such it is requested that SECL, Bilaspur may suitably be advised to invite us to sign the FSA for our JP Sidhi Cement Plant, Sidhi. In this regard we are enclosing herewith a copy of our letter dated 09.02.2015 addressed to Additional Secretary & Chairman (SLC) (LT).

With Regards,
Sanjay Kumar
Jaiprakash Associates Ltd.,
Raw Material Department,
Nirman Sadan, Tower -5, 2nd Floor
Jaypee Greens Wish Town,
Noida (U.P.)-201304 INDIA

21

(54)

Tel +91 120 4963100 | Mob: +91-9650671188
Extn : 2695 .

Regards,

S K Gupta
Joint President (Procurement)
Jaiprakash Associates Ltd.
Nirman Sadan | Tower-5 | 2nd Floor
Jaypee Greens Wish Town | Sector-128
Noida | U.P | 201 304 | INDIA
(Noida-Greater Noida Expressway)
Direct: +91-120 4964653 | Mob: +919999767728

Disclaimer: This email and any files transmitted with it may be confidential and intended solely for the use of the individual or entity to whom they are addressed. If you are not the intended recipient be advised that any unauthorized use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this information is strictly prohibited and you have received this email in error please notify the sender and delete this email. The recipient should check this email and any attachments for the presence of viruses, Trojans, spy wares and the company accepts no liability for any damage caused by the same. This email doesn't serve as a legal notification until attached with supporting documents. Please note that any views or opinions presented in this email are those of the author and do not necessarily represent those of JIL Information Technology Ltd. (www.jilit.co.in)

21

55
JAI PRAKASH
ASSOCIATES LIMITED
 Cement Division

09.02.2015

To

Additional Secretary & Chairman
 Standing Linkage Committee (SLC) Long Term (LT)
 Ministry of Coal, Shastri Bhawan
 New Delhi - 110 011

प्रसक्त प्रेषण अनुभाग
 कोयला मंत्रालय शास्त्री भवन
 नई दिल्ली-110001

Sub. : Long Term Coal Linkage for our Jaypee Sidhi Cement Plant, Sidhi

Dear Sir,

- 1.0 Against our application for Coal Linkage to Ministry of Coal, Govt of India for our Jaypee Sidhi Cement Plant, in line with the Government directives, M/s South Eastern Coalfields Ltd. (SECL) vide their letter SECL/BSP/S&M/COMML/48/JALCMT(LOA) / 1928 dated 11th July 2008 (**Annexure I**) had approved a coal linkage of 2.55 Lac Tons per annum for our green field plant of 2.0 Million Tons per Annum Cement capacity and 1.5 Million Tons per annum of Clinker capacity.
- 2.0 Meanwhile, MoEF vide their letter J-11011/51/2007-IA II(I) dated 9th August, 2007 (**Annexure II**) had given the Environmental Clearance for use of 50,000 MTs per annum of Indigenous coal for both our Cement and Captive Power Plant (CPP) has been mentioned with supplies from Central Coalfields Limited (CCL) for our Jaypee Sidhi Cement Plant, Dist. Sidhi (MP).
- 3.0 Further, towards compliance of para at Sl. I of M/s. SECL letter dated 25.03.2014 (**Annexure III**) we are enclosing herewith a letter No. J-11011/51/2007-IA II (I) dated 17.09.2007 (**Annexure-IV**) from Govt. of India, Ministry of Environment and Forests, (IA Division), wherein, they have given the Environment Clearance for use of 50,000 MT per month of Coal for Cement and Captive Power Plants to be sourced from Central Coalfields.
- 4.0 In view of the above, we earnestly request Chairman, Standing Linkage Committee (SLC), Long Term (LT) to advise M/s. SECL to invite us to sign the Long Term Fuel Supply Agreement for our Sidhi Cement Plant, Sidhi as we are of the considered opinion that Ministry of Environment and Forests can only issue environmental clearance for use of certain quantity of coal at our Cement plant as well as Captive Power Plant and they have no jurisdiction towards the source of supply which is the sole prerogative of Ministry of Coal.

We shall be thankful for suitable instructions to Ms. SECL, Bilaspur as requested above.

Thanking you,

Yours faithfully,
 For Jaiprakash Associates Ltd. (Cement Division)

S.K. Gupta
 S.K. Gupta
 Joint President (Procurement)
 Authorised Signatory
 Mobile : 9999767728
 E Mailn : sk1.gupta@jalindia.co.in

Encls : Annexure I to IV

JAYPEE
 GROUP

JAYPEE
 CEMENT

RMO : 18/27, Hira Nandani Complex, Crystal Plaza, Sector-7, Kharghar, Navi Mumbai - 410210 Maharashtra (India) Ph.: +91 (22) 27761915 Fax: +91 (22) 27743755
 Corp. & Regd. Office : Sector-128, Noida-201 304, Uttar Pradesh (India) Ph.: +91 (120) 4609000, 2470800 Fax: +91 (120) 4609464, 4609496

Amm-22

(22)

Page 1 of 5

124

Subject: **Letter for restoration of linkage and including our case in the next linkage committee meeting**

To: slct.moc@nic.in, k.srinivasu@nic.in

Cc: nand.lal <nand.lal@nic.in>

Date: 02/11/15 11:44 AM

From:

Ravi Shankar Pandey <rspandey@prismcement.com>

Prism Cement Ltd

Dear Respected Sir,

Followings are our representations for restoration of coal linkages undergone to tapering due to allocation of coal Block. The said Coal Block has been deallocated by S.C. The linkage shall become nil on 22.02.2015 and therefore needs your kind consideration to include the same in the agenda of the coming Linkage Committee Meeting scheduled on 18.02.2015.

The copies of our various representations are attached below for your kind perusal and considerations.

With Warm Regards
R.S.Pandey
V.P [Corporate Legal]
PRISM CEMENT LIMITED

Disclaimer-

CONFIDENTIALITY NOTICE: This e-mail message may contain confidential, proprietary or legally privileged information. It should not be used by anyone who is not the original intended recipient. If you have erroneously received this message, please delete it immediately and notify the sender. The recipient acknowledges that PRISM CEMENT LIMITED, are unable to exercise control or ensure or guarantee the integrity of/over the contents of the information contained in e-mail transmissions and further acknowledges that any views expressed in this message are those of the individual sender and no binding nature of the message shall be implied or assumed unless the sender does so expressly with due authority of PRISM CEMENT LIMITED. Before opening any attachments please check them for viruses and defects.

This email has been scanned by the Symantec Email Security.cloud service.
For more information please visit <http://www.symanteccloud.com>

— LETTER TO MINISTRY 01.12.14 001.jpg —

22

125

**PRISM CEMENT LIMITED**

Works : Vill-Mankahari, P.O.-Bathia, Dist.-Satna - 485111 (M.P.) India
 Tel. : (07672) 275301-2, 275621-22, Fax : 275303
 Corp. Add. : 'Rajdeep', Rewa Road, Satna - 485 001 (M.P.) India
 Tel. : (07672) 402726, Fax : 402710



Ref :- ST/RKT/Coal-linkage/2014

Date:- 30/11/2014

The Chairman
 Standing Linkage Committee (LT)
 Ministry of Coal
 New Delhi

Respected Sir,

Regarding :- Restoration of Coal linkage for our 2 Million ton Cement plant in consequence to deallocation of Coal block - Sial Ghogri allocated to us.

We would like bring in your kind notice that:-

1. We, Prism Cement Ltd. is having our 2 Million ton cap cement manufacturing plant at Village Mankahari, PO Bathia, Tehsil - Rampur Baghelan, Distt- Satna ,(MP), The plant was commisioned in the year of 1997.
2. To fufill requirement of fuel of the plant, we had our Coal linkage for 4 lac metric ton, which was sanctioned in the year of 1996 vide letter no 5(14)/95-Cem.II dated 14th Aug 1996 of DIPP, Ministry of Industry, Govt of India. The letter is attached herewith as annexture -1
3. The above linkage was originally sanction from SECL, Korba area and subsequently it was transfared to SECL, Korea-Rewa area vide letter no. 47011/1/2000-CPAM dated 08th May 2000 of Department of Coal, Ministry of Mines and Minerals, Govt of India. Copy of the same is attached herewith as annexture-2.
4. One Coal block at Sial- Ghogri was allotted to us in the year of 2007 which was linked to the above cement plant as end use plant. Copy of the allotment letter and letter no. 13016/33/2007-CA-1 dt 22nd August 2007 and dated 1st Oct 2007 are attached herewith as annexture- 3.
5. Allotment of the Coal block was irrespective of linkage. In the allotment, it was clearly mentioned that Coal produced from the block shall not replace any Coal linkages given to M/S Prism Cement Ltd. by M/S Coal India Ltd. / its subsidiary and or by the Singareni Collieries Company Ltd. without prior permission of this Ministry.

Page 1 of 3

Registered Office : 305, Laxmi Niwas Apartments, Ameerpet, Hyderabad - 500 016.
Corporate Office : "Rahejas", Main Avenue, V. P. Road, Santacruz (W), Mumbai - 400 054.

22

126

LETTER TO MINISTRY 01.12.14 002.jpg

22

129

But no such approval / permission was forwarded to us in advance before linking the linkage under tapering policy.

6. As per policy of Ministry of Coal, and Coal India Ltd, we entered into Fuel supply agreement (FSA) with SECL / CIL on 28th April 2008 for supply of 3 lac metric ton coal by SECL as normative quantity, which was 75% of our original linkage. The linkage was valid for a period of 5 years. Copy of the same is attached herewith as annexure- 4.
7. As one Coal block was allotted to us, as per policy of The Govt, we came under tapering linkage from 23rd Feb 2012, and during tapering, our linkage quantity is as under :-
 1. From 23rd Feb 2012 to 22nd Feb 2013 225000 mt per annum which is 75% of normative qty 3 lac mt.
 2. From 23rd Feb 2013 to 22nd Feb 2014 150000 mt per annum which is 50% of normative qty of 3 lac mt.
 3. From 23rd Feb 2014 to 22nd Feb 2015 75000 mt per annum which is 25% of normative qty of 3 lac mt.

Copy of letter of Coal controller addressed to The Director CPD bearing reference no CC/MCBA/505/04/t linkage/2010 dated 3rd January 2012 is attached as annexure - 5

Copy of letter ref File no. 23011/39/2008-CPD (Vol-II) Govt of India, Ministry of Coal dated 19/01/2012 is attached herewith as annexure -6.

8. Original Fuel supply agreement (FSA) was valid up to 5 year that was up to 2013, renewal of the same was done on 10/10/2013 which is valid up to 21st Feb 2015. Copy of the same is attached herewith as annexure -7

Sir, For development of Coal block allotted to us we were working on that very seriously and after getting all the approval and permissions necessary to commence the production of Coal in the said under ground coal mines our production was started from the block from March 2014, and still producing.

By an judgement in ren and order of Hounrable Supreme Court, Coal block allotted to us has stand dealloted as on the date that is on and from 31 st March 2015, with a rider to make a payment of Rs 295/-per mt, over and above the payment of the Royalty and other levies and taxes.



Ref: ST/RKT/Coal - Linkage /2014
Dt 30.11.2014

Page 2 of 3

22

128

Sir, looking to above, we humbly request your goodself to kindly consider our case for restoration of our Coal linkage which was originally sanctioned to us to run our cement plant smoothly.

With kind regards

For Prism Cement Ltd.



R K Tripathi
Asst. Vice President - Materials

By: ST/RKT/Coal-linkage/2014
Dt: 30.11.2014

Ann-23

(23)

Page 1 of 3

(129)

Subject: **Transfer of our existing linkage of our Ambujanagar Plant**

To: slct.moc@nic.in

Date: 02/11/15 01:08 PM

From:

ANIL KUMAR Agrawal <anil.agrawal@ambujacement.com>

To,

The Additional Secretary (Coal)

Ministry of Coal

New Delhi

*Ambuja Cement & Rtd
ACC Cements*

Sub :- **Transfer of Existing Linkage of our Ambujanagar Plant**

Dear Sir,

This has reference to the office Memorandum File No 23014\1\2015-CPD dt 6th February 2015. In response to the same we would like the Subject mentioned above to be part of the Agenda for the said SLC(LT) to be held on the 18th Feb,2015.

ACC and Ambuja Cement company are the leading Cement manufacturers in India having ~ 10% - 11% market share. Both the companies are listed separately on the stock exchanges. Also both the companies fall under the umbrella of Holcim group. Holcim is one of the Leading manufacturers of cement and allied products in the world.

Ambujanagar Plant of Ambuja Cements Limited is having Fuel Supply Agreement for KILN plant with M/s South Eastern Coalfields Limited and Annual Contracted Quantity is 243000 Tons. Ambujanagar plant is located in Gujarat near the West coast and is having Pet coke refineries very close to it, thus making Imported Coal and Pet coke cheaper than Linkage coal. Therefore, to optimize the coal resources, it is primarily running on Imported Coal and Pet coke and not completely utilizing Linkage Coal.

Jamul Cement works of ACC situated in state of Chhattisgarh is undergoing expansion and post which its capacity would be Appx. 3.0 Million Tons of clinker requiring total coal of Appx. 612000 Tons. Jamul is in close proximity to coal mines of South Eastern coalfields limited and presently FSA of our Jamul plant is with M/s SECL for its existing 0.76 Million tons of clinker & ACQ is 172500 tons. We have already submitted our application to MOC/DIPP for additional Linkage/coal for expansion of its clinkerization capacity from 0.76 to 3.0 million tons.

23

130

To optimize the available coal resources, which is scarce and critical, we propose to transfer the Linkage of **Ambujanagar** to our **Jamul plant** due to which it would have following benefit :-

- Optimal use of Coal, as this Coal would be traveling almost 1/5th the distance to Jamul, which are within ~300 Km distance from colliery compared to ~1700 Km to Ambujanagar plant.
- This would also help in better decongestion of railway infrastructure, as it would result in low turnaround time of railway rakes
- Reduce load on SECL by transferring of existing linkage rather than issuing for further additional Linkage
- Reducing the burden of Foreign exchange, as it would reduce the Imported Coal and Pet coke quantities for Jamul Plant.

Keeping in view the above points we request you to consider approval of transfer of the **Ambujanagar** Linkage quantity to our **Jamul Plant**, which would result in optimal utilization of scarce coal resource and will also be in the interest of the nation . It may not be out of place to mention that our above proposal is in line with the Linkage Rationalisation being under by the MoC for Power Plants and would be grateful if the scope of the same is expanded to include CPPs.

Thanking you,

Yours faithfully,

For **Ambuja Cements Limited - ACC Limited**

Anil Kumar Agrawal

Sr. Vice President - Linkage & E Auction Coal
Central Procurement Organisation
ACC Cement House, Church Gate
121, M K Road
Mumbai - 400 020
Mobile - +91 9920844464
Land line - +91 22 33024406

This e-mail is confidential and intended only for the use of the above named addressee. If you have received this e-mail in error, please delete it immediately and notify us by e-mail or telephone.

This e-mail is confidential and intended only for the use of the above named addressee. If you have received this

23

(131)

. e-mail in error, please delete it immediately and notify us by e-mail or telephone.

Amm-24

~~36~~

Page 1 of 1

~~1657~~

Subject: Agenda item for the proposed SLC(LT) scheduled on
18.02.2015

To: slct.moc@nic.in

Date: 02/11/15 05:14 PM

From: V.K Talwar <vktalwar@cmaindia.org>

Ultra tech 9.2.15.pdf (724kB)

Dear sir,

Please find attached herewith copies of the letter dated 9th February, 2015 , addressed to the General Manager (S&M) SECL Bilaspur from Ultra Tech Cement limited Hirni Cement Works regarding siniging of FSA.

This may kindly be considered for inclusion in the Agenda for discussion in the SLC9LT) meeting Scheduled on 18.02.2015.

With warm regards,

V.K. Talwar.

Advisor (Coal)

Ultra Tech, Hirni
Cement works, CG

9th February 2015

To,
The General Manager (S&M)
South Eastern Coalfields Ltd.
Seepat Road
Bilaspur (C.G)

Fax: 07752-246472
E-Mail: secl_bsp@rediffmail.com

Ref: Achievement of milestone and submission of documents w.r.t. Long Term Linkage Order No.F. No.23021/112/2006-CPD dtd.02.08.2006, SECL letter No.SECL/BSPS&M/COMM/358 dtd. 09.07.12 and our letter dated 20.07.2012, 09.10.2014 & 03.02.2015
Sub: To include the above matter in the Agenda of meeting to be held by SLC on 18.02.15

Dear Sir,

Kindly refer subject Linkage Order and our satisfactory compliance to the Milestone, we have been not allowed for signing FSA with following comments showing status as on 31.03.2014 SECL website vide Serial No.185.

"As per CCO letter no.CC/MCBA/501/02/Linkage/08-09/1191 dated 01.11.2013, the unit is linked to Madanpur (North) coal block having normative date of production as 13.07 2009. As 3 years tapering period is already over, FSA can not be signed"

In this respect we have clarified our position time and again on the developments in the matter of Coal Block which has been de-allocated on 17.02.2014. All correspondence is enclosed for ready reference.

Under the circumstances we would once again request your good office to take up this matter with SLC in its forthcoming meeting to be held on 18/2/15 elaborating the hardship being faced by us for no fault of us. As a result, we are neither having coal block nor any linkage.

We also understand that SECL has notified the list of few coal consumers vide Notice No. SECL/BSP/S&M/FSA/150/NCDP/119 dated 29.01.2015 as per information updated on site "www.secl.gov.in", for providing Coal having similar issues but our name were not appearing in the list for which reason not known to us. We would request your good office to look into the mater.

A line of confirmation in the matter shall be highly appreciated.

Thanking you,

For UltraTech Cement Ltd.
Unit: Hirmi Cement Works

Ashok
Authorized Signatory

Encl: A/A (letter dated 25.09.2014, 09.10.2014 & 03.02.2015)

Cc: The Coal Controller, 1 Council House Street, Kolkata – 700 001
Cc: The Joint Secretary, Ministry of Coal, Shastri Bhawan, New Delhi-110 011
Cc: The Secretary General, CMA, CMA Tower A-2E, Sector -24, Noida -201 301

UltraTech Cement Ltd.
Hirmi Cement Works
Hirmi, Pin - 493 195
Distt. : Baloda Bazar - Bhatapara (C.G.)
Regd. Office :
"B" Wing, 2nd Floor
Ahura Centre Mahakali Caves Road
Andheri (E), Mumbai - 400 093

Telephone : 07726 281217 to 281221
Fax : 07726 281572

Telephone : 022 66917400
Fax : 022 28244960

www.ultratechcement.com
email : info@adityabirla.com
CIN-L26940MH2000PLC128420

Amm -25

(3)

(169)

Subject: Agenda item for the proposed SLC(LT) scheduled on 18.02.2015

Date: 02/11/15 05:18 PM

To: slclt.moc@nic.in

From: V.K Talwar <vktalwar@cmaindia.org>

Vikram Cement works CPP-II (1).pdf (155kB)

Clarification letter dtd 22-5-14 (1) (1) vikram ce... (337kB)

Dear sir,

Please find attached herewith copies of the letters dated 27th January, 2015 and 22.05.2014, both addressed to the General Manager (S&M) SECL Bilaspur from Ultra Tech Cement limited, Vikram Cement works regarding siniging of FSA for CPP-II (1x23 MW).

This may kindly be considered for inclusion in the Agenda for discussion in the SLC(LT) meeting Scheduled on 18.02.2015.

With warm regards,

V.K. Talwar.

Advisor (Coal)

Ultra Tech

Vikram Cement 1 x 23 MW (G)

ADITYA BIRLA



UltraTech

25

1970

UTCL/VCW/SECL/ CPP-II/FSA/R-46/15/ 3777

o/s
2-2-15

January 27, 2015

The Chief General Manager(S&M)
M/s. South Eastern Coalfields Ltd,
Seepat Road, PO – SECL,
Bilaspur (CG) – 495 006.

Dear Sir,

- Sub: Signing of FSA for 1,35,148 MT for Captive Power Plant-II (LoA)
- Ref: (1) Your letter no. SECL/BSP/S&M/COMML/358/LOA/3904 dated 15-01-09
 (2) Your letter no. SECL/BSP/S&M/COMML/30/GIL/5056 dated 25-04-09
 (3) Your letter no. SECL/BSP/S&M/COMML/358/LOA/1488 dated 09-07-12
 (4) Our letter no. UTCL/VCW/ CPP-II/FSA/MS/ dated 22-05-2014
 (5) Our reminders from 16-11-09 to 27-12-2014 (Reminder 1 to 45)

Kindly refer our above cited letters. You will appreciate that we have already submitted all desired documents towards milestones and we are still awaiting your feedback to our above reminders.

We however, once again request your goodself to kindly inform as to when we can sign the FSA for our CPP-II for 'F' grade Coal qty. 1,35,148 MT.

Thanking you,

Yours faithfully,
for ULTRATECH CEMENT LIMITED
(Unit: Vikram Cement Works)


Manoj Mundra
Sr. Vice President (F&C)

cc: Director (Marketing)
M/s. Coal India Ltd,
15, Park Street,
Kolkata (WB).

cc: The Chairman & Addl. Secretary,
(Long Term Linkage Committee)
Government of India
Ministry of Coal, Shastri Bhawan,
New Delhi - 110 001.

UltraTech Cement Limited

Unit - Vikram Cement Works
Vikramagar PO, Dist. Durg, (Bihar) India - 813 121
Regd. Office - B-Block, A-1, Park Street, Kolkata - 700 016
Corporate Office - Plot No. 1, Sector 10, Gurgaon - 122 002

Gil. (F&C) 07420 735830
Main Office 07420 735846
Fax 07420 735891

Website: www.ultratechcement.com
E-mail: corporate@ultratechcement.com
GIN : L26940MH2000PLC128420

25

Copy for record/audit

(171)

ADITYA BIRLA



UltraTech

UTCL/VCW/CPP-II/FSA/MS /

May 22, 2014

The General Manager (S&M)
M/s. South Eastern Coalfields Ltd.
Seepat Road, PO- SECL,
Bilaspur (CG) – 495 006.

Handwritten notes and stamps including dates like 10/6/14 and initials.

Sub: Signing of FSA for our CPP-II (1x23 MW) against old linkage.

Ref: 1. Your Letter No. SECL/BSP/S&M/COMM/49/UTCL/900 dated 11th April, 2014
2. Personal visit & meeting at SECL, Bilaspur on 13.05.2014

Dear Sir,

With reference to your above cited letter dated 11th April, 2014 and our personal meeting with you at SECL, Bilaspur office on 13.05.2014, we would like to bring the following to your kind notice:-

Milestone No. 7:- Water Allocation:-

- (a) Certificate dated 28.04.2014 from Chartered Engineer (copy enclosed) confirming that mine pit/ rainwater harvesting water is adequate / sufficient for the total plant requirement;
- (b) NOC dated 23rd May, 2014 from Collector of Dist. Neemuch (MP) for use of Rain water at Mines (copy enclosed);
- (c) NOC from Central Ground Water Authority (CGWA), Bhopal, letter No. -1-8/NCR/TS(CGWA)-1185 dated 27.07.12. (copy enclosed);
- (d) NOC from State Water supply Authority letter No. 3539/W/Tech/2012 dated 07.08.12. (copy enclosed).

Environment Clearance from MOEF:-

Kindly Refer Environment Clearance issued by MOEF dated 30th Nov, 2005, which mentions use of Multi fuel in the plant, i.e Pet coke, Indian and Imported Coal, Lignite or combination thereof. Therefore the plant has the freedom to use any of the above mentioned fuels individually or a combination as per their choice as approved by MOEF. Since full demand of fuel for our CPP is not met by Linkage Coal and as such we use multifuel, as approved by MOEF. It is also not out of place that only 50% of our requirement is being given through LOA/FSA. We would like to state that entire Linkage Coal shall be used and thereafter only the shortfall quantity shall be fulfilled by any other fuel.

UltraTech Cement Limited

(Unit - Vikram Cement Works)
Vikramnagar, PO Khar, Dist. Neemuch - 491456-495
Retail Office - B. Wimal Ahuja Centre, 2nd Floor, Market, Gwalior
Andheri (East), Mumbai - 400 073 Tel: 022-26917800

Tel: (PBO) 07420-230230
Main Cell 07420-235126
Fax 07420-230234

Web site: www.ultratechcement.com
E-mail: vcmnand@ultratech.com

CIN : L26940MH2000PLC128420

25

172

ADITYA BIRLA



UltraTech

Please appreciate that our plant has been running since 2008 and even in 2014, in spite of Letter of Assurance is awarded, we are yet to receive the Linkage coal, as assured. We therefore, once again clarify that the use of Linkage Coal in our boiler will be priority and only the shortfall quantity shall be fulfilled by any other fuel.

In terms of your letter dated 11th April, 2014, the submission of NOC for use of mine pit water and water sufficiency certificate by Chartered Engineer is fulfilling the milestone achievement for signing of FSA. In addition to the above, the desired clarification for use of Indigenous Coal has also been given. We therefore, request your goodself to kindly sign the FSA so that Coal dispatches could be started, at the earliest.

This CPP shall become economically unviable to run in absence of Linkage Coal and may eventually be shut down if Linkage coal is not supplied in immediate future. Therefore, request your goodself to kindly give an earliest date for signing of FSA.

If required, we would request to depute a team of all your concerned officials to make an inspection/visit to our CPP to strengthen all the requirements of all milestones.

Thanking you,

Yours faithfully,
for UltraTech Cement Limited
(Unit: Vikram Cement Works)

Manoj Bagrodia
General Manager (Materials)

Encl: a/a

cc: DT (O), SECL, Bilaspur
cc: GM (S&M), CIL, Kolkata

Ann-26

~~21~~

121

Subject: REQUEST FOR INCLUSION OF THE MATTER OF
RESUMPTION OF COAL SUPPLY TO RUNNING SI
UNIT OF - HOWRAH GASES LTD, RANIGANJ, WEST
BENGAL

Date: 02/11/15 10:46 AM

From: Pk Dey <pk.dey@mspsteel.com>

To: slcit.moc@nic.in

HGL 10-02-2015.pdf (121KB)

Howrah Gases Ltd.
Repeat of 13

To
The Addl. Secy.-cum-Chairman, SLC(LT)
Ministry of Coal, Govt. of India,
Sastri Bhawan, Dr. Rajendra Prasad Road,
New Delhi - 110 001.

Respected Sir,

Enclosed pl. find the attachment for your kind consideration.

Thanks & Regards,
For Howrah Gases Ltd.

P K Dey
C C O

26

BY SPEED POST

122



HOWRAH GASES LIMITED

1, CROOKED LANE, KOLKATA - 700 069
PHONE : 2248-3795/4138, FAX : (033) 2248-1720

Date : 10.02.2015

To
The Addl. Secretary, to Govt. of India,
& Chairman, Standing Linkage Committee (LT),
Ministry of Coal,
Sashtri Bhawan, New Delhi - 110001.
e-mail: *slc.lt.moc@nic.in*

Sub : Request for inclusion of the matter of resumption of coal supply to the existing & running Sponge Iron (60,000 TPA) unit of Howrah Gases Ltd at Raniganj (WB) through FSA mode in the SLC (LT) schedule to be held on 18.02.2015.

Respected Sir,

The applicant M/s. Howrah Gases Ltd.,(HGL) on the basis of its long term linkage order communicated by this Ministry's letter dtd. 31.12.2002 for supply of 40,000 TPA- A/B/C grade and 40000 TPA -D/E/F grade coal from CCL sources, and later, in terms of a new coal distribution policy of the Central Government, supply of linkage quantum coal was effected by formalizing 2 separate FSA, from April,2003 continuously upto 30th Sept'13 till the implementation of Tapering Linkage Policy.

Subsequently on allocation of Moira Madhujore Coal block by MoC, Govt. of India on 06.10.2009 in respect of the expansion project of HGL, being a joint allottee, got linked to said coal block in exclusion of the existing facilities. For non-excavation of coal by normative date i.e. 6th. Oct.'13 because of impossibility of performance, beyond the allottees control, CCL authority issued an order in compliance to the Tapering Linkage Policy, vide its letter dtd. 10th Sept.'13 for curtailing the supply of coal on year to year basis and phasing out the coal supply at the end of 3rd year. While assailing the said Tapering order of the CCL, by way of Writ U/A 226 of the Constitution of India, before the Hon'ble High Court, Calcutta, (vide WP No. 3252 of 2013) HGL sincerely, requested CCL authority to keep continuity of supply coal pending renewal formalities, which the CCL authority did not appreciate.

Contd...../2

WORKS

- DEWANDIGHI, P.O. : MIRZAPUR, DIST.: BURDWAN, PIN - 713 102 (W.B.) PHONE : (0342) 2623204, 2623585, 2562478
- G-4A, MANGALPUR INDUSTRIAL ESTATE, RANIGANJ, BURDWAN (W.B.) PHONE : (0341) 2444901, 2442147


With a view to restore the coal source of Linkage / LoA holders, MoC took a policy decision based on the recommendation of 5th IMC Meeting to resume supply of coal to long term linkage holders with priority provided their EUPs are existing and are in running condition. Pursuant to the minutes dtd.18.07.2014 of the said IMC meeting, held on 11th June'14 M/s. HGL made several representations before the Ministry vide its letter dtd. 06.08.2014, 4/5.09.2014 & 17.11.2014, apart from the representation made vide its letter dt. 11.11.2013 in compliance to the order dtd.09.11.2013 of the Hon'ble Calcutta High Court. But neither MoC nor CCL authority has responded to any of our representations or persuasion made so far.

In one of its letter dtd. 17.11.2014, M/s. HGL expressed its willingness & readiness to withdraw the aforesaid litigation pending before the High Court, Calcutta, on receiving confirmatory communication from the Ministry regarding resumption of coal supply by renewing the FSA, in absence of any captive block/ source of coal after its de-allocation.

Since the annulment of coal block has left the unit without any captive/stable source of coal and since the Govt's objective of Tapering of Linkage was to restrict an EUP from enjoying coal from dual (linkage + coal block) source, Ministry has rightly took a policy decision to restore coal supply to the running Sponge Iron units, which entitles M/s. HGL to have merits in all respect for resumption of supply of coal for its Sponge Iron kilns in operation and the renewal of FSA at the same time. It is becoming extremely difficult to operate the plant with rated capacity amid such uncertainties and denial of legitimate expectation.

In the light of the facts and submission above, our humble request before all concerned decision making authorities / body of MoC to enlist our case in the agenda enabling discussion before the Meeting of Standing Linkage Committee (LT) scheduled to be held on 18th Feb'2015 and oblige.

Thanking you,
Yours faithfully,
For Howrah Gases Ltd.,


P M Agrawal
Director

Ann-27

27

Page 1 of 1

139

Subject: Request to include in the SLC(LT) dated 18.02.2015,
the sponge iron related issue of Rashmi Metaliks Ltd.

Date: 02/11/15 03:06 PM

From: Kalyan Sen <kalyansen@rashmigroup.com>

To: slclt.moc@nic.in

RMLletter to Addl Secy-MoC 06.09.13.docx (22kB)

To
Shri Pili Ravi Kumar.
Under Secretary to the Govt. of India.
Ministry of Coal
New Delhi.

Rashmi Metaliks Ltd

Dear Sir

Pl. find attached a request letter of Rashmi Metaliks Ltd(Sponge Iron Plant) for inclusion in the Agenda items of ensuing SLC(LT) meeting

Regards,

For Rashmi Metaliks Ltd.
K.K.Sen
Advisor..

27

140

Date: 11.02.2015

Ref. No. Coal/ RML/14-15

To
The Additional Secretary and
Chairman , Standing Linkage Committee(Long -term)
Ministry of Coal,
Shastri Bhavan,
New Delhi.

Sub: Request for inclusion in the Agenda items and consideration in the ensuing SLC (LT) Meeting for re-establishment of Coal linkage, restoration of commitment Guarantee and recommendation for FSA in respect of 1.80 LTPA capacity DRI unit at Kharagpur- Rasmi Cement Ltd. West Bengal.

Ref: Ministry of Coal's OM No. 23014/1/2015-CPD dated 06.02.2015

Dear Sir,

We would, most humbly, submit the following facts for reconsideration in the ensuing Meeting of SLC(Long Term)to be held on 18.02.2015 in the Ministry of Coal:

2. **Rashmi Metaliks Limited (RML)** was issued a letter of Assurance (LoA) for 2,16,000 tons per annum of D/E grade coal by Eastern Coalfields Limited vide letter No.ECL/KOL/LOA/155//Spionge-18 dated 15.07.2008 for 1,80,000 TPA Sponge Iron plant at Gokulpur, Khragpur, West Bengal. As per the LoA, RML had deposited a sum of **Rs. 2, 68, 92,000 (Rupees Two Sixty Eight Lakh and Two Thousand only) as commitment Guarantee (CG) to ECL** and had successfully complied all the activities in the milestones chart within the validity period as specified by ECL in their aforesaid LoA letter. Subsequently, ECL authority inspected our plant and reported that 50% of the construction work has not been completed and in consequence, ECL vide letter dated 04.05.2010 has revoked the aforesaid Commitment Guarantee deposited by RML and cancelled LoA .

3. This may be submitted in this connection that due to **severe socio-political disturbances created by the extremist force in that area during that point of time** and particularly their agitation was against the construction of sponge iron plant caused postponement of our various construction activities. Although, all the plant & machinery were already procured and were waiting for erection. In view of this agonizing development, Rashmi Metaliks Ltd(RML). was forced to postpone different activities at a stage when 50% of the construction of plant was completed after investing considerable sum During that period of time, we took various steps to resolve the issue with the local authorities / Senior state officials/ Ministers of the State of West Bengal. Later, We requested ECL vide letter dated 21.12.2009 to consider the circumstances which was beyond our control and requested for extension of some some more time to complete the project .However , this request did not work.

Contd/2

27

141

(2)

4. However, after rigorous persuasion, the Ministry of Coal sent a request to CIL vide letter No.23021/79/2008-CPD dated 26.04.11 to send their comments to the Ministry, however, no reply was sent to the Ministry by CIL/ECL.

5. Sir, It may not be out of place to reiterate that Ministry of Coal vide O.M No. 23011/57/2013-CPD dated 04.09.2013 under the subject **New Coal Distribution Policy(NCDP)-Amendment regarding validity of letter of Assurance(LoA) issued thereunder.**

Para 3. Of the OM Quotes: " The matter has been considered further in the Ministry. There are cases in which the LoA holders could not achieve milestones for the reasons beyond their control. In such cases, it would be against the principle of natural justice if the LoA is cancelled automatically without giving the LOA holder an opportunity to explain the delay. In some of the cases, the LoA holders might have made considerable investments in the project and the cancellation of LoA will render the projects unviable".

6. We are hopeful to see the aforesaid O.M No.23011/57/2013-CPD dated 04.09.2013 wherein the Ministry of Coal is kind enough to look into the matter considering natural justice to the LoA holders, those who have made substantial investment to develop the end use project, by giving an opportunity to explain the reasons of delay in compliance of the milestones set forth in the LoA.

7. We would like to inform that Rashmi Metaliks Ltd was not given reasonable time and opportunity by CIL/ECL to explain the genuine reasons for delay in installation capacity which were absolutely beyond the control of the company and as such with no reason LoA was terminated immediately along with forfeiture of BG(Commitment Guarantee) of Rs. 2, 68, 92,000(Rupees Two Sixty Eight Lakh and Two Thousand only).

8. Sir, we are pleased to inform that Rashmi Metaliks Ltd. has been operating the envisaged capacity of 180,000 TPA of sponge iron from last 4 years with no coal linkage from CIL sources. The Plant runs only on costly imported / e- auction coal which pushes us on the back seat in the highly competitive and depressive steel market.

Sir, considering the facts as stated in the earlier paragraphs, we earnestly solicit your kind intervention into the matter and request you to consider this matter in the ensuing SLC(LT)meeting and advise CIL/ECL for resumption of LoA and adjust our Commitment Guarantee by executing FSA because our sponge iron units have, since, been operating .

With kind regards,

For Rashmi Metaliks Ltd.

K.K.Sen

(Advisor)

Ann-28

~~33~~

133

Subject: Request for inclusion of the our Association issues in agenda of SLC (LT) to be held on 18th feb 2015

Date: 02/11/15 03:45 PM

To: slclt.moc@nic.in

From: IIA Varanasi Chapter <varanasi@iaonline.in>

Scan869.pdf (216KB)

Respected Sir,


Indian Industries Association

See the attachment.

(IIA)

With Regards

R.K.Chaudhary



28

(136)

INDIAN INDUSTRIES ASSOCIATION
AN APEX BODY OF MICRO, SMALL & MEDIUM ENTERPRISES
(IN THE SERVICE OF MSME SINCE 1985)

VARANASI CHAPTER

दिनांक-11/02/2015

AVNS / 2015-16 / 190

To
The Chairman,
Standing Linkage Committee (LT),
The Ministry of Coal,
Shastri Bhawan, New Delhi

Sub: Request for inclusion of the our Association issues in agenda of SLC (LT)
to be held on 18th feb 2015.

Dear Sir,

Most humbly and respectfully, we submit our request to include the following item as an Agenda Items for discussion / decision in SLC (LT) meeting to resolve the issue:

Item No-1. Decision taken in SLC (LT) dated 12-05-2006 and SLC (LT) dated 05-08-2008 have created discrepancy in allocation of coal to the sponge Iron units which came in operation in 2006 & in 2007.

Sir, our member unit M/S S.A Iron & Alloys Pvt. Ltd. of total capacity of 300 TPD was granted coal vide letter no S-1-6 and Z3021/38/2006-CPD dated 20-06-2006 both copy enclosed by the MOC to the extent of 60% of requirement as Coal quantity recommended by the ministry of steel as per the decision taken during the SLC (LT) meeting held on 26.10.2005 and 12.05.2006 at serial no 11(a) of the minutes

Thereafter, in subsequent SLC (LT) meeting held on 06-11-2007 under mentioned decision was taken to give coal to the extent of 75% of the requirement of the unit to all the new sponge manufacturing units as per requirement of coal as per installed capacity minutes circulated on 14.01.2008 (copy enclosed)

It can be observed from the above that incidentally, in the above minutes of the meeting circulated had not Clearfield that the subsequent decision taken in above referred meeting is in supersession of the earlier decision taken in the meeting held on 12-05-2006 and it will be applicable on all the units, who have commissioned during 2006 also. Sir, the omission of the above clarification has developed the discrepancies as we are getting only 60% of required quantities of unit whereas the units who have come in existence later in 2008 then us are getting 75% of their requirement of normative quantity.

Therefore, it is our humble request to provide justice to communicate the spirit of the subsequent decision of the SLC (LT) and eliminate the disparity in release of coal as it is heavily effecting to the economics of the operation of the Plant.

We request you to advise the coal India /CCL/SECL/to sign side agreement of FSA for Increasing the coal quantity from 60% to 75% to our member M/S. SA Iron & Alloys (P) Ltd.

Thanks & Regards
Yours Faithfully

R. K. Chaudhary

(R. K. Chaudhary)

Chapter Chairman, Varanasi.



Chapter Office
M/S Ras Polytext, AF-3/12 Indok Nadesar
Varanasi (U.P.)
Mob.: +91-9415227894
E-mail: Varanasi@iiaonline.in
Website: www.iiaonline.in

Head Office:

IIA Bhawan, Vibhuti Khand, Phase II,
Gomti Nagar, Lucknow-226010
Tel.: +91-522-2720090, 3248178
Fax: +91-522-2720097
E-mail: iia@iiaonline.in, Website: www.iiaonline.in

Ann-29 (32)

(152)

Subject: Rationalization of Coal Linkage of Sponge Iron Manufacturing Unit take coal from NCL within the radius of 200 KM from the source of supply

Date: 02/11/15 03:45 PM

From: IIA Varanasi Chapter <varanasi@iiaonline.in>

To: slct.moc@nic.in

Scan867.pdf (369kB)


Respected Sir,

Indians Industries Association
(IIA)

Please see the attachment.

With Regards

R.K.Chaudhary



29

153

INDIAN INDUSTRIES ASSOCIATION

AN APEX BODY OF MICRO, SMALL & MEDIUM ENTERPRISES

(IN THE SERVICE OF MSME SINCE 1985)

VARANASI CHAPTER

दिनांक-11/02/2015

To,
The Chairman,
The Standing Linkage Committee (Long Term)
The Ministry of Coal
The Govt. of India
Shastri Bhawan, New Delhi

Ref: Request for inclusion of our association issue in agenda for discussion in standing Linkage Committee (L.T) to be held on 18.02.2015

Sub: Rationalization of Coal Linkage of our Sponge Iron Manufacturing Unit take coal from NCL within the radius of 200 KM from the source of supply

Dear Sir,

We, Industrialists are grateful to the Ministry of Coal for taking initiative for rationalization of source of supply of Coal to the sponge iron units also from the nearest mines of coal India Ltd. To ensure that wasteful utilization of Railway infrastructure/fuel of the nation can be averted.

One of our member has applied for coal linkage from NCL for his sponge manufacturing Units Kiln 1,2,3 and 4. The Ministry of Coal at that time grant us linkage for Kiln 1st from SECL Korba/Raigarh for 14400 MT F grade and for 2nd, 3rd and 4th Kiln from CCL for 14400 + 28800 + 28800 respectively (Copy Enclosed for E grade)

Name of unit	Location	Capacity of Kiln	Required coal as per capacity	Coal linkage annual acuity FSA for 60% only	Source of mines Korba/Raigarh	Railway Distance from Mines to Siding KM	Railway freight,	Total transportati
							Rs.	on up to factory
S.A Iron & Alloys (P) Ltd.	Jivnathpur, Dist: Chandauli (UP)	15000 TPA	24000 TPA	14400 TPA	SECL	835	1200+150	1350
DO	DO	15000 TPA	24000 TPA	14400 TPA	CCL	415	700 + 150	850
DO	DO	30000 TPA	48000 TPA	28800 TPA	CCL	415	700 + 150	850
DO	DO	30000 TPA	48000 TPA	28800 TPA	CCL	415	700 + 150	850
If change of source of Mines accepted from CCL/SECL to NCL						200	300 by Road	300

Chapter Office
M/S Ras Polytex, AF-3/12 Indok Nadesar
Varanasi (U.P.)
Mob.: +91-9415227894
E-mail: Varanasi@iiaonline.in
Website : www.iiaonline.in

Head Office:

IJA Bhawan, Vibhuti Khand, Phase II,
Gomti Nagar, Lucknow-226010
Tel.: +91-522-2720090, 3248178
Fax: +91-522-2720097
E-mail: iia@iiaonline.in, Website : www.iiaonline.in

29

C159

In the above linkage on SECL/CCL transferred to NCL on the rationalization ground the economies of the present source of supply vis-a-vis proposed some of supply i.e. NCL is reproduced below.

SECL TO SIDING & Siding to factory	835+15 KM	By rail
CCL to siding and siding to factory	415+15 KM	By rail
NCL to factory	200 KM	By Road

From the above your good self may observe that rationalization will help unnecessary wastage of fuel in transportation of coal.

It is out of place to point out that in the vicinity where this Plant is situated, there are only three units producing sponge iron and having Coal linkage at present from Coal India Ltd.

Name	Address	Source of Linkage of Coal India
S.A Iron & Alloys Pvt. Ltd since 2006	Jivnathpur , Ranagar Industrial Area., chandauli (UP)	SECL, CCL
Shanti Gopal Concast (P) Ltd, Since 2008	Chunar Mirzapur (UP)	NCL
Trimula Industries Ltd, since 2008	Singrauli MP	NCL

We request you to kindly change the source of supply of NCL instead of CCL/SECL of S.A Iron & Alloys (P) Ltd So that Justice may be done to us and our member can save his unit from closer as working is becoming uneconomical on account of higher cost of transportation from CCL/SECL and due to difference in between three units of same location.

An early action in the matter will be highly appreciated.

Thanks & Regards
Yours Faithfully

(R. K. Chaudhary)
Chapter Chairman, Varanasi



Ann-30

(41)

Page 1 of 1

(187)

Subject: Request for enlistment of our case in Agenda of the
SLC(LT) for restoration of coal supply from WCL -
Chaman Metallics Ltd.

To: slct.moc@nic.in

Date: 02/11/15 06:09 PM
From: Pk Dey <pk.dey@mspsteel.com>

scan0068.pdf (356kB)

Chaman Metallics

To
The Addl. Secy.-cum-Chairman, SLC(LT)
Ministry of Coal, Govt. of India,
Sastri Bhawan, Dr. Rajendra Prasad Road,
New Delhi - 110 001.

Respected Sir,

Enclosed pl. find the attachment for your kind consideration.

Thanks & Regards,
For Chaman Metallics Ltd.



CHAMAN METALLICS LIMITED

Corporate Office: 16/S, Block - A, New Alipore, Kolkata - 700 053
Ph.: +91-33-4005 7777, 2399 0038 Fax : +91-33-2398 2239
Email: contactus@mspsteel.com, Web: www.mspsteel.com

Date : 11.02.2015

To
The Addl. Secretary, to Govt. of India,
& Chairman, Standing Linkage Committee (LT),
Ministry of Coal, Govt. of India, Sashtri Bhawan,
Dr. Rajendra Prasad Road, New Delhi - 110001.

Sub : Request for enlistment of our case in Agenda of the SLC(LT) for restoration of coal supply from WCL to the existing Sponge Iron Plant in Tadali, Chandrapur, Maharashtra.

Ref: Our representation vide MoC letter dtd. 22.1.2014.

Respected Sir,

M/s. Chaman Metallics (CML) had been receiving coal supplied by WCL through LoA/FSA route from Sept.'2009 for its 45,000 TPA Sponge Iron unit at Tadali, District : Chandrapur, Maharashtra.

Consequent upon allocation of Kosara Dongargaon coal block on 20.02.2007 and subsequent implementation of Tapering Linkage Policy coal supply from linked source was withdrawn though the matter of normative date fixed for the said coal block subsequently came under dispute before the Hon'ble High Court, Nagpur.

Subsequently, CML lost the claim to have its captive coal block from the day the Hon'ble Supreme Court of India ordered for cancellation of all captive coal blocks allotted to the EUPs since 1993 in an arbitrary and illegal manner, in its judgment dated 25th Aug.'14. As a result the Sponge Iron unit of CML existing in operating condition, have no stable/linked source of coal and has been passing through severe hardship.

Since the annulment of coal block has left the unit without any captive/stable source of coal and since the Govt's objective of Tapering of Linkage was to restrict an EUP from enjoying coal from dual (linkage + coal block) source, Ministry has rightly taken a policy decision to restore coal supply to the running Sponge Iron units, which entitles M/s. CML to have merits in all respect for resumption of supply of coal for its Sponge Iron kilns in operation and the renewal of FSA at the same time. It is becoming extremely difficult to operate the plant with rated capacity amid such uncertainties and denial of legitimate expectation pertaining to supply of coal.

Contd...../2

Regd. Office & Works :

A-26, M.I.D.C. Tadali Growth Centre, Tadali, Chandrapur, Maharashtra - 442 406

Ph. : +91-7172-237917, Telefax : +91-7172-237922, E-mail : cml_msp@rediffmail.com


BUILDING THE NATION

:: 2 ::


In the light of the facts and submission made above, our humble request before all concerned decision making authorities / body of MoC to enlist our case in the agenda, enabling discussion before the Meeting of Standing Linkage Committee (LT) scheduled to be held on 18th Feb'2015 a suitable decision and oblige.

Thanking you,

Yours faithfully,
For Chaman Metallics Ltd.


Manish Agrawal
Director

Amn-31



211

Subject: Application for Restoration for Coal Linkage

To: slct.moc@nic.in

Cc: anjanisteelsdelhi@gmail.com

Date: 02/11/15 07:27 PM

From: Anjani Steels Delhi <delhi@anjanisteels.com>

RESTORATION OF COAL LINKAGE.pdf (1.4MB)

Respected Sir,

Please find the attachment & do the needful.

Thanks & Regards

Anjani Steel Ltd
(Restoration of Coal Linkage)

--

Yadav

9968999970

Anjani Steels Limited

503 5th Floor DDA Building,

Laxmi Nagar, District Centre,

Laxmi Nagar,

Delhi-110092

Ph.No.011-22425079,80,82,

Fax.No.011-22425081

31

212

ANJANI STEELS LIMITED

Regd. Office : Unit No. 503, Fifth Floor, DDA Building, Laxmi Nagar, District Centre, New Delhi - 110092
Tel.: 011-22425078 - 82, Fax: 011-22425081, Email : anjanisteelsdelhi@gmail.com, Website : www.anjanisteels.com

Ref:- Asl/coal/Linkage/2014-15/03

Dated. 19.01.2015

To,
The Minister of Coal
Ministry of Coal,
Government of India,
Shram Shakti Bhawan, Rafi Marg,
New Delhi-110001

22/1/15

प्रेषक
प्राप्ति एवं प्रेषण अनुभाग
कोयला मंत्रालय, शास्त्री भवन
नई दिल्ली-110001

Sub: Request for Restoration of Coal Linkage for our sponge Iron plant & Grant of coal Linkage for our Captive Power Plant.

Dear Sir,

We have to submit that we, M/s Anjani Steels Ltd, having composite Integrated Steel plant at Ujalpur P.O.Gerwani Distt. Raigarh, Chhattisgarh comprising of following manufacturing units:

1. Sponge Iron 3 Kilns , each of 100 MT per day capacity (1,05,000 TPA) with Waste Heat Recovery Boilers.
2. Captive Power Plant of 12 MW Power generating capacity with a 40 MT/H AFBC Coal based Boilers.

We are manufacturing Sponge Iron in our Rotary Kilns & sensible heat generated in Kilns is converted into power by waste heat recovery Boilers. We also have an independent 12 MW power plant for captive use of power by our Steel Melting Shop. We have also set up a Rolling Mill to manufacture value added product like TMT bar in the year 2013 with financial assistance from Banks.

A) We were earlier favoured by coal linkage/LOA for our Sponge Iron Plant as under:-

Kiln no.1 Coal Linkage of E/F Grade coal w.e.f. Feb.2004 for 36000 TPA (copy of Ministry order no. F.NO. 23021/24/2003 –CPD is enclosed for reference.)

Kiln no.2 Coal Linkage of E/F Grade coal w.e.f. Sept. 2006 for 28800 TPA at 60% of coal qty recommended by the Ministry of Steel. (copy of Ministry order no. F.NO. 23021/24/2003 –CPD is enclosed for reference.)

While we were consuming around 4500-5000MTP coal per month per Klin as against linkage of only 3000 MT coal for Klin No.1 and 2400 MT coal for Klin No.2. Thus against 9000-10000 MTP consumption the linkage was only 5400 MTP. Balance quantity of coal was met by us through purchase through E-Auction/open market at higher rates.

Copy of the coal purchases made by us through/market purchase is enclosed for ready reference some of the details as under.

Rate of E-Auction/Market Purchase of coal (grade wise)

a) Coal Gevra	: Rs. 2462.86/- Basic Price (Inv-45 , 25-03-13) Landed 3162.86/-
b) Coal Dipka	: Rs. 3040.01/- Basic Price (Inv-4 , 08-06-13) Landed 3332.02/-
c) Coal Dipka	: Rs. 2612.86/- Basic Price (Inv-9 , 25-07-13) Landed 3443.48/-
d) Coal Gevra	: Rs. 2310.02/- Basic Price (Inv-16 , 05-10-13) Landed 3125.52/-
e) Coal Gevra	: Rs. 2483.87/- Basic Price (Inv-20 , 13-12-13) Landed 3308.05/-
f) Coal Gevra	: Rs. 2608/- Basic Price (Inv-23 , 03-01-14) Landed 3308.76/-
g) Coal Dipka	: Rs. 2442/- Basic Price (DO-154341,05-06-14) Landed 3783.96/-
h) Coal Gevra	: Rs. 2740.44/- Basic Price (DO-156198 , 09-08-14) Landed 4194.99/-
i) Coal Baroud D	: Rs. 5233.53/- Basic Price (Inv-5 , 12-11-14) Landed 6128.52/-

Kiln no.3 Letter of Assurance was issued by SECL on 11th July,2008 for 36000 MT coal linkage (Copy of LOA is enclosed for reference.)

The LOA for Coal Linkage of Kiln no. 3 was subsequently cancelled/withdrawn by SECL on a/c of non fulfilment of some milestones whereas we had fulfilled all the milestones. The action of not granting /withdrawal was not at all justified. The non granting of requisite coal linkage for kiln no.3 did not have any logic except frivolous technicality with no concern to realities. (Copy of cancellation letter enclosed for reference.)

Here again we met the requirement of coal by E-Auction/Market purchase to the tune of 4500-5000MT coal per Month.

Copy of the coal purchases made by us through/market purchase is enclosed for ready reference some of the detailed as under.

a) Coal Dipka	: Rs. 2729.58/- Basic Price (Inv-1 , 08-05-13) Landed 3566.05/-
b) Coal Baroud D	: Rs. 2981/- Basic Price (Inv-15 , 14-09-13) Landed 3311.26/-
c) Coal Gevra	: Rs. 2458.21/- Basic Price (Inv-7 , 15-07-13) Landed 3281.11/-

B) Our Request for Coal Linkage for Captive Power Plant:-

We had requested for grant of coal Linkage for the captive power plant of 12 MW on 25th Aug.2009 for 72000 MTA. (Acknowledgement from Ministry of Coal is enclosed for reference.)

Our request to grant Coal Linkage for CPP was not sanctioned despite several reminders and follow up. It is very much surprising that no communication was sent to us regarding this matter.

To meet the requirement of 6000-7000 MT F grade coal per month we have to dependent on E-Auction/Market purchase .

Copy of the coal purchases made by us through/market purchase is enclosed for ready reference some of the detailed as under.

a) Coal Chhal	: Rs. 2295.61/- Basic Price (Inv-3 , 14-05-13) Landed 2625.61/-
b) Coal Chhal	: Rs. 1735.31/- Basic Price (Inv-21 , 30-12-13) Landed 2152.08/-
c) Coal Chhal	: Rs. 1778/- Basic Price (DO-153999 , 29-05-14) Landed 2745.36/-
d) Coal Baroud F	: Rs. 3916.48/- Basic Price (Inv-3 , 12-11-14) Landed 4568.68/-

32 31

214

This made our power plant fully dependent on E-auction/local market purchase of coal and the investment made there on become unviable which is severely straining financial resources of the company.

Despite persistent efforts, we have not been favoured so far with coal linkage for this captive power plant although It should have been granted in normal course, where as other captive power producers have been given liberal coal linkages and coal blocks.

C) Grant of Coal Mine for Sponge Iron Plant in joint venture:-

We were allotted Madanpur North Coal Block in Hasdeo Arrand Coalfield on 13th Jan 2006 in joint venture with 8 other companies.

After allotment of Coal block, the coal supplies to our Kiln No. 1 and 2 was tapered by SECL on 50% basis and subsequently, 100 % supplies was stopped ignoring the fact that Coal Block allotted to us fell in Hasdeo Arrand coalfields, the forest clearance for the block was not given by MoEF. As a result that coal block could not be developed at all.

The so called sanctioned coal block was also cancelled under Supreme Court order dtd. 25-Aug-2014

D) After stopping the linkage for Kiln no 1 & 2, no linkage was given for Kiln no. 3 and request for grant of Linkage for CPP is being kept pending for no reason. We were forced to purchase coal 9823 MTP for sponge Iron and 4600 MTP coal form Captive Power Plant on e-auction or from open market to run the unit & the purchase of coal from market and on e-auction have put our unit in dire financial crisis and also put us on the verge of closure.

Despite all these adverse situations, we, in overall national interest continued to provide employment to more than 1100 people. We also contributed handsomely to the Exchequer by way of Excise Duty, Sales tax, Income tax, Service Tax and other taxes in discharge of our obligation to the nation detailed as under.

Monthly Average liability of all taxes

a) Excise duty	: Rs. 115 Lacs
b) Vat & CST	: Rs. 21.5 Lacs
c) Entry Tax	: Rs. 5.5 Lacs
d) Service Tax	: Rs. 6.5 Lacs

Hon'ble Prime Minister is putting great efforts towards productivity and growth of Industrial Sector and coal ministry has also assured that coal will be made available to all end users so that no Running unit can get closed for want of coal.

Keeping above in view and also in terms of present policy of Ministry of Coal to restore Coal Supply:-

I) To those running Sponge Iron Plant which had Linkage earlier, but Linkage was later on tapered/stopped as in our case for our Sponge Iron unit i.e Kiln 1 & Klin 2.

31

~~02~~

215

ii) To those running Sponge Iron units who were given letter of Assurance by SECL, but were not granted linkage due to so called non fulfilment of some milestones. Even when the plant became operational, no consideration was given for grant of Coal Linkage, as has been the case of our Klin 3.

iii) The tapering/ stoppage of coal linkage on saction of coal block which couldnot be developed due to non clearance by MOEF earlier and now de-allocated as per Supreme court order/directive.

IV) To coal based Captive Power Plant set up by steel plants for meeting power requirement of its Steel Melting Shop and Rolling Mill as requested by us for our CPP unit.

We beg to submit that we meet the all above desired guidelines presently laid down by the Ministry of Coal for restoration of coal linkage for our Sponge Iron plant comprising of Klin 1,2 & 3 for a total quantity of 162000 MT/ P.A as against granted /recommended earlier & also about 72000 MTA for our captive coal based Power Plant for which no linkage was granted earlier.

We have made representation to "Additional Secretary & Chairman coal linkage committee" vide our letter no Asl/coal/Linkage/2014-15/01 dated 30.10.2014 followed by reminder dated 28.11.2014 (copy of letters enclosed) which was duly acknowledged by Assistant Private Secretary to Minister of State Independent charge for Power, Coal and New & Renewable Energy vide D.O.No.19338/MOS/coal/2014 dated 19.12.2014.


We would be too glad to furnish any further information/clarification if needed for grant of adequate coal linkage for our both the priority sector units i.e Sponge Iron Plant and Power Plant(CPP).

We await early favourable decision in the matter.

Thanking You

Yours faithfully,

For ANJANI STEELS LTD



AUTHORISED SIGNATORY.

Encl:- Copy of Letters referred above.

Ann-32 (45)

203

Subject: Application for Name Change

To: slct.moc@nic.in

Cc: anjanisteelsdelhi@gmail.com

Date: 02/11/15 07:25 PM

From: delhi@anjanisteels.com

Name Change Letter.pdf (1.8MB)

Respected Sir,

Please find the attachment & do the needful.

Anjani Steel 4d
(Name Change)

Thanks & Regards

Yadav
9968999970
Anjani Steels Limited
503 DDA Building
Laxmi Nagar District Centre
Plot No.4
Delhi-110092

32

204

ANJANI STEELS LIMITED

Regd. Office : Unit No. 503, Fifth Floor, DDA Building, Laxmi Nagar, District Centre, New Delhi - 110092
Tel.: 011-22425078 - 82, Fax: 011-22425081. Email : anjanisteelsdelhi@gmail.com, Website : www.anjanisteels.com

February 11, 2015

To
The Additional Secretary & Chairman,
Ministry of Coal,
Govt. of India,
Shastri Bhawan,
New Delhi-110001.

Sub:- Change of name of our company from M/s Anjani Steels Pvt. Ltd. to M/s Anjani Steels Ltd.

Dear Sir,

Consequent Upon change in the name of our company from M/s Anjani Steels Pvt. Ltd. to M/s Anjani Steels Ltd., we vide our letter dt.03.02.2010, had requested your office to effect necessary change in your records.

The subsequent queries raised by your office vide letters dt.04.03.2010 & 15.04.2010 have also been replied vide our letters dt.25.03.2010 & 15.11.2011 respectively.

Confirmation sought by your office through letter dt.11.11.2011 from M/s South Eastern Coalfields Ltd. that no complaint has been received against our company, has also been given by them through their letter dt.10.01.2012.

However, we regret that name of our company has not been changed in your records so-far.

We, therefore, once again request you to kindly look into the matter and arrange for effecting the following change in your records, in respect of our company:-

Existing Name in the records of the ministry	Change to be effected
M/s Anjani Steels Pvt. Ltd. Regd. Office- 4 th Floor, Sangam Place, Civil Lines, Allahabad-211002	M/s Anjani Steels Ltd. Regd. Office- 503, 5 th Floor DDA Building, Plot No.4, Laxmi Nagar District Centre, New Delhi-110092 Ph. No. 222425078-82, Fax No.-22425081


It may further be stated that all other Govt. Departments like Income Tax, Sales Tax Registrar of Company etc. have already changed the name of our company in their records.

The copies of all the above referred letters are enclosed for your ready reference.

An early action in the matter is solicited.

Thanking you,

Yours Faithfully,
For Anjani Steels Ltd.


(Director)

CC: To the Joint Secretary (SKS)
Ministry of Coal, Govt. of India, Shastri Bhawan, New Delhi-110001

BCC: To The Under Secretary (CPD)
Ministry of Coal, Govt. of India, Shastri Bhawan, New Delhi-110001

32

205

File No.23021/24/2003-CPD
Government of India
Ministry of Coal

Shastri Bhawan,
New Delhi the 4th March, 2010

To
M/s. Anjan Steels Limited,
4th floor, Sangam Place Civil Lines,
Allahabad-211 002.

Sub: Change of name of the name of the company from M/s. Anjan Steels (P) Ltd to
M/s. Anjan Steels Ltd-reg.

Sir,

I am directed to refer to your letter dated 3.2.2010 on the above mentioned subject and to say that the Registrar of Companies issued letter for change in the name of the company in the year, 2007 and you have submitted request for change in the name of the company in the month of February, 2010, therefore, you are advised to submit the same. A copy of Fresh Certificate of incorporation consequent upon change of name on conversion to public limited company duly attested by notary may also be sent alongwith the following clarification:

1.Is this a case of transfer of Linkage from one legal entity to another legal entity (Company) or change of name of same legal entity?

2.It is also not clear as to how various permissions/ assets/activities acquired earlier by M/s. Anjan Steels Pvt Ltd would be transferred to new entity?

3.Whether you have already transferred the same to the new entity?

4. Whether there is change in management control/shareholding pattern consequent upon change in name.

^{You}
~~By~~ may also furnish supporting documents duly issued by RoC, company Secretary, statutory authorities etc. wherever required.

Yours faithfully,


(P.K. Datta)
Section Officer

32

206

ANJANI STEELS LIMITED

Works : Vill- Ujaipur, Post- Gerwani, Teh- Ghargora, Distt.- Raigarh (Chhattisgarh)
Tel. : (07762) 240983, 240984, 261525, 261526, 261528 Fax : (07762) 261527

Dated: 25.03.2010

To,

Mr. P.K.Dutta
Section Officer
Ministry of Coal
Government of India
Shastri Bhawan, New Delhi.

Sub: Conversion of name of the company from M/s Anjani Steels (P) Ltd
to M/s Anjani Steels Ltd.


Dear Sir,

We are enclosing herewith the photocopy of certificate of Incorporation of M/s Anjani Steels Ltd, which has been duly attested by notary. The under mentioned clarification, which has been required by you, are provided.

1. It is a case of conversion of name of same legal entity.
2. Since it is only conversion of name of same legal entity it is not required to transfer various assets/ activities.
3. The transfer is not required since it is already mentioned that it is a conversion of name only.
4. There is no change in management control/ share holding pattern consequent upon the conversion of name except resignation of Mr. Sanjay kumar yadav as director.

Thanking you

Yours truly,
For Anjani Steels Ltd.


Authorized Signatory